

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	
	20 Triton Street, London NW1 3BF, United Kingdom	RICOH
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Multifunction					
Commercial name *	MP 4054ASP					
Model number *	MP 4054ASP					
Issue date *	27 August 2014					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model nu		MP 4054ASP		_	_	-	
Issue date *		27 August 2014	Logo	R	IC	Ο	Н
Product	Product environmental attributes - Legal requirements F					ment	met
ltem							n.a.
P1	Hazardous substances and preparations						
P1.1*	0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavely bound of the second seco		mium,			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				\boxtimes		
P1.3*	Products hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	naximum	1-			
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych /l (PCT) in preparations (see legal reference).	nlorinated		\boxtimes		
P1.5*	Product	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 car intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the	\boxtimes		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference nt: Legal reference has no maximum concentration values.		RIS),			
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% Azo colo c amines. (See legal reference and Note B1)	rants that s	plit			\square
P1.8*	Wooder pentach	parts do not contain arsenic and chromium as a wood preservation treatment as w lorophenol and derivatives (see legal reference).	vell as				
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.						
P1.10*							
P2	Batterie	S					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other t lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See la		nce)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)						
P3		EMC connection to the telephone network and labeling					
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference	ce).		\boxtimes		
P3.2*	The pro	duct complies with legally required standards for electromagnetic compatibility (see	legal refer	ence).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies						
P3.4*	with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).				\square		
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		ce).	\square			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		t packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).				\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						

 $^{^{}Note}$ B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		MP 4054ASP				
Issue date *		27 August 2014 Logo 🌔	IC		Ι	
Product environmental attributes - Market requirements - Environmental conscious design Red						
Item			Require Yes	No	n.a.	
P6	Treatme	100	110	n.u.		
P6.1*	Informati					
P7	Design					
	Disassembly, recycling					
P7.1*			\square			
P7.2*	7.2* Plastic materials in covers/housing have no surface coating.		\square			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$			
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradir	g can be done using commonly available tools	$\overline{\times}$			
P7.9.	Spare pa	rts are available after end of production for: 7 years		$\overline{\Box}$		
P7.10		s available after end of production for: 7 years		Ħ	Π	
		and substance requirements				
P7.11*		cover/housing material type:				
	Material	type: PC+ABS Material type: PC+PS Material type:				
P7.12	Electrica	l cable insulation materials of power cables are PVC free.				
P7.13	Electrica	cable insulation materials of signal cables are PVC free				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See				
	Note B ²)					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components):				
		additive) , TBBPA (reactive) , Other; chemical name:, CAS #:	_	_		
	Alt. 2 Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:				
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances/preparations in				
	concentr	ations above 0.1%:				
	1. Chem	ical name: , CAS #:				
		ical name: , CAS #:				
	3. Chem Alt. 2	ical name: , CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	0					
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	-H	H	H	
		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20 P7.21		plastic parts' weight >25g, recycled material content is 0%. plastic parts' weight >25g, biobased material content is 0%.				
P7.21		irces are free from mercury				
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries	-				
P8.1*	Battery c	hemical composition: Manganese dioxide lithium	\boxtimes	\Box	\Box	
P8.2	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower) criteria (2002/687/EC & 2001/686/EC)					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Issue date *	MP 4054/ 27 Augus	ugust 2014 Logo RICOH								
Product environmental attributes - Market requirements (continued) Requirement met								met		
Item		-						Yes	No	n.a.
P9 Energy consumption										
9.1 For the product the following power levels or energy consumptions are reported:										
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / modes and test	Standard method *	for e	energy	
Operating Mode		W	W	570.2 W						
Ready Mode		W	W	81.4 W						
Sleep Mode		W	W	0.51 W						
		W	W	W						
		W	W	W						
		W	W	W						
EPS No-load		W	W	W						\boxtimes
(External power su charger plugged in outlet but disconne the product.)	the wall									
PTEC * Typical Energy Co	nsumption	W	W	W						
TEC * Typical Energy Consumption		kWh/week	kWh/week	1.607 kWh/week						
ETEC * Annual Energy Consumption		kWh/year	kWh/year	77.136 kWh/year						
Display resolution*	: Me	gapixels	I							\square
Print Speed *	: 40 Image	s per minute								
Default time to ente	er energy sa	ve mode: 1 minutes								Ē
P9.2* Informa	ation about tl	he energy save functio	n is provided with th	ne product.				\square		
ENER	oduct meets GY STAR® \ specify:	the energy requirement version: 2.0 Produ	nts of the following v uct category: <i>Multifu</i>		n/s:					
P10 Emiss	ions									
		Declared according to	ISO 9296							
P10.1 Mode	N	lode description		Declared A-weighted		Declared A-weighted sound pressure level L_{pAm} (dB)				
				sound power	0.00			der pos		-
				level L_{WAd} (B)	Ope	rator position 🔀	Dystan			
						or Desk side	(only if p			
Idle	Idle *		Stand-by *		operator a		tor atte	enaea)		
			Stand-by* 3.5Operating Mode* 6.5			49.7			1日	
Other r	node]
Measu	red accordin	~	ECMA-74 (only if not covered	by ECMA-74 wit	th L _{pAn}	n measurement di	stance	m)		
P10.2 The pro	oduct meets	the acoustic noise req	uirements of the fol	lowing voluntary	progra		ngel dic Swan			

ssue dat	e* 27 August 2014 Logo 🔽				
		IC			
	environmental attributes - Market requirements (continued)	Require			
Item		Yes	No	n.a	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ171				
P10.4	Typical emission rate (print phase) is (mg/h):			\geq	
	Dust 0.75 Ozone < limit of detection Styrene < limit of detection Benzene < limit of detection TVOC 0.7	9			
P10.5	Chemical emission requirements of the following voluntary program/s are met for:	_		_	
	Dust 🛛 Ozone 🖾 Styrene 🖾 Benzene 🖾 TVOC 🖾 🛛 🛛 Blue Angel	\bowtie			
	Nordic Swan			\geq	
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary				
	program/s:			Ľ	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square			
P11.2*	1.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of 🔀				
	EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			X	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 9.894				
	Product packaging material type(s): <i>Plastic</i> weight (kg): 0.945				
	Product packaging material type(s): weight (kg):				
P13.2*	Product plastic packaging is free from PVC.	\square			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic 🔀, Paper 🔀, Other 📃				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: $\%$				
Rev. P13.5	User and product documentation do not contain chlorine bleached paper	\square			
P14	Additional information (See Note B ⁴)				
	This product is designed to utilise recycled plastic materials wherever available.				

^{Note} B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19