

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	
	20 Triton Street, London NW1 3BF, United Kingdom	RICOH
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Multifunction					
Commercial name *	MP 4054SP					
Model number *	MP 4054SP					
Issue date *	27 August 2014					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MP 4054SP		
Issue date *	27 August 2014	Logo	RICOH

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	$\neg \neg$	\Box	X
	aromatic amines. (See legal reference and Note B1)	Ш	ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square	$\overline{}$	
1 1.5	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	\Box	
	emo@ricoh-europe.com		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		$\overline{}$	
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		<u>Ц</u>	
P2.3*	design of the product). Exception: Batteries that are permanently installed for safety, performance, medic		Ш	Ш
Do	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		<u>Ц</u>	Щ_
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			

Note B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MP 4054SP		
Issue date *	27 August 2014	Logo	RICOH

Product	oduct environmental attributes - Market requirements - Environmental conscious design					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Require Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design Disassembly, recycling	-				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\boxtimes}$	\sqcap			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	币	\Box		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\boxtimes}$	币			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		币	币		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	币	\Box		
	Product lifetime	_				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
P7.12	Material type: PC+ABS Material type: PC+PS Material type: Electrical cable insulation materials of power cables are PVC free.		_			
	·		屵	_ <u> </u>		
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u> </u> _	<u></u>	<u> </u>		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	<u> </u> _	ᆜ	<u>Ц</u>		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Second B ²)	Э	Ш			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17						
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations is concentrations above 0.1%:	n 🗌				
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Battery chemical composition: Manganese dioxide lithium					
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>			\boxtimes		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP 4054SP		
Issue date *	27 August 2014	Logo	RICOH

Product (Product environmental attributes - Market requirements (continued) Requirement me							met	
Item							Yes	No	n.a.
P9	Energy consumpt								
9.1	For the product the	following power levels	or energy consump	tions are report	ed:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for	energy	
Operating	Mode	W	W	570.2 W					
Ready Mo	de	W	W	81.4 W					
Sleep Mod	de	W	W	0.51 W					
		W	W	W					
		W	W	W					
		W	W	W					
EPS No-loa		W	W	W					
charger plu	power supply / ugged in the wall disconnected from t.)								
PTEC * Typical En	ergy Consumption	W	W	W					
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	1.609 kWh/wee	ek				
ETEC * Annual End	ergy Consumption	kWh/year	kWh/year	77.136 kWh/ye	ear				
Display res	solution* : Me	gapixels	I						
Print Spee	d * : 40 Image:	s per minute							\Box
Default tim	e to enter energy sav	ve mode: 1 minutes							$\overline{\Box}$
P9.2*	Information about th	ne energy save functio	n is provided with th	e product.			X		一
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version: 2.0 Produ	nts of the following valuet category: <i>Multifu</i>		n/s:				
P10	Emissions								
0		Declared according to	ISO 9296						
P10.1	Mode N	lode description		Declared A-weighted sound power level L_{WAd} (B)	Ope	Desktop (only if	nder po	ositions	
		Stand-by	1	* 3.5		19.9			
		Operating Mode	,	6.5		49.7			
	Other mode								
	Measured according to: SO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)								
P10.2	The product meets	the acoustic noise req	uirements of the foll	owing voluntary	progra	am/s: Blue Angel			

Model number *	MP 4054SP		
Issue date *	27 August 2014	Logo	RICOH

Chemical emissions from printing products Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ171	Product	roduct environmental attributes - Market requirements (continued)				
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard other specify: RAL-UZ171	Item		Yes	No	n.a.	
P10.4 Typical emission rate (print phase) is (mg/h): Dust 0.75 Ozone < imit of detection Styrene < imit of styrene		Chemical emissions from printing products				
Dust 0.75 Ozone <pre> Ilimit of detection Styrene < Ilimit of detection Styrene Styre</pre>	P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ171	\boxtimes			
P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust Ozone Styrene Benzene TVOC Nordic Swan P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P10.6 Consumable materials for printing products P11.1 Consumable materials for printing products P11.1.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1 The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2 The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1 Product packaging material type(s): Corrugated Paper Weight (kg): 9.899 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): New jobs (kg): Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging is free from PVC. P13.3 Specify media for user and product documentation (tick box): Electronic Paper	P10.4	Typical emission rate (print phase) is (mg/h):				
Dust Ozone Styrene Benzene TVOC Blue Angel Nordic Swan		Dust 0.75 Ozone < limit of detection Styrene < limit of detection Benzene < limit of detection TVOC 0.79				
Electromagnetic emissions	P10.5					
Pload Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes	Ш	Ш	
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic Weight (kg): 9.899 Weight (kg): 0.945 Weight (kg): 0.945 Weight (kg): 0.945 Weight (kg): Product packaging material type(s): Weight (kg): Product packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. Specify media for user and product documentation (tick box): Electronic Paper Other Pother Po		Nordic Swan			\boxtimes	
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.899 Product packaging material type(s): Plastic weight (kg): 0.945 Product packaging material type(s): weight (kg): P13.2* Product packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Paper Other Paper		Electromagnetic emissions				
P11.1* Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN1281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.899 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): Weight (kg): Product packaging material type(s): Electronic Appear Appear Appear Appear Product packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Appear App	P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			X	
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.899 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): weight (kg): weight (kg): P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P14 Additional information (See Note B4)						
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic Product packaging material type(s): Weight (kg): 0.945 Weight (kg): 0.945 Weight (kg): 0.945 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Poper Po		Consumable materials for printing products				
EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.899 Product packaging material type(s): Plastic weight (kg): 0.945 Product packaging material type(s): weight (kg): 0.945 Product plastic packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5* P44 Additional information (See Note B4)						
P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.899 Product packaging material type(s): Plastic weight (kg): 0.945 Product packaging material type(s): weight (kg): 0.945 Product packaging material type(s): weight (kg): 0.945 Product packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P11.2*	EN12281.	i 🔀			
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.899 Product packaging material type(s): Plastic Weight (kg): 0.945 Product packaging material type(s): Weight (kg): 0.945 Product packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic Product packaging material type(s): Weight (kg): 0.945 Product packaging material type(s): Weight (kg): 0.945 Product packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P12					
P13.1* Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.899 Product packaging material type(s): Plastic weight (kg): 0.945 Product packaging material type(s): weight (kg): 0.945 Product packaging is free from PVC. P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other ☐ P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B⁴)	P12.1*	.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P13.1* Product packaging material type(s): Corrugated Paper	P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
Product packaging material type(s): Plastic Product packaging material type(s): weight (kg): 0.945 Product packaging material type(s): weight (kg): P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	_					
Product packaging material type(s): P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P13.1*					
P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)						
P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P13 2*					
Electronic , Paper , Other . P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper . P13.5 P14 Additional information (See Note B4)	_	1 1 0 0			╫	
P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	F 13.3				Ш	
fiber: % Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4)	P13 4*				\square	
P13.5 P14 Additional information (See Note B4)	1 10.1					
P14 Additional information (See Note B4)	-	User and product documentation do not contain chlorine bleached paper	\square			
		Note - 4.				
This product is designed to utilise recycled plastic materials wherever available.	P14					
		Inis product is designed to utilise recycled plastic materials wherever available.				

Note B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19