

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	RICOH
	20 Triton Street, London NW1 3BF, United Kingdom	RICOR
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product * Multifunction			
Commercial name *	MP 6054SP		
Model number *	MP 6054SP		
Issue date *	27 August 2014		
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model number * MP 6054SP						
Issue dat	sue date * 27 August 2014 Logo		IC	C		
Product environmental attributes - Legal requirements Requirement me						
Item						
P1	Hazardo	ous substances and preparations	Yes	No	n.a.	
P1.1*						
P1.2*						
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square			
	hydrobro trichloro	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*		s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.				
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split c amines. (See legal reference and Note B1)			\square	
P1.8*	Wooden pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as lorophenol and derivatives (see legal reference).				
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5					
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. * REACH Article 33 information about substances in articles is available at (add URL or mail contact): X emo@ricoh-europe.com Image: Comment in the substance is available at (add URL or mail contact): Image: Comment in the substance is available at (add URL or mail contact):					
P2	Batterie	S				
P2.1*	more that marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is I in user manual. (See legal reference)				
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling				
P3.1*		duct complies with legally required safety standards as specified (see legal reference).	\square			
P3.2*	The prod	duct complies with legally required standards for electromagnetic compatibility (see legal reference).		Π		
P3.3*		ct is intended for connection to a public telecom network or contains a radio transmitter, it complies ally required standards for radio and telecommunication devices (see legal reference).				
P3.4*		duct is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4		nable materials				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and ent chromium by weight of these together.	\square			
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					

 $^{^{}Note}$ B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	ımber *	MP 6054SP					
Issue date *		27 August 2014 Logo 🌄		$\mathbf{\cap}$	Н		
Product environmental attributes - Market requirements - Environmental conscious design Rec							
Item					n.a.		
P6		nt information	Yes	No	mai		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
P7	Design	mbly, recycling					
P7.1*		t have to be treated separately are easily separable	\square				
P7.2*		aterials in covers/housing have no surface coating.		⊢⊢	\dashv		
P7.3*		arts >100g consist of one material or of easily separable materials.		⊢⊢	-		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		╞			
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		╞	-		
	-			<u> </u>			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	ig can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools		╞			
P7.8				<u> </u>			
		rts are available after end of production for: 7 years		<u> </u>			
P7.10		s available after end of production for: 7 years	\square				
P7.11*		and substance requirements					
P7.11		cover/housing material type: type: PC+ABS Material type: PC+PS Material type:					
P7.12		I cable insulation materials of power cables are PVC free.					
P7.13		I cable insulation materials of signal cables are PVC free	+	\exists	\dashv		
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	+	╞	-		
P7.14		d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	<u> </u>	<u> </u>			
	Note B ²)						
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive), Other; chemical name:, CAS #:					
	Alt. 2 Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4:					
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:					
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:					
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R46	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20 P7.21		plastic parts' weight >25g, recycled material content is 0%. plastic parts' weight >25g, biobased material content is 0%.					
P7.21 P7.22		viastic parts' weight >25g, blobased material content is 0%.					
P8		y is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8.1*		hemical composition: Manganese dioxide lithium	\square				
P8.2	Batteries	meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>					
	criteria (2002/687/EC & 2001/686/EC)		_			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Issue date *	MP 6054SP 27 August 2014 Logo RICOH									
Product environmental attributes - Market requirements (continued) Requirement met										
Item								Yes	s No	n.a.
	y consumpt	following power levels		ntions are report	od					
						Defenses /	01	(
Energy mode *		Power level at 100 V AC	115 V AC	230 V AC	at	Reference / modes and test	Standard method *	for	energy	
Operating Mode		W	W	822 W						
Ready Mode		W	W	81.4 W						
Sleep Mode		W	W	0.51 W						
		W	W	W						
		W	W	W						
		W	W	W						
EPS No-load	. ,	W	W	W						\boxtimes
(External power su charger plugged ir outlet but disconne the product.)	the wall									
PTEC * Typical Energy Co	nsumption	W	W	W						
TEC * Typical Energy Co	nsumption	kWh/week	kWh/week	2.716 kWh/we	ek					
ETEC * Annual Energy Consumption		kWh/year	kWh/year	130.368 kWh/year						
Display resolution	: Me	gapixels	I							
Print Speed *	: 60 Image	s per minute								
Default time to ent	er energy sa	ve mode: 1 minutes								
P9.2* Inform	ation about tl	he energy save functio	n is provided with t	he product.				\square		
ENER	oduct meets GY STAR® v s specify:	the energy requirement version: 2.0 Produ	nts of the following view of the following v		n/s:					
P10 Emiss	. ,									
		Declared according to	ISO 9296							
P10.1 Mode M		Node description		Declared A-weighted		Declared A-weighted sound pressure level $L_{p Am}$ (dE		3)		
				sound power level L_{WAd} (B)	Ope	rator position 🔀	Bystar	nder po	ositions	1
						Desktop	1			
						or Desk side	(only if opera		t is not tended)	
Idle	*	Stand-by		* 3.6		1	9.8			
		Operating Mode	* 6.8		53					
Other										4
Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)										
P10.2 The p	roduct meets	the acoustic noise req	uirements of the fol	lowing voluntary	progra		ngel dic Swan			

Issue date * 27 August 2014 Logo RIC					
		Ι			
Product environmental attributes - Market requirements (continued) Requ	remen	t met			
Item Ye	s No	n.a.			
Chemical emissions from printing products					
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ171					
P10.4 Typical emission rate (print phase) is (mg/h):		\boxtimes			
Dust 0.67 Ozone 0.05 Styrene < limit of detection Benzene 0.02 TVOC 1.85					
P10.5 Chemical emission requirements of the following voluntary program/s are met for:					
Dust 🛛 Ozone 🖾 Styrene 🖾 Benzene 🖾 TVOC 🖾 🛛 🛛 🛛 Blue Angel 🖄					
Nordic Swan		\boxtimes			
Electromagnetic emissions					
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary		\square			
program/s:					
P11 Consumable materials for printing products					
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3* 2-sided (duplex) printing/copying is an integrated product function.					
P12 Ergonomics for computing products					
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes			
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes			
P13 Packaging and documentation					
P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.894					
Product packaging material type(s): <i>Plastic</i> weight (kg): 0.945					
Product packaging material type(s): weight (kg): P13.2* Product plastic packaging is free from PVC.					
Electronic 🔀, Paper 🔀, Other 🗌					
P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: %		\boxtimes			
Rev. User and product documentation do not contain chlorine bleached paper P13.5					
P14 Additional information (See ^{Note} B ⁴)					
This product is designed to utilise recycled plastic materials wherever available.					

^{Note} B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19