

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	
	20 Triton Street, London NW1 3BF, United Kingdom	RICOH
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multifunction			
Commercial name *	MP C3503ZSP			
Model number *	Aficio MP C3503ZSP			
Issue date *	12 August 2013			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Aficio MP C3503ZSP		
Issue date *	12 August 2013	Logo	<b>RICOH</b>

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	$\neg \neg$	$\Box$	X	
	aromatic amines. (See legal reference and Note B1)	Ш	ш		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$	
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\square$	$\overline{}$		
1 1.5	microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$	$\Box$		
	emo@ricoh-europe.com		ш		
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be				
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		$\overline{}$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		<u>Ц</u>		
P2.3*	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		Ш	Ш	
Do	or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling		_		
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		<u>Ц</u>	Щ_	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	$\boxtimes$			
	Comment: Legal reference has no maximum concentration values.				

Note B<sup>1</sup>: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Aficio MP C3503ZSP		
Issue date *	12 August 2013	Logo	<b>RICOH</b>

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$				
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\boxtimes$				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ī			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$	T	$\overline{\Box}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$	T	$\Box$		
	Product lifetime	_				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 7 years	$\boxtimes$				
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
P7.12	Material type: PC+ABC Material type: PC+PS Material type:		_			
	Electrical cable insulation materials of power cables are PVC free.	_ <u> </u>	屵	<del>-</del>		
P7.13	Electrical cable insulation materials of signal cables are PVC free	_ <u> </u>	<u> </u>	<del>-</del>		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	_ <u> </u>	부	<u></u>		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B <sup>2</sup> )		Ш			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
		<u> </u>	Ц	_ <u>_</u> _		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%. [pls see P14 for additional information]					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш			
P8	Batteries Control of the Control of					
P8.1*	Battery chemical composition: <i>Manganese dioxide lithium</i>					
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i> criteria (2002/687/EC & 2001/686/EC)			$\boxtimes$		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio MP C3503ZSP		
Issue date *	12 August 2013	Logo	<b>RICOH</b>

Product environr	t environmental attributes - Market requirements (continued) Requirement me					met			
Item							Yes	No	n.a.
	consumpti								
9.1 For the p	oroduct the	following power levels	or energy consump	tions are report	<u>:ed:</u>				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for	energy	
Operating Mode		W	W	Mono <b>515</b> W Colour <b>595.7</b> V	٧				
Ready Mode		W	W	60 W					
Sleep Mode		W	W	0.79 W					
		W	W	W					
		W	W	W					
		W	W	W					
EPS No-load		W	W	W					$\boxtimes$
(External power sup charger plugged in to outlet but disconnec the product.)	he wall								
PTEC * Typical Energy Cons	sumption	W	W	W					
TEC * Typical Energy Cons	sumption	kWh/week	kWh/week	1.388 kWh/we	ek				
ETEC * Annual Energy Cons	sumption	kWh/year	kWh/year	<b>66.624</b> kWh/ye	ear				
Display resolution*	: Me	gapixels							
Print Speed *	nt Speed * : 35 Images per minute								
Default time to enter	energy sav	ve mode: 1 minutes							
P9.2* Informat	ion about th	ne energy save functio	n is provided with th	e product.			$\boxtimes$		
	Y STAR® v	the energy requirement version: 1.1 Tier: 2 Pro			n/s:				
P10 Emission	ns								
		Declared according to	ISO 9296						
P10.1 Mode	l N	lode description		Declared A-weighted sound power		Declared A-weighte sound pressure level $L_{pk}$	<sub>Am</sub> (dB		
				level $L_{W  extsf{Ad}}$ (B)	Ope	rater position	nder po	ositions	
								ct is not	
Idle	*	Stand-by	1	<b>* 3.5</b>		opera	ator att	ended)	
Operation		Operating Mode	,	* 6.4		50			ΙĦ
Other m		, ,							
Measured according to: SO7779 ECMA-74  Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)									
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:  Blue Angel  Nordic Swan									

Model number *	Aficio MP C3503ZSP		
Issue date *	12 August 2013	Logo	RICOH

Product	Product environmental attributes - Market requirements (continued)				
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ171	$\boxtimes$			
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$	
	Dust (mono 0.53 colour < limit of detection) Ozone (mono < limit of detection colour < limit of detection)				
	Styrene (mono < limit of detection colour < limit of detection) Benzene (mono < limit of detection colour < limit of detection) TVOC (mono 0.75 colour 2.3)				
P10.5	Chemical emission requirements of the following voluntary program/s are met for:				
	Dust     ✓ Ozone     ✓ Styrene     ✓ Benzene     ✓ TVOC     ✓ Blue Angel	$\boxtimes$	Ш	Ш	
	Nordic Swan			$\boxtimes$	
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			$\boxtimes$	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	$\boxtimes$			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$			
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$	
P12.2*	1 7				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 11.363				
	Product packaging material type(s): <i>Plastic</i> weight (kg): 1.078				
P13.2*	Product packaging material type(s): weight (kg):  Product plastic packaging is free from PVC.				
P13.3*	Specify media for user and product documentation (tick box):			井	
P13.3"	Electronic , Paper , Other .			Ш	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: %				
Rev.	User and product documentation do not contain chlorine bleached paper	$\boxtimes$			
P13.5	Note = 4				
P14	Additional information (See Note B4)				
	This product is designed to utilise recycled plastic materials wherever available.				

Note B<sup>4</sup>: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19