

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	DICOLL
	20 Triton Street, London NW1 3BF, United Kingdom	RICOH
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	ts given in this declaration.			
Type of product *	duct * Multifunction			
Commercial name *	MP C2503ZSP			
Model number *	MP C2503ZSP			
Issue date *	22 January 2014			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MP C2503ZSP		
Issue date *	22 January 2014	Logo	RICOH

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	$\neg \neg$	$\Box$	X
	aromatic amines. (See legal reference and Note B1)	Ш	ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\square$	$\overline{}$	
1 1.5	microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$	$\Box$	
	emo@ricoh-europe.com		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		$\overline{}$	
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		<u>Ц</u>	
P2.3*	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		Ш	Ш
Do	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		_	
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		<u>Ц</u>	Щ_
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration values.			

Note B<sup>1</sup>: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MP C2503ZSP		
Issue date *	22 January 2014	Logo	RICOH

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design				
D7.4*	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>		_
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$	_Ц		_
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$			Γ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			Γ
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 7 years		$\Box$		Г
P7.10	Service is available after end of production for: 7 years		Ħ		
	Material and substance requirements				
P7.11*	Product cover/housing material type:				_
	Material type: PC+ABS Material type: PC+PS Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free				Π
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B <sup>2</sup> )	,			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				_
	Marking:		Ш		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:				J
	TBBFA (additive), TBBFA (reactive), Other, chemical name., CAS #.				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
D7.40	ISO 1043-4:				_
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in				ı
	concentrations above 0.1%:	. П	ш		I
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	one mode opening the retained in placing parts 72 by according 100 1040 4.				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	一百	Ħ	F	Г
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	_	_		
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%. [pls see P14 for additional information]				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				_
P7.22	Light sources are free from mercury				
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg				
P8.1*	Battery chemical composition: Manganese dioxide lithium				
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>			X	H
. 0.2	criteria (2002/687/FC & 2001/686/FC)				ı

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP C2503ZSP		
Issue date *	22 January 2014	Logo	<b>RICOH</b>

Product 6	roduct environmental attributes - Market requirements (continued)  Requirement met								
Item	Yes No n					n.a.			
P9	Energy consump								
9.1 For the product the following power levels or energy consumptions are reported:									
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	l at	Reference / Standard modes and test method *	for	energy	
Operating	Mode	W	W	Mono 439.4 \ Colour 491.5 \					
Ready Mo	de	W	W	<b>52.9</b> W					
Sleep Mod	de	W	W	<i>0.8</i> W					
		W	W	W					
		W	W	W					
		W	W	W					
EPS No-loa	ad	W	W	W					$\boxtimes$
charger plu outlet but of the produc	power supply / ugged in the wall disconnected from t.)								
PTEC * Typical En	ergy Consumption	W	W	W					
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	0.939 kWh/we	ek				
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	<b>45.072</b> kWh/ye	ear				
Display res	solution* : M	egapixels							
Print Spee	d * : <b>25</b> Imag	es per minute							
Default tim	e to enter energy s	ave mode: 1 minutes							
P9.2*	Information about	the energy save functio	n is provided with t	he product.					$\Box$
P9.3*		s the energy requirement version: <b>2.0</b> Product ca			m/s:				
P10	Emissions								
D40.4		Declared according to	ISO 9296	Deelesed		Dealered A weight	1		
P10.1	Mode	Mode description		Declared A-weighted		Declared A-weight		2)	
				sound power		sound pressure level $L_p$			
				level $L_{WAd}$ (B)	Ope	erator position Bysta	nder p	ositions	
						Desktop (only if	produc	ct is not	
						or Desk side oper	•	tended)	
	Idle	* Stand-by		* 3.5		19.4			
	Operation	* Operating Mode		* Mono: <b>6.3</b> Colour: <b>6.5</b>		Mono: <b>47.4</b> Colour: <b>49.2</b>			
	Other mode			Colour. U.U		0010d1. <b>43.2</b>			
Measured according to: ☐ ISO7779 ☐ ECMA-74									
	aaaraa aaaara	_		by ECMA-74 wit	th L <sub>pA</sub> ,	m measurement distance	m	ı <b>)</b>	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: Blue Angel									

Model number *	MP C2503ZSP		
Issue date *	22 January 2014	Logo	RICOH

Product	duct environmental attributes - Market requirements (continued)			met		
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ171					
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$		
	Dust (mono < limit of detection colour < limit of detection) Ozone (mono < limit of detection colour < limit					
	of detection) Styrene (mono < limit of detection colour < limit of detection) Benzene (mono < limit of					
D40.5	detection colour < limit of detection) TVOC (mono 0.69 colour 2.3)					
P10.5	Chemical emission requirements of the following voluntary program/s are met for:					
	Dust        ✓ Ozone        ✓ Styrene        ✓ Benzene        ✓ TVOC        ✓ Blue Angel	×	$\vdash$			
	Nordic Swan	Ш	Ш	$\boxtimes$		
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			$\boxtimes$		
	program/s:					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$				
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f 🔀				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$				
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 11.363					
	Product packaging material type(s): <i>Plastic</i> weight (kg): 1.078					
D40.0*	Product packaging material type(s): weight (kg):			_		
P13.2*	Product plastic packaging is free from PVC.			<u>Ц</u>		
P13.3*	Specify media for user and product documentation (tick box):					
D. ( 0. 4 t	Electronic , Paper , Other .					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: %			$\boxtimes$		
Rev.	User and product documentation do not contain chlorine bleached paper					
P13.5	oser and product documentation do not contain enionic bicached paper		Ш	Ш		
P14	Additional information (See Note B4)					
	This product is designed to utilise recycled plastic materials wherever available.					

Note B<sup>4</sup>: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19