

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	_
Contact information *	Ricoh Europe Plc	4
	20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashua <u>tec</u>
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Multifunction					
Commercial name *	MP 401SPF					
Model number *	MP 401SPF					
Issue date *	02 November 2015					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MP 401SPF		
Issue date *	02 November 2015	Logo	nashua <u>tec</u>

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\Box		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split				
P1.8*	aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as				
1 1.0	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.		Ш		
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		$\overline{}$		
1 1.0	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes			
	emo@ricoh-europe.com				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or				
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) 3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		一	$\overline{}$	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\boxtimes			

Note B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MP 401SPF		
Issue date *	02 November 2015	Logo	nashua <u>tec</u>

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling	+		
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\boxtimes}$	\blacksquare	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		一百	$\overline{\Box}$
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		一百	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\Box	\Box
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$	$\overline{\Box}$	
P7.9.	Spare parts are available after end of production for: 7 years		Ħ	Ħ
P7.10	Service is available after end of production for: 7 years		一一	Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Ser Note B ²)	е 🗌	\boxtimes	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):		\boxtimes	
	TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: BFRs are used, which are not restricted of their inclusion by regulations			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations i concentrations above 0.1%:	n 🗌		
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D7.40	FR(40)		<u> </u>	Щ.
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.18%			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0% Light sources are free from mercury		_	
F1.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries and the state of the			
P8.1*	Battery chemical composition: Manganese dioxide lithium battery, Vanadium Pentoxide Lithium			
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>			
	criteria (2002/687/FC & 2001/686/FC)			<u>~~</u> V

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP 401SPF		
Issue date *	02 November 2015	Logo	nashua <u>tec</u>

Product	uct environmental attributes - Market requirements (continued) Requirement me						met			
Item								Yes	s No	n.a.
P9	Energy consumpti									
9.1	For the product the	following power levels	or energy consump	tions are report	ed:					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n	Standard nethod *	for	energy	
Operating	Mode	W	W	615.9 W						
Ready Mo	de	W	W	97.2 W						
Sleep Mod	de	W	W	0.72 W						
		W	W	W						
		W	W	W						
		W	W	W						
charger plu	oower supply / ugged in the wall disconnected from	W	W	W						
PTEC * Typical En	ergy Consumption	W	W	W						
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	1.759 kWh/wee	ek					
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	84.432 kWh/ye	ar					
Display res	solution* : Meg	gapixels								\boxtimes
Print Spee	d * : 40 Images	s per minute								
Default tim	e to enter energy sav	/e mode: 1 minutes								
P9.2*	2.2* Information about the energy save function is provided with the product.									
P9.3*		the energy requirement rersion: 2.0 Product ca			n/s:					
P10	Emissions									
	Noise emission –	Declared according to	ISO 9296							
P10.1	Mode M	lode description		Declared A-weighted sound power		Declared A	evel L_{pA}	_m (di		
				level $L_{W extsf{Ad}}$ (B)	Ope	rator position	Bystan	nder p	ositions	
						Desktop or Desk side	(only if p	produ	ct is not tended)	
	Idle *	Stand-by			itor at	toridody				
	Operation *	Operating Mode	ting Mode * 7.2 63.3							
	Other mode									
Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)										
P10.2	The product meets	the acoustic noise req			Ī	am/s: Blue Ar				

Model number *	MP 401SPF		
Issue date *	02 November 2015	Logo	nashua <u>tec</u>

Product	environmental attributes - Market requirements (continued)	Require	ment	met	
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ171	\boxtimes			
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust 0.83 Ozone < limit of detection Styrene 0.051 Benzene < limit of detection TVOC 4.5				
P10.5	Chemical emission requirements of the following voluntary program/s are met for:				
	Dust Ozone Styrene Benzene TVOC Blue Angel	\boxtimes	Ш	Ш	
	Nordic Swan			\boxtimes	
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes	
	program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).				
P11.2*	* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				
P12	Ergonomics for computing products				
P12.1*					
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 3.377				
	Product packaging material type(s): <i>Plastic</i> weight (kg): <i>0.854</i>				
P13.2*	Product packaging material type(s): weight (kg): Product plastic packaging is free from PVC.			$\overline{}$	
				井	
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			Ш	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled				
	fiber: %				
Rev.	User and product documentation do not contain chlorine bleached paper	\boxtimes			
P13.5	Additional information (See Note B4)				
F14	This product is designed to utilise recycled plastic materials wherever available.				
	This product is designed to dunise recycled plastic materials wherever available.				

Note B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19