



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	nashuatec
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Multifunction		
Commercial name *	MP 6503SP		
Model number *	MP 6503SP		
Issue date *	12 May 2016		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MP 6503SP	Logo	nashuatec
Issue date *	12 May 2016		Hashua

Product	Product environmental attributes - Legal requirements Requirement					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	X				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
P1.4*	concentration values.					
F1.4	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the					
1 1.0	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week	\boxtimes				
	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes				
	emo@ricoh-europe.com					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes				
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		Ш		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	$\overline{}$			
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			_		
F3.1	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com	\bowtie	Ш	Ш		
P3.2*	The product complies with the Eco design requirements for energy-related products,	\square	\neg			
	(see legal reference).		ш	ш		
	Required information is; given in item P15 or added to this document,					
	available at (add URL):		\boxtimes			
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	X	\Box			
	legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			_		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
P5	(see legal reference). Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and					
1 0.1	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*						
	used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	I 🖂				
	Protocol (see legal reference).		_			
D 0	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP 6503SP	Logo	nachuatee
Issue date *	12 May 2016		Hashua

	environmental attributes - Market requirements (See General NOTE GN below)			44
		Require		
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Design	Yes	No	n.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		$\overline{\Box}$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		П	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 7 years	\boxtimes	$\overline{\Box}$	
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7.47	Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	, _ , _ ,	ш		ш
	BFRs are used, which are not restricted of their inclusion by regulations			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		\boxtimes	
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		\boxtimes	
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	Ħ		一百
	assigned the following Risk phrases; and Hazard statements:			
D7.66*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		Ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 6.3% . or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * MP 65		MP 6503	03SP		Logo	nashı	10±c	5	
Issue date * 12 May 20		016				Hash	lau		
Product	environn	nental att	tributes - Market red	quirements (con	tinued)		Requi	rement	met
Item							Yes	s No	n.a.
			tance requirements (c						
P7.21*		•	aterial content is used i	. ,	•				
			of the two alternatives						
			c parts' weight > 25 g, t ⁄ weight) is <i>0.004</i> %. or	he biobased plastic	material content (calcula	ated as a percer	ntage of		
			the biobased plastic ma	aterial is g.					
	-,	3	,	···· •					
P7.22*	Light sou	rces are fr	ree from mercury, i.e. le	ess than 0,1 mg/lam	p.		X		
	If mercur	y is used s	specify: Number of lamp	os: and maxi	mum mercury content pe	r lamp: m			
P8	Batteries								
P8.1*			omposition: Lithium-ion	1					Ш
P9			ion (See NOTE B8)						
P9.1		roduct the	following power levels		tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta		energy	
Sleen mod	de for ENE	RGY	W	W	W				
	perational		•	**					
(OM) prod									
Standby/off mode for		W	W	W				\boxtimes	
ENERGY STAR Operational Mode (OM) products									
	for ENER		kWh/week	kWh/week	4.918 kWh/week				
TEC products									_
	oical Energ	ıy							
Consumpt	ion)								
Operating	y Mode		W	W	1133.8 W				
Ready Mo	ode		W	W	261 W				
Low Powe	er Mode		W	W	165 W				
Sleep Mod	de		W	W	0.9 W				
			W	W	W				
		W	W	W					
External P	ower Supp	ly Efficien	cy Level (International I	Efficiency Marking F	Protocol) *:				
Print/Scan	Print/Scan Speed * : 65 images per minute								
Default time to enter energy save mode: 1 minutes									
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio								
D40 1			Declared according to I						
P10.1	Mode	l M	Mode description		Statistical upper limit A-w L _{WA,c} (B)	eignted sound p	ower level,		
				'	-WA,C (D)				
Idle *		Stand-by	* 3.6						

(only if not covered by ECMA-74)

7.4

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Operating Mode

See section P15 Measured according to: ☐ ISO 7779 ☐ ECMA-74 Other

Operation

Other mode

The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, NOTE B7 connectors and electronic components and postconsumer recycled plastic.

A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	MP 6503SP	Logo	
Issue date *	12 May 2016		nashuatec

Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ171 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust 2.62 Ozone 0.16 Styrene < limit of detection Benzene 0.01 TVOC < limit of detection Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ171 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust 2.62 Ozone 0.16 Styrene limit of detection Benzene 0.01 TVOC limit of detection Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	o n.a.				
Equipment (ISO/IEC 28360), other specify: RAL-UZ171 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust 2.62 Ozone 0.16 Styrene < limit of detection Benzene 0.01 TVOC < limit of detection Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust 2.62 Ozone 0.16 Styrene limit of detection Benzene 0.01 TVOC detection Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
Electrophotographic devices: Dust 2.62 Ozone 0.16 Styrene < limit of detection Benzene 0.01 TVOC < limit of detection Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
Ink devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2* Paper containing post-consumer recycled fibers can be used provided that it meets the requirements of					
EN 12281.					
P11.3* 2-sided (duplex) printing/copying is an integrated product function.	$\overline{\sqcap}$				
P11.4* The product is delivered to end-user with default auto-duplex enabled.	i F				
P13 Packaging and documentation					
P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 21.553 Product packaging material type(s):): Plastic weight (kg): 0.935 Product packaging material type(s): weight (kg): 0.935					
	$\overline{}$				
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
consumer recovered fiber content:					
P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other .					
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:]				
Totally chlorine-free					
Elemental chlorine-free					
Processed chlorine-free					
P14 Voluntary programs:					
P14.1 The product meets the requirements of the following voluntary program(s):					
ENERGY STAR® Criteria version: 2.0 Date: Product category: Multifunction Eco-label: BAM Criteria version: RAL UZ171 Date: Product category: Multifunction Eco-label: Criteria version: Date: Product category:					
P15 Additional information (See NOTE B11)					
This product is designed to utilise recycled plastic materials wherever available.					
Sound Pressure Level at the operator position [LpA:dB(A)] Stand-by: 18.8(dB) Operating Mode: 57.3(dB)					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1