



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	nashuatec
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C3504SP				
Model number *	MP C3504SP				
Issue date *	04 May 2016				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MP C3504SP	Logo	nashuatec
Issue date *	04 May 2016		HasHuatee

Product	oduct environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$					
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$					
	Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated						
1 1.4	terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$	Ш				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$	$\Box$				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	X	$\Box$				
	(see legal reference).						
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$					
	emo@ricoh-europe.com						
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$					
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\boxtimes$	Ш				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\square$	$\neg$				
P3			<u> </u>				
P3.1*	Conformity verification & Eco design (ErP)  The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
F3.1	The Declaration of Conformity can be requested at (add link or e-mail address): <b>emo@ricoh-europe.com</b>		Ш				
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$	$\overline{}$				
	(see legal reference).		ш	ш			
	Required information is; given in item P15 or added to this document,						
	available at (add URL):		$\boxtimes$				
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see						
	legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\boxtimes$					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\overline{\mathbb{X}}$	$\overline{\Box}$				
	are Community workplace exposure limits, the product/packaging is adequately labeled according to						
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available						
DE	(see legal reference).						
P5.1*	Product packaging						
P5.1"	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		Ш				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		$\overline{}$				
. 0.2	used (see legal reference).		Ш	Ш			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$					
	Protocol (see legal reference).		ш	ш			
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C3504SP	Logo	nachuatee
Issue date *	04 May 2016		HasHuatee

	t environmental attributes - Market requirements (See General NOTE GN below)	!		11
		Require		
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Design	Yes	No	n.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$	П	一百
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	X	Ħ	
P7.9.	Spare parts are available after end of production for: 7 years		Ħ	
P7.10	Service is available after end of production for: 7 years		Ħ	
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_		_
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$		
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	Ш		Ш
	BFRs are used, which are not restricted of their inclusion by regulations			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		$\boxtimes$	
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		$\boxtimes$	
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\square$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
1 1110	assigned the following Risk phrases; and Hazard statements:	Ш	$\boxtimes$	Ш
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is <i>0.06</i> %. or b) The weight of recycled material is g.			
	s, mo magni or rooyalod material by.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	MP C3504SP 04 May 2016	Logo	nashua <u>tec</u>
Product environr	mental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

Product	environmental	attributes - Market re	guirements (con	tinued)	Rec	uirem	ent	met
Item			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,			VO.	n.a.
	Material and sul	bstance requirements (c	continued)					
P7.21*	Biobased plastic	material content is used i	in the product (See	NOTE B7):				
	If YES; at least of	ne of the two alternatives	below shall be answ	wered;				
		stic parts' weight > 25 g, t	the biobased plastic	material content (calcul	ated as a percentage of			
	total plastic or	by weight) is 0.03%.						
		of the biobased plastic m	aterial is g.					
P7.22*	Light sources are If mercury is use	e free from mercury, i.e. le d specify: Number of lam	ess than 0,1 mg/lam ps: and maxi	p. mum mercury content pe				
P8	Batteries							
P8.1*	Battery chemical	composition: Lithium-ion	n					
P9		ption (See NOTE B8)						
P9.1	For the product t	he following power levels	or energy consump	tions are reported:				
Energy mo	ode *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard fo modes and test method *	r ene	gy	
Sleep mod	le for ENERGY	W	W	W				$\boxtimes$
	perational Mode							
(OM) produ	ucts ff mode for	W	W	W				
	STAR Operational		VV	VV				
Mode (OM								
	for ENERGY STA	kWh/week	kWh/week	1.341 kWh/week				
TEC produ	ıcts							
(TEC= Typ Consumpti	oical Energy ion)							
Operating	Mode	W	W	Mono: <b>544.6</b> W				П
				Colour: <b>604.5</b> W				_
Ready Mo	de	W	W	47.3 W				
Sleep Mod	de	W	W	0.93 W				一
		W	W	W				〒
		W	W	W				Ħ
		W	W	W				干
External P	ower Supply Effici	ency Level (International	Efficiency Marking F	Protocol) *:				
Print/Scan	Speed *: 35 imag	ges per minute						
Default tim	e to enter energy	save mode: 1 minutes						
P9.2*	Information abou	t the energy save function	n is provided with th	e product.				
P10	Emissions							
		<ul> <li>Declared according to</li> </ul>						
P10.1	Mode	Mode description		Statistical upper limit A-v L <sub>WA,c</sub> (B)	reighted sound power level,			
	Idle	* Stand-by	*	3.4				
	Operation	* Operating Mode	*	Mono: 6.1, Colour: 6.3				
	Other mode	See section P15						
	Measured according to: ISO 7779 ECMA-74							
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	MP C3504SP	Logo	
Issue date *	04 May 2016		nashuatec

Product	oduct environmental attributes - Market requirements (continued)					ment	met
Item					Yes	No	n.a.
	Chemical emissions from	printing products (See NOTE B	310)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic						
	Equipment (ISO/IEC 28360)	, other specify: <b>RAL-UZ171</b>			_	_	_
P10.3	Typical emission rate (operation phase) is (mg/h):						
	Electrophotographic devices	s: Dust (mono < limit of detection	colour < limit of de	etection) Ozone (mono < limit	f		
		f detection) Styrene (mono 0.02					ш
		TVOC (mono 1.8 colour 1.8)	,	`			
	Ink devices: Ozone	Dust Styrene E	Benzene TVC	OC			
	Note: compliance with maxi	mum emission rates in eco labels	to be declared in P	14.			
P11	Consumable materials for						
P11.1*	A Safety Data Sheet (SDS)	is available for the ink/toner prepare	aration, even if not le	egally required (see P4.3).			П
P11.2*	Paper containing post-cons	sumer recycled fibers can be us	sed, provided that i	t meets the requirements of	f 🔽	Ħ	Ħ
	EN 12281.						
P11.3*	2-sided (duplex) printing/cop	oying is an integrated product fun-	ction.		$\boxtimes$		
P11.4*	The product is delivered to	end-user with default auto-duplex	enabled.		$\boxtimes$		
P13	Packaging and documents	ation			_		
P13.1*	Product packaging material		weight (kg): 13.018				
	Product packaging material		''				
D40.0*	Product packaging material Product plastic primary pack		)):			_	
P13.2*		• •					
P13.3*	consumer recovered fiber of	ated fiberboard packaging, spec ontent: %	city the contained p	ercentage of minimum post-	·		$\boxtimes$
P13.4*		product documentation (tick box):					
	Electronic 🔲, Paper 🔲, C						
P13.5		tem if paper documentation used)					
		ation on paper media is chlorine-	free:		$\boxtimes$		
	If Yes, please specify:						
	Totally chlorine-free				$\boxtimes$		
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs:						
P14.1	The product meets the requ	irements of the following voluntar	y program(s):				
	ENERGY STAR®	Criteria version: 2.0	Date:	Product category: Multifund			
	Eco-label: BAM	Criteria version: RAL UZ171	Date:	Product category: Multifund	ction		
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se		dalabananant	labla.			
		to utilise recycled plastic mater	riais wnerever avail	adie.			
	Sound Pressure Level at the <b>Stand-by: 19.5</b> (dB)	e operator position [LpA:dB(A)]					
	Operating Mode: Mono: 45.6(dB), Colour: 47(dB)						
	, 5	(-)					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1