

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	magnites
Contact information *	Ricoh Europe Plc, 20 Triton Street	nashuatec
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C4504ASP				
Model number *	MP C4504ASP				
Issue date *	04 May 2016				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	mber *	MP C4504ASP	Logo	nach	Int	00			
Issue dat	ssue date * 04 May 2016			nashi	uai				
Product	roduct environmental attributes - Legal requirements				ment	met			
Item				Yes	No	n.a.			
P1		ous substances and preparations							
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)						
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes					
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square					
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach		1-					
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n	naximum						
P1.4*		ration values. s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	loringtod						
	terpheny	/I (PCT) in preparations (see legal reference).							
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms	in the 🔀					
P1.6*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). th direct and prolonged skin contact do not release nickel in concentrations above ($E_{\rm u} a / cm^2 / cm$	week 🔀					
1 1.0		al reference).),5 μg/cm /	week					
		nt: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes					
	emo@r	icoh-europe.com							
P2	Batterie	S							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposa	al 🔀					
	symbol. Information on proper disposal is provided in user manual. (See legal reference)								
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🛛 🗌 🔲								
P2.3*	Batteries and accumulators are readily removable. (See legal reference)								
P3	Conformity verification & Eco design (ErP)								
P3.1*									
-		claration of Conformity can be requested at (add link or e-mail address): emo@ricc							
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes					
	Required information is; given in item P15 or added to this document,								
	available at (add URL):				\boxtimes				
P4	Consun	nable materials							
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0,01% (s	see 🔀					
D4 of		erence and NOTE B1).							
P4.2*		her is used in the product, it does not contain cadmium max 0,1% by weight (see leg	-		Ц_				
P4.3*		/toner formulation/preparation is classified as hazardous or contains a substance for		e 🔀					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to								
		al reference).							
P5		t packaging							
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmiun	n and 🔀					
P5.2*									
	used (se	ee legal reference).			<u> </u>				
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Mo	ontreal 🔀					
	Protocol (see legal reference).								
P6		nt: Legal reference has no maximum concentration values.							
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).							
1 0.1	monnau			\boxtimes					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		MP C4504ASP	Logo	nach	110.	too			
Issue dat	ssue date * 04 May 2016			nash	ua				
		mental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met								
Item									
P7	Design								
P7.1*		mbly, recycling t have to be treated separately are easily separable							
P7.2*		aterials in covers/housing have no surface coating.			╞┼╴				
P7.3*					-님-				
P7.3 P7.4*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>			
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ц_				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	allable tools.		Ц_				
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes					
D-7 -*	Product								
P7.7*		g can be done e.g. with processor, memory, cards or drives			Ц_				
P7.8*		g can be done using commonly available tools		\square					
P7.9.		rts are available after end of production for: 7 years		\square					
P7.10	Service is	s available after end of production for: 7 years		\boxtimes					
		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Material	type:						
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes				
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\square				
P7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all DPCBs > 25	g 🗌 are l	ow	\boxtimes				
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) 16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:								
	Marking:	FR(40)							
P7.17	.17 <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:								
		BFRs are used, which are not restricted of their inclusion b	y regulation	s					
		hemical specifications of flame retardants in printed circuit boards (without comp g ISO 1043-4:	oonents) > 2	5 g 🗌					
P7.18	concentra 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: "	/preparations	in					
	Chemi	cal name: , CAS #: "							
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	-4: FR(40)	\square					
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	nave been		\square				
			OTE B5)						
P7.20*		sumer recycled plastic material content is used in the product (See NOTE B6):		\bowtie					
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.05%. or weight of recycled material is q.	(calculated as	sa					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	nber *	MP C450	4ASP			Logo	mag
Issue date	e *	04 May 2	016			nashuatec	
Product environmental attributes - Market requirements (continued)							Requirement met
Item							Yes No n.a.
			tance requirements (c				
P7.21*	Biobase	d plastic m	aterial content is used in	n the product (See	NOTE B7):		\boxtimes \Box \Box
	a) Of t tota	total plastic Il plastic by	weight) is 0.02 %.	he biobased plastic	wered; material content (calcula	ated as a perce	entage of
	,	0	the biobased plastic ma	0			
P7.22*			ee from mercury, i.e. le specify: Number of lamp		p. mum mercury content pe	r lamp:	mg
P8	Batteries	-					
P8.1*			mposition: Lithium-ior	1			
P9			ion (See NOTE B8)				
P9.1	For the p	product the	following power levels	or energy consump	tions are reported:		
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Si modes and to	
Sleep mod STAR® O (OM) prod	perational		W	W	W		
Standby/o ENERGY Mode (ON	STAR Ope	erational	W	W	W		
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	1.797 kWh/week			
(TEC= Typ Consumpt		уу					
Operating	Mode		W	W	Mono: 636.7 W Colour: 731.5 W		
Ready Mo	de		W	W	55.1 W		
Sleep Mo	de		W	W	0.89 W		
			W	W	W		
			W	W	W		
			W	W	W		
External Dower Supply Efficience							
	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Print/Scan Speed *: 45 images per minute						
	•	•	•				
		0,	ve mode: 1 minutes				
P9.2*			he energy save functior	n is provided with th	e product.		
P10	Emissio		Declared as 11 - 1	00.0000 (0			
P10.1	Moise er Mode		Declared according to I lode description	5	E B9) Statistical upper limit A-w L _{WA,c} (B)	eighted sound	power level,
	Idle	*	Stand-by	*	3.4		
	Operatio		Operating Mode * Mono: 6.3, Colour: 6.4				
	Other mo		See section P15				
	Measure	d accordin	3 · · · · · · · · · · · · · · · · · ·	ECMA-74 only if not covered b	by ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	MP C4504ASP					Logo				
Issue dat	e *	04 May 2016						nas	h	nto	
								llas	llud	aue	U
Product	environ	mental attribut	es - Market r	equirements (co	ontinued)		·	Re	quire	ment	me
Item					/				Yes	No	n.a
	Chemio	cal emissions fro	m printing pro	ducts (See NOTE	B10)						
P10.2*				Determination of C		on Rates from E	lectronic		\square		
	Equipm	ent (ISO/IEC 283	60) , other s	pecify: RAL-UZ17	1						
P10.3		emission rate (op									
	of dete	ection colour </td <td>mit of detecti</td> <td>o <<i>limit of detecti</i> ion) Styrene (mor VOC (mono 1.4 co</td> <td>no 0.018 coloui</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	mit of detecti	o < <i>limit of detecti</i> ion) Styrene (mor VOC (mono 1.4 co	no 0.018 coloui						
	Ink dev	ices: Ozone	Dust	Styrene	Benzene	TVOC					
	Note: c	ompliance with ma	aximum emissio	on rates in eco labe	els to be declare	d in P14.					
P11		mable materials f									
P11.1*	A Safet	y Data Sheet (SD	S) is available f	or the ink/toner pre	paration, even i	f not legally requ	uired (see	P4.3).	\square		
P11.2*	Paper o EN 122		onsumer recycl	led fibers can be	used, provided	that it meets t	he require	ments of			
P11.3*			copving is an in	tearated product fu	unction.				\square		
P11.4*	2-sided (duplex) printing/copying is an integrated product function. Image: Copying is a copying is an integrated product function. The product is delivered to end-user with default auto-duplex enabled. Image: Copying is a										
P13	Packaging and documentation										
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 13.018 Product packaging material type(s):): Plastic weight (kg): 1.027 Product packaging material type(s): weight (kg):										
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: %										
P13.4*	Specify Electror	nedia for user an nic 🔀, Paper 🔀	nd product docu	mentation (tick bo	x) :						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally chlorine-free Image: Constraint of the second										
	Process	sed chlorine-free									
P14		ary programs:									
P14.1	The pro	duct meets the re	quirements of t	he following volunt	ary program(s):						
		BY STAR® bel: BAM	Criteria ve Criteria ve Criteria ve	rsion: RAL UZ171	Date: Date: Date:	Product		Nultifuncti Nultifuncti			
P15		onal information (Date.	Toudet	oalogory.				
				cycled plastic mat	erials whereve	r available.					
	Sound Stand-			sition [LpA:dB(A)] : 48.9 (dB)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1