



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	nashuatec
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	SP C340DN				
Model number *	SP C340DN				
Issue date *	28 June 2016				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	SP C340DN	Logo	nachuatee
Issue date *	28 June 2016		nasnua <u>tec</u>

Product	oduct environmental attributes - Legal requirements							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$						
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$						
	Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum							
	concentration values.							
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated							
	terphenyl (PCT) in preparations (see legal reference).		ш					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$						
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\boxtimes$						
	(see legal reference).							
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):							
F 1.1	emo@ricoh-europe.com							
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$					
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X	П					
	reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$						
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$						
D0.01	The Declaration of Conformity can be requested at (add link or e-mail address): <b>emo@ricoh-europe.com</b>							
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	$\bowtie$						
	Required information is; given in item P15 or added to this document,							
	available at (add URL):		$\boxtimes$					
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see							
1 4.1	legal reference and NOTE B1).		ш					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\overline{\mathbb{X}}$						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ħ					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available							
	(see legal reference).							
P5	Product packaging							
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and							
P5.2*	hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)							
1 0.2	used (see legal reference).		Ш	Ш				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal							
	Protocol (see legal reference).	<u>~</u> V						
	Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP C340DN	Logo	nachuataa
Issue date *	28 June 2016		nashuatec

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$	
P7.1*			井	_#
	Plastic materials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$	Щ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime		_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 7 years	$\boxtimes$		
P7.10	Service is available after end of production for: 7 years	$\boxtimes$		
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+PS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  BFRs are used which are not restricted of their inclusion by regulations			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <0.09%. or  b) The weight of recycled material is g.			- <b>-</b>

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	er *	SP C340D	N			Logo		1		
Issue date *		28 June 2	016				nas	shu	late	<u>C</u>
Product en	vironm	ental attr	ibutes - Market re	quirements (contin	nued)		R	equir	ement	met
Item				•	•			Yes		n.a.
Material and substance requirements (continued)										
P7.21* B	siobased	plastic ma	terial content is used	in the product (See No	OTE B7):			$\boxtimes$		
a) oi	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is &lt;0.007%.</li> <li>or</li> <li>b) The weight of the biobased plastic material is</li> <li>g.</li> </ul>									
			e from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp. ps: and maxim	um mercury content pe	er lamp:	mg			
	atteries									
	attery ch	emical cor	nposition: Manganes	e dioxide lithium						
	nergy c	onsumptio	on (See NOTE B8)							
P9.1 F	or the pr	oduct the f	ollowing power levels	or energy consumption	ons are reported:					
Energy mode	*		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and			energy	
Sleep mode f STAR® Oper (OM) product	ational N		W	W	W					
Standby/off m ENERGY STA Mode (OM) p	node for AR Oper	ational	W	W	W					
TEC value for TEC products (TEC= Typical	s al Energy		kWh/week	kWh/week	1.535 kWh/week					
Consumption										
Operating M	lode		W	W	Mono: 508 W Colour: 508 W					
Ready Mode	`		W	W	56.2 W					
Sleep Mode	•		W	W	0.5 W					
олоор шоао			W	W	W					$\vdash$
			W	W	W	+				
			W	W	W					
External Pow	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:									
Print/Scan Sp			<u> </u>							
Default time to enter energy save mode: 1 minutes										
				n is provided with the	product.	1				
P10 E										
	Noise emission – Declared according to ISO 9296 (See NOTE B9)									
P10.1 N	1ode	Mo	ode description	Sta	atistical upper limit A-w	eighted sound	l power lev	el,	·	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

(only if not covered by ECMA-74)

 $L_{WA,c}$  (B)

Mono: 6.5, Colour: 6.5

3.1

A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Stand-by

**Operating Mode** 

See section P15 Measured according to: ☐ ISO 7779 ☐ ECMA-74 Other

Idle

Operation

Other mode

Model number *	SP C340DN	Logo	
Issue date *	28 June 2016		nashua <u>tec</u>

Product 6	oduct environmental attributes - Market requirements (continued)						met
Item					Yes	No	n.a.
		printing products (See NOT					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic				$\boxtimes$		
	Equipment (ISO/IEC 28360), other specify: RAL-UZ171						
P10.3	Typical emission rate (oper	ation phase) is (mg/h):					
	Electrophotographic device	s: Dust (mono: 1.18 colour: 2.	11) Ozone (mono: 0	.19 colour: 0.32) Styrene (mond	):		
	0.23 colour: 0.9) Benzene (mono: <pre></pre> limit of detection colour: <pre></pre> limit of detection) TVOC (mono: 3.7 colour:						
	<b>7.91</b> )						Ш
	Ink devices: Ozone	Dust Styrene	Benzene	TVOC			
	Note: compliance with maxi	imum emission rates in eco lab	els to be declared in	n P14.			
P11	Consumable materials for						
P11.1*	A Safety Data Sheet (SDS)	is available for the ink/toner p	reparation, even if n	ot legally required (see P4.3).			
P11.2*	Paper containing post-con EN 12281.	sumer recycled fibers can be	e used, provided the	at it meets the requirements of	of 🔀		
P11.3*	2-sided (duplex) printing/co	pying is an integrated product	function.		$\boxtimes$		
P11.4*	The product is delivered to	end-user with default auto-dup	lex enabled.			$\overline{\Box}$	Ħ
P13	Packaging and document	ation					
P13.1*		type(s): Corrugated Paper	weight (kg): 3.74	!			
	Product packaging material	type(s): ): Plastic weight	(kg): <b>0.511</b>				
D40.0*	Product packaging material		(kg):				
P13.2*	Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrug consumer recovered fiber of		pecify the containe	d percentage of minimum post	i-		
P13.4*	* Specify media for user and product documentation (tick box):  Electronic , Paper , Other						
P13.5	(Please only complete this item if paper documentation used)						
		tation on paper media is chlori			$\boxtimes$		
	If Yes, please specify:	• •					
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free				Ħ		
P14	Voluntary programs:						
P14.1		irements of the following volur	ntary program(s):				
	ENERGY STAR®	Criteria version: 2.0	Date:	Product category: Printer			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (S						
		to utilise recycled plastic ma		vailable.			
		e operator position [LpA:dB(A)	]				
	Stand-by: 28.3(dB) Operating Mode: Mono: 54.7(dB), Colour: 54.7(dB						
	operating wode: MONO: 54	•./(ub), Coloul: 34./(ub					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1