



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	nashuatec
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Printer				
Commercial name *	SP C342DN				
Model number *	SP C342DN				
Issue date *	28 June 2016				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	SP C342DN	Logo	nashuatec
Issue date *	28 June 2016		Hashua <u>tt</u>

Product	environmental attributes - Legal requirements	Require	ment	met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	\square				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square	$\overline{}$			
	terphenyl (PCT) in preparations (see legal reference).		Ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X	П			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\square				
	(see legal reference).	_		_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes				
	emo@ricoh-europe.com					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes				
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		_			
P2.2"	reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square	$\overline{}$			
P3	Conformity verification & Eco design (ErP)		<u> Ш</u>			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
1 3.1	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com		Ш	Ш		
P3.2*	The product complies with the Eco design requirements for energy-related products,	X	П			
	(see legal reference).		ш			
	Required information is; given in item P15 or added to this document,					
	available at (add URL):		\boxtimes			
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	\boxtimes	\Box			
	legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes				
	are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
P5	(see legal reference). Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and					
1 3.1	hexavalent chromium by weight of these together.	ı 🔀				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)					
	used (see legal reference).			ш		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	ı 🔀	П			
	Protocol (see legal reference).	<u></u>				
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP C342DN	Logo	nashuatec
Issue date *	28 June 2016		Hashua <u>cc</u>

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	man	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	
P7	Design	163	INU	11.a.
• •	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes	Ħ	-
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	- H
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	H	\dashv
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	H	╼Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 7 years	$\overline{\mathbb{X}}$	Ħ	
P7.10	Service is available after end of production for: 7 years	X	Ħ	$\overline{}$
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+PS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_	_	_
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: BFRs are used which are not restricted of their inclusion by regulations			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) $> 25 \text{ g}$ according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\bowtie		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <0.09%. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	SP C342E	ON			Logo	nashi	10to	0
Issue date *	Issue date * 28 June 2016						la <u>lu</u>	<u>U</u>
Product environr	nental att	ributes - Market red	quirements (contir	nued)		Requi	rement	met
Item			•	•		Ye	s No	n.a.
		ance requirements (d						
P7.21* Biobase	P7.21* Biobased plastic material content is used in the product (See NOTE B7):							
 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is <0.007%. or b) The weight of the biobased plastic material is g. 								
		ee from mercury, i.e. le				\boxtimes		
	•	pecify: Number of lamp	os: and maximu	um mercury content per	lamp: n	ng		
P8 Batterie	_		a alianciala littainuma					
•		mposition: Manganese	e aloxiae litnium					Ш
	-	on (See NOTE B8) following power levels	or operav consumption	ana ara rapartad:				
	product trie				D ((0)			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		energy	Ш
Sleep mode for ENE STAR® Operational (OM) products		W	W	W				
Standby/off mode fo ENERGY STAR Ope Mode (OM) products	erational	W	W	W				
TEC products	TEC value for ENERGY STAR kWh/week kWh/week 1.465 kWh/week TEC products (TEC= Typical Energy							
Operating Mode		W	W	Mono: 468.2 W				
				Colour: 468.2 W				
Ready Mode		W	W	61.1 W				
Sleep Mode		W	W	0.5 W				
		W	W	W				
		W	W	W				
		W	W	W				
External Power Supp	ply Efficienc	y Level (International I	Efficiency Marking Pro	otocol) *:				\boxtimes
Print/Scan Speed * : 25 images per minute								
Default time to enter	energy sav	re mode: 1 minutes						
P9.2* Informat	P9.2* Information about the energy save function is provided with the product.							
P10 Emissio	ons							
Noise e	mission – [Declared according to	ISO 9296 (See NOTE	B9)				

NOTE B7	The following is to be	excluded from the	he calculation of	percentage:	printed circu	it boards.	labels.	cables.
	1110 10110111119 10 10 00			porountago.	p	,	,	000.00,
connectors and	delectronic components a	nd postconsumer	recycled plastic					

(only if not covered by ECMA-74)

 $L_{WA,c}$ (B)

* Mono: **6.5**, Colour: **6.5**

3.1

Statistical upper limit A-weighted sound power level,

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Mode description

Operating Mode

See section P15 Measured according to: ☐ ISO 7779 ☐ ECMA-74 Other

* Stand-by

P10.1

Mode

Idle

Operation

Other mode

Model number *	SP C342DN	Logo	
Issue date *	28 June 2016		nashua <u>tec</u>
Product environ	mental attributes - Market requirements (continued)		Requirement met

Product	environmental attribute	s - Market requiremen	ts (continued)		Require	ment	met
Item					Yes	No	n.a.
		n printing products (See					
P10.2*	,	to ECMA-328 Determination		Rates from Electronic	\boxtimes		
	Equipment (ISO/IEC 2836	0), other specify: RAL-	UZ171				
P10.3	Typical emission rate (ope	ration phase) is (mg/h):					
	Electrophotographic devic	es: Dust (mono: 1.18 colou	ır: 2.11) Ozone (mono: 0	.19 colour: 0.32) Styrene (mono):		
				ction) TVOC (mono: 3.7 colour			
	7.91)	•		,			
	Ink devices: Ozone Dust Styrene Benzene TVOC						
	Note: compliance with max	ximum emission rates in ec	o labels to be declared in	n P14.			
P11	Consumable materials for	or printing products					
P11.1*	A Safety Data Sheet (SDS	i) is available for the ink/tor	ner preparation, even if no	ot legally required (see P4.3).			
P11.2*	Paper containing post-co EN 12281.	nsumer recycled fibers ca	n be used, provided that	at it meets the requirements of	of 🔀		
P11.3*		opying is an integrated prod	duct function.		\square		
P11.4*		end-user with default auto				Ħ	Ħ
P13	Packaging and documer	tation	•				
P13.1*		al type(s): Corrugated Pap	oer weight (kg): 3.74	l .			
	Product packaging materia		eight (kg): 0.511				
	Product packaging materia		eight (kg):				
P13.2*	Product plastic primary pa	• •			\boxtimes		
P13.3*	For product primary corru consumer recovered fiber		ng, specify the contained	d percentage of minimum post	÷		
P13.4*	Specify media for user and Electronic , Paper ,	d product documentation (ti Other	ck box):				
P13.5	(Please only complete this	item if paper documentation	on used)				
	User and product docume If Yes, please specify:	ntation on paper media is o	chlorine-free:				
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free				H		
D4.4							
P14 P14.1	Voluntary programs:	uirements of the following	voluntary program(e):				
1 14.1	·		,, o ,,	- -			
	ENERGY STAR® Eco-label:	Criteria version: 2.0 Criteria version:	Date: Date:	Product category: Printer			
	Eco-label:	Criteria version:	Date:	Product category: Product category:			
P15	Additional information (Date.	1 Toduct category.			
		to utilise recycled plasti	ic materials wherever a	vailable.			
	Sound Pressure Level at t Stand-by: 28.3(dB) Operating Mode: Mono: 8	he operator position [LpA:d 54.7(dB), Colour: 54.7(dB	B(A)]				
		<i>'</i>					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1