

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	nashuatec
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C2004ASP				
Model number *	MP C2004ASP				
Issue date *	04 August 2016				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C2004ASP	Logo	mach		~~	
Issue date * 04 August 2016		04 August 2016		nashi	la	ec	
Product	roduct environmental attributes - Legal requirements						
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		Ц.		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes			
		pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach		1-	_		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	laximum				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
		/I (PCT) in preparations (see legal reference).					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/\	week 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contract).				
P1.7		icoh-europe.com	contact).				
P2	Batterie						
P2.1*		boduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposa	al 🖂			
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
	reference)						
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes			
P3		nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): emo@ricc					
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).					
		d information is; given in item P15 or added to this document,					
		available at (add URL):			\boxtimes		
P4	Consun	nable materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (s	see 🔀			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	;e). 🔀			
P4.3*		/toner formulation/preparation is classified as hazardous or contains a substance for		ere 🔀			
		munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requiremer		blo			
		al reference).	its is avalia	DIE			
P5		t packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmiun	n and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature	of the mate	erial(s) 🔀			
P5.3*		e legal reference). duct packaging material is free from ozone depleting substances as specified	in the Mo	ontreal 🔀			
		(see legal reference).					
		nt: Legal reference has no maximum concentration values.					
P6		nt information		N 7			
P6.1*	informati	ion for recyclers/treatment facilities is available (see legal reference).		\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

		MP C2004ASP	Logo	nash	110	too			
Issue da	Issue date * 04 August 2016		-	114511	ua				
		mental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met								
Item									
F/	Design	nbly, recycling							
P7.1*		t have to be treated separately are easily separable		\square					
P7.2*		aterials in covers/housing have no surface coating.			⊢⊢				
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞				
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools		╞				
P7.6*	•	e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>				
F7.0	Product								
P7.7*		g can be done e.g. with processor, memory, cards or drives							
P7.8*		g can be done using commonly available tools			<u> </u>				
					<u> </u>				
P7.9.		rts are available after end of production for: 7 years			<u> </u>	<u> </u>			
P7.10		s available after end of production for: 7 years		\square					
P7.11*		and substance requirements							
P7.11		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Material	type:						
P7.12		n materials of external electrical cables are PVC free.	type.		\bowtie				
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>					
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro	mine and 0.1º	%					
1 7.14	weight (1 polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants, an	d 🗖					
P7.15		circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25	g 🗌 are lo	w	\boxtimes				
		as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>		\boxtimes					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without cor	nponents):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	, CAS #:		\bowtie				
		BFRs are used, which are not restricted of their inclusion	by regulation	s					
	Alt 2. C	hemical specifications of flame retardants in printed circuit boards (without comp	onents) > 25	a					
		g ISO 1043-4:			\boxtimes				
P7.18	Alt 1 Fl	ame retarded plastic parts > 25 g contain the following flame retardant substances/	preparations i	n					
	concentra	ations above 0,1%:	p. opa. aoo .	Π	\bowtie				
		cal name: , CAS #: (See NOTE B4)		_	_				
		cal name: , CAS #: " cal name: , CAS #: "							
D7 40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-							
P7.19	9 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:								
	-		IOTE B5)						
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):		\square					
		t least one of the two alternatives below shall be answered:							
	a) Of t	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is 0.06%. or	(calculated as	а					
		weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MP C200	04ASP			Logo			
Issue date	e *	04 Augu	st 2016		nashi		,		
Product environmental attributes - Market requirements (continued)							Requi	rement n	net
Item							Yes	s No r	n.a.
			tance requirements (c						
P7.21*	Biobase	d plastic m	aterial content is used in	n the product (See I	NOTE B7):		\mathbf{X}		
	a) Of	total plasti	e of the two alternatives c parts' weight > 25 g, th y weight) is <i>0.03</i> %.		vered; material content (calcul	ated as a perce	entage of		
	b) The	e weight of	the biobased plastic ma	aterial is g.					
P7.22*			ree from mercury, i.e. le specify: Number of lamp		o. num mercury content pe	r lamp:	mg		
P8	Batterie	-							
P8.1*			omposition: Lithium-ion	1					
P9		-	tion (See NOTE B8)						
P9.1	For the p	product the	e following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® O (OM) prod	perational	RGY Mode	W	W	W				
Standby/o ENERGY Mode (ON	ff mode fo STAR Ope	erational	W	W	W				
TEC value TEC produ		GY STAR	kWh/week	kWh/week	0.738 kWh/week				
(TEC= Typ Consumpt		ЭУ							
Operating	y Mode		W	W	Mono: 456.7 W Colour: 503 W				
Ready Mo	ode		W	W	50.2 W				
Sleep Mo	de		W	W	0.9 W				
			W	W	W				
			W	W	W				\exists
			W	W	W				
External D		alu Efficiera	vv icy Level (International E						
		·		Enciency Marking F		<u> </u>			\boxtimes
		-	s per minute						
Default tim	ne to enter	energy sa	ve mode: 1 minutes						
P9.2*	Informat	ion about t	he energy save function	is provided with the	e product.	•	\boxtimes		
P10	Emissio								
B 10 1			Declared according to I						
P10.1	Mode	N	Mode description		Statistical upper limit A-w _{wA,c} (B)	eighted sound	power level,		
	Idle	*	Stand-by	*	3.4				
	Operatio	n *	Operating Mode	*	Mono: 6, Colour: 6.1				
	Other me	ode	See section P15						
	Measure	ed accordir	~	ECMA-74 only if not covered b	y ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	MP C2004ASP				Logo				
Issue dat	e *	04 August 2016	}				nasł	1U8	ate	<u>C</u>
Product	environ	mental attribut	es - Market requiren	nents (continued)			Rec	quire	ment	met
ltem								Yes	No	n.a.
	Chemic	cal emissions fro	m printing products (S	See NOTE B10)						
P10.2*			to ECMA-328 Determin 60) , other specify: R		ssion Rates from E	lectronic		\boxtimes		
P10.3			eration phase) is (mg/h)							
	<limit< td=""><td></td><td>ices: Dust (mono 0.44 our <<i>limit of detectio</i> 2.86 colour 2.86)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></limit<>		ices: Dust (mono 0.44 our < <i>limit of detectio</i> 2.86 colour 2.86)							
	Ink dev	ices: Ozone	Dust Styren	e Benzene	TVOC					
	Note: c	ompliance with ma	aximum emission rates i	n eco labels to be decla	ared in P14.					
P11	Consu	mable materials f	for printing products							
P11.1*			S) is available for the inl	<pre></pre>	en if not legally requ	uired (see l	P4.3).	\boxtimes		
P11.2*	Paper (EN 122		onsumer recycled fibers	s can be used, provid	ed that it meets th	ne requirer	ments of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.									
P11.4*			to end-user with default						Ħ	Ħ
P13	Packaging and documentation									
P13.1* P13.2*	Product Product	t packaging materi t packaging materi		weight (kg): 1.027 weight (kg):	: 13.018					
	Product plastic primary packaging is free from PVC.									
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*		media for user an nic 🔀, Paper 🔀	nd product documentatio	n (tick box):						
P13.5	(Please User ar	only complete thi	is item if paper documer entation on paper media							
	Totally chlorine-free Image: Constraint of the second									
P14		ary programs:						<u> </u>		
P14.1			quirements of the follow	ing voluntary program	s):					
	ENERG	BY STAR® bel: BAM	Criteria version: 2.0 Criteria version: R Criteria version:	Date:	Product Product		Multifunctio Multifunctio			
P15		onal information (
			d to utilise recycled pl	lastic materials where	ver available.					
	Sound Stand-	Pressure Level at by: 20(dB)	the operator position [L ₁ 44.6(dB), Colour: 45.9(d	oA:dB(A)]						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1