



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
		nashuatec
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C2504SP				
Model number *	MP C2504SP				
Issue date *	04 August 2016				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	MP C2504SP	Logo	nachuatee
Issue date *	04 August 2016		nashua <u>tec</u>

Product	oduct environmental attributes - Legal requirements Requirem							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$						
P1.2*	Products do not contain Asbestos (see legal reference).	$\square$						
	Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum							
	concentration values.							
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated							
	terphenyl (PCT) in preparations (see legal reference).		ш					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$						
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\boxtimes$						
	(see legal reference).							
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):							
F 1.1	emo@ricoh-europe.com							
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$					
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X	П					
	reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$						
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$						
D0.01	The Declaration of Conformity can be requested at (add link or e-mail address): <b>emo@ricoh-europe.com</b>							
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	$\bowtie$						
	Required information is; given in item P15 or added to this document,							
	available at (add URL):		$\boxtimes$					
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see							
1 4.1	legal reference and NOTE B1).		ш					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\overline{\mathbb{X}}$						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ħ					
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available							
	(see legal reference).							
P5	Product packaging							
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)							
1 0.2	used (see legal reference).		Ш	Ш				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal							
	Protocol (see legal reference).	<u>~</u> V						
	Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C2504SP	Logo	nashuatec
Issue date *	04 August 2016		<u> </u>

	Product environmental attributes - Market requirements (See General NOTE GN below)					
		Require				
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Design	Yes	No	n.a.		
• •	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		П			
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 7 years	$\boxtimes$				
P7.10	Service is available after end of production for: 7 years	$\boxtimes$				
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		<u>L</u>		
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$				
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					
	containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		$\boxtimes$			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$				
D7 47	Marking: FR(40)  Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
P7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:		$\boxtimes$			
	, _ , _ ,	ш		ш		
	BFRs are used, which are not restricted of their inclusion by regulations					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
	according ISO 1043-4:		$\boxtimes$			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		$\boxtimes$			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\boxtimes$			
	assigned the following Risk phrases; and Hazard statements:					
D7 20*	The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)	<u> </u>				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$	Ш			
	If YES; at least one of the two alternatives below shall be answered;					
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.06%. or</li> </ul>					
	b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	MP C2504SP 04 August 2016	Logo	nashua <u>tec</u>
Product environr	mental attributes - Market requirements (continued)		Requirement met
Itom			Voc No no

Product	roduct environmental attributes - Market requirements (continued)  Requirements					rement	met	
Item				Yes	s No	n.a.		
		ostance requirements (c						
P7.21*	Biobased plastic	ased plastic material content is used in the product (See NOTE B7):						
	-,		of the two alternatives below shall be answered;					
		tic parts' weight > 25 g, t by weight) is <i>0.03</i> %.	arts' weight > 25 g, the biobased plastic material content (calculated as a percentage of					
	or	by weight) is 0.0376.						
	· ·	of the biobased plastic ma						
P7.22*		free from mercury, i.e. le d specify: Number of lamp		ium mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*		composition: Lithium-ion	1				Ш	
P9		ption (See NOTE B8)						
P9.1	For the product the	ne following power levels	or energy consumpti	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	energy		
	le for ENERGY	W	W	W			$\boxtimes$	
STAR® Op (OM) produ	perational Mode							
	ff mode for	W	W	W				
	STAR Operational		••					
Mode (OM								
TEC value	for ENERGY STA	R kWh/week	kWh/week	0.911 kWh/week				
(TEC= Typ	oical Energy							
'	<u> </u>	W	W	Mono: <b>456.7</b> W				
Operating	Node	VV	VV					
				Colour: 503 W				
Ready Mo	ode	W	W	<b>50.2</b> W				
Sleep Mod	de	W	W	0.9 W				
		W	W	W				
		W	W	W				
		W	W	W				
External P	ower Supply Efficie	ency Level (International I	Efficiency Marking Pr	otocol) *:			$\boxtimes$	
Print/Scan	Speed *: 25 imag	es per minute						
Default tim	e to enter energy	save mode: 1 minutes						
P9.2*	Information about the energy save function is provided with the product.							
P10	Emissions							
D40.4		<ul> <li>Declared according to</li> </ul>						
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	* Stand-by	*	3.4				
	Operation	* Operating Mode		Mono: 6, Colour: 6.2				
	Other mode	See section P15		<u> </u>				
	Measured accord	ling to: X ISO 7779	ECMA-74					
			only if not covered by	(ECMA 74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	MP C2504SP	Logo	
Issue date *	04 August 2016		nashua <u>tec</u>
Product environ	mental attributes - Market requirements (continued)		Requirement met

Product 6	roduct environmental attributes - Market requirements (continued)					ment	met
Item			-		Yes	No	n.a.
		printing products (See NOTE E					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic				$\boxtimes$		
	Equipment (ISO/IEC 28360), other specify: RAL-UZ171						
P10.3	Typical emission rate (operation phase) is (mg/h):						
	Electrophotographic devices	s: Dust (mono 0.44 colour 0.44	Ozone (mono 0.1	colour 0.1) Styrene (mone	0		
	<pre><li>detection colouit</li></pre>	<pre><li><li><li>limit of detection</li></li></li></pre> ) Benzene					
	detection) TVOC (mono 2.	86 colour 2.86)					
	Ink devices: Ozone	Dust Styrene E	Benzene TVC	OC			
	Note: compliance with maxir	num emission rates in eco labels	to be declared in P	14.			
P11	Consumable materials for	printing products					
P11.1*	A Safety Data Sheet (SDS)	is available for the ink/toner prepare	aration, even if not le	egally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containing post-cons EN 12281.	umer recycled fibers can be us	sed, provided that i	t meets the requirements of	of 🔀		
P11.3*		ying is an integrated product fun	ction.		$\boxtimes$		
P11.4*		end-user with default auto-duplex				Ħ	Ħ
P13	Packaging and documenta	· · · · · · · · · · · · · · · · · · ·					
P13.1*	Product packaging material		weight (kg): 13.018				
	Product packaging material	type(s): ): <i>Plastic</i> weight (kg					
	Product packaging material		1):				
P13.2*	Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrug consumer recovered fiber co	ated fiberboard packaging, spec ontent: %	cify the contained p	ercentage of minimum post	; <del>-</del>		
P13.4*	* Specify media for user and product documentation (tick box):						
P13.5							
	User and product document	ation on paper media is chlorine-			$\boxtimes$		
	If Yes, please specify:						
	Totally chlorine-free				$\boxtimes$		
	Elemental chlorine-free				Ħ		
	Processed chlorine-free				Ħ		
P14	Voluntary programs:						
P14.1		rements of the following voluntar	y program(s):				
	ENERGY STAR®	Criteria version: 2.0	Date:	Product category: Multifun	ction		
	Eco-label: <b>BAM</b>	Criteria version: RAL UZ171	Date:	Product category: Multifun			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se						
		o utilise recycled plastic mater	rials wherever avail	lable.			
		e operator position [LpA:dB(A)]					
	Stand-by: 20(dB) Operating Mode: Mono: 45	2(dP) Colour: 46 7(dP)					
	Operating wode: IVIOII0: 45	.2(ub), Coloui. 40./(ub)					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1