



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C307SPF				
Model number *	SP C307SPF				
Issue date *	09 November 2016				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C307SPF	Logo				
Issue dat	e *	09 November 2016					
Product environmental attributes - Legal requirements Re							
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)				
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes			
D4 0*		nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro concenti	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum	1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /I (PCT) in preparations (see legal reference).	nlorinated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 μg/cm ² /\	week 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact).				
F 1.7	KLACIT	Afficie 33 information about substances in afficies is available at (add ONE of mail	contact).		Ш	Ш	
P2	Batterie	s					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	I 🖂			
P2.2*	Batteries referenc	legal 🔀					
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The prod						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	Require	d information is; given in item P15 or added to this document,			\boxtimes		
		available at (add URL):					
P4	Consun	nable materials					
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1).					
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	e). 🔀			
P4.3*							
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	ry, cadmiun	n and 🔀			
		ent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).					
P5.3*		duct packaging material is free from ozone depleting substances as specified (see legal reference).	I in the Mo	ntreal 🔀			
	Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C307SPF	Logo	
Issue date *	09 November 2016		

Product	environmental attributes - Market requirements (See General NOTE GN below)				
- 1		Require	men	t met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts				
	containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	$\neg \neg$	_
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	Ш		ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		$\neg \neg$	
	Marking: <i>FR(40)</i>				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g				
	according ISO 1043-4:		\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
	concentrations above 0,1%:		\boxtimes		
	1. Chemical name: , CAS #: (See NOTE B4)				
	•	\boxtimes			
P7.19			X	$\overline{}$	_
	assigned the following Risk phrases; and Hazard statements:	ш			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes			
	If YES; at least one of the two alternatives below shall be answered;				
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a				
	, , , , , , , , , , , , , , , , , , , ,				
P7.19	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered;				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	MP C307	SPF			Logo				
Issue date	*	09 Noven	mber 2016							
Product 6	Product environmental attributes - Market requirements (continued) Requirement met									met
Item									n.a.	
	Material	and subst	ance requirements (c	continued)						
P7.21*			aterial content is used i		NOTE B7):				\boxtimes	
	If YES; a	t least one	of the two alternatives	below shall be an	swered;					
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	tota or	total plastic by weight) is %.								
	b) The weight of the biobased plastic material is g.									
P7.22*			ee from mercury, i.e. le					X		
_		•	pecify: Number of lamp	os: and max	kimum mercury content per la	mp:	mg			
P8	Batteries			a alianciala likhinna	Vanadium Dantavida Lithiu					
P8.1*				e aloxide lithium,	Vanadium Pentoxide Lithiu	m				Ш
P9			ion (See NOTE B8)		n Canada and and a disc					
P9.1		product the	following power levels							
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		eference/Solodes and to	tandard for est method *	r e	nergy	
Sleep mod			W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		•	W	W	W					\boxtimes
ENERGY STAR Operational		erational								
Mode (OM) products TEC value for ENERGY STAR kWh/week kWh/week 1.092 kWh/week										
TEC value		GY STAR	kWh/week	kWh/week	1.092 kWh/week					Ш
(TEC= Typical Energy										
Operating	mode		W	W	484.1 W					
Ready mo	de		W	W	53.1 W					
Sleep mod	de		W	W	0.83W					
			W	W	W					
			W	W	W					$\overline{\sqcap}$
			W	W	W					$\overline{\Box}$
External Po	ower Supp	oly Efficiend	L cy Level (International	Efficiency Marking	Protocol) *:					\boxtimes
Print/Scan	Speed *	:	30 images per minute							
			ve mode: 1 minutes							\overline{H}
P9.2*	5,						Ħ			
P10	•									
			Declared according to	ISO 9296 (See NC	OTE B9)					
P10.1	Mode	M	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle * Stand-by * 3.4		* 3.4							
	Operatio	n *	Operating mode		* 6.4					
	Other mo		See section P15							
	Measure	d accordin	g to: X ISO 7779	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * MP C307SPF						Logo					
Issue date *		09 November 2016									
Product environmental attributes - Market requirements (continued) Requirement n									met		
Item			-	-					Yes	No	n.a.
			orinting products (See								
P10.2*			ECMA-328 Determinat		emical Emiss	sion Rates f	from Electronic	;	\boxtimes		
5			, other specify: RAL	UZ171							
P10.3	Typical emission rate (operation phase) is (mg/h):										
	Electrophotographic devices: Ozone 0.29 Dust limit of detection Styrene limit of detection Benzene limit of detection TVOC 2.0										
	Ink devices: Dust Styrene Benzene TVOC										
	Note: co	ompliance with maxin	num emission rates in e	co labels	to be declare	ed in P14.					
P11		mable materials for									
P11.1*		• • •	s available for the ink/to			_			\boxtimes		
P11.2*	EN 122	81.	umer recycled fibers c		•	d that it m	eets the requi	rements of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated pro	oduct fun	ction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default aut	to-duplex	enabled.				\boxtimes		
P13		ing and documenta									
P13.1*											
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:										
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other .										
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally	chlorine-free							\boxtimes		
	Elemental chlorine-free										
	Processed chlorine-free										
P14	Volunta	ary programs:									
P14.1	The pro	duct meets the require	ements of the following	yoluntar	y program(s)	:					
	ENERGY STAR® Criteria version: 2.0 Date: Product category: Multifunction Eco-label: BAM Criteria version: RALUZ171 Date: Product category: Multifunction Eco-label: Criteria version: Date: Product category: Multifunction Product category: Multifunction										
P15		nal information (Sec									
		pressure level at the by 19.6 (dB) Operati	e operator position [L ng mode 54.5 (dB)	pA:dB(A	נו						
		, ()	<u> </u>								
·											

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1