



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	cicoh Europe Plc, 20 Triton Street				
e-mail address	London NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP C307SP				
Model number *	SP C307SP				
Issue date *	09 November 2016				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number * MP C307SP		MP C307SP	Logo					
Issue dat	sue date * 09 November 2016							
Product	Product environmental attributes - Legal requirements							
Item				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)					
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes				
D4 0*		nt: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum	1-				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).						
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 μg/cm²/\	week 🔀				
		al reference).						
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):					
	KEACH	Afficie 33 information about substances in afficies is available at (add OKL of mail	contact).		Ш			
P2	Batterie							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	ıl 🖂				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes				
P3	Conformity verification & Eco design (ErP)							
P3.1*	The prod							
P3.2*	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com The product complies with the Eco design requirements for energy-related products, (see legal reference).							
	Require	d information is; given in item P15 or added to this document,			\boxtimes			
	available at (add URL):							
P4		nable materials						
P4.1*		to conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1).	ax 0,01% (s	see 🔀				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).							
P4.3*								
P5		t packaging						
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	ry, cadmiun	n and				
L		ent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).						
P5.3*		duct packaging material is free from ozone depleting substances as specified	I in the Mo	ntreal 🔀				
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
P6		ent information						
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).						
L		· · · · · · · · · · · · · · · · · · ·						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C307SP		
Issue date *	09 November 2016		

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
-	Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes						
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9.	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: PC+ABS Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and							
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	, , , , , , , , , , , , , , , , , , , ,		\boxtimes	$\overline{}$				
1 7.10	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	ш		Ш				
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$					
F7.10	Marking: FR(40)		Ш					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g							
	according ISO 1043-4:		\boxtimes					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in							
	concentrations above 0,1%:		\boxtimes					
	1. Chemical name: , CAS #: (See NOTE B4)							
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "							
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>						
F7.19	assigned the following Risk phrases; and Hazard statements:	Ш		Ш				
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X						
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a							
	percentage of total plastic by weight) is <i>less than 0.08</i> %.							
	or b) The weight of recycled material is 15.4 g.							
	of the weight of recycled fraction to to y							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	lel number * MP C307SP Logo								
Issue date			lovember 2016						
155ac aato		oo noven	1001 2010						
Product	roduct environmental attributes - Market requirements (continued) Requirement met								met
Item		Yes No n.a.							
	Material	rial and substance requirements (continued)							
P7.21*	Biobased	d plastic ma	aterial content is used i	in the product (See N	IOTE B7):				
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	or	total plastic by weight) is %.							
	b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lam		num mercury content per	lamp:	mg		
P8	Batteries								
P8.1*				e dioxide lithium, V	anadium Pentoxide Lith	nium			
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consumpt	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and to		energy	
Sleep mod			W	W	W				\boxtimes
STAR® Op		Mode							_
(OM) produ Standby/of		r	W	W	W				\boxtimes
ENERGY S	STAR Ope	erational		••					
Mode (OM			1340 /	134/1/	4 000 114/1 /				
TEC value for ENERGY STAR TEC products		GYSTAR	kWh/week	kWh/week	1.092 kWh/week				Ш
(TEC= Typical Energy Operating mode		<u>y</u>	W	W	484.1 W				_
									屵
Ready mo			W	W	53.1 W				<u> </u>
Sleep mod	de		W	W	<i>0.83</i> W				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:						\boxtimes		
Print/Scan	Speed *	:	30 images per minute						
Default tim	Default time to enter energy save mode: 1 minutes								
P9.2*	9.2* Information about the energy save function is provided with the product.								
P10	Emissions								
D40.4			Declared according to				<u> </u>		
P10.1	Mode	M	ode description		tatistical upper limit A-we _{WA,c} (B)	eigntea souna	power level,		
	Idle	*	Stand-by	*	3.4				$\overline{}$
	Operatio		Operating mode	*	6.4				
	Other mode See section P15								
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		MP C307SP					Logo				
Issue date * 09 November 2016											
1554C date											
Product	environ	mental attributes	- Market requirem	ents (cor	ntinued)			Re	quire	ment	met
Item	CIIVIIOII	ineritar attributes	- Market requirem	enta (cor	itiliaeaj			IXC	Yes	No	n.a.
	Chemic	cal emissions from r	printing products (Se	e NOTE E	310)						
P10.2*			ECMA-328 Determina			ion Rates fron	n Electronic		\boxtimes	П	$\overline{\Box}$
	Equipm	ent (ISO/IEC 28360)	, other specify: RA	L-UZ171							
P10.3	Typical	emission rate (operat	ion phase) is (mg/h):								
	Electron	ohotographic devices:	Ozone 0.29 Dust lin	mit of dete	ection Styren	e <i>limit of dete</i>	ection				
		e limit of detection									Ħ
	Ink devi	ces:	Dust	5	Styrene	Benzene	TVOC				ш
	Noto: or	ampliance with maxim	um omission retos in	ooo lobolo	to bo doolor	nd in D14					
P11		nable materials for	num emission rates in	eco labels	to be decial	eu III F 14.					
P11.1*			s available for the ink/	toner prep	aration even	if not legally r	equired (see	P4 3)	\square		$\overline{}$
P11.2*		, ,	umer recycled fibers		-	0 ,		,	$\overline{\mathbb{X}}$	∺	∺
1 11.2	EN 122		arrier recycled libers	can be us	sca, provided	That it moon	s the require	ments of		ш	Ш
P11.3*	2-sided	(duplex) printing/copy	ying is an integrated p	roduct fun	ction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default a	uto-duplex	enabled.						
P13		ing and documenta									
P13.1*			ype(s): corrugated p		weight (kg):	7.332					
	Product packaging material type(s): <i>plastic</i> weight (kg): <i>0.66</i> Product packaging material type(s): weight (kg):										
P13.2*	Product plastic primary packaging is free from PVC.										
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
		er recovered fiber co		·99, opo.	J., 11.0 001110	amou porocini	.go o	u poot			
P13.4*	Specify	media for user and p	roduct documentation	(tick box):							$\overline{}$
1 10.1	Specify media for user and product documentation (tick box):										
P13.5			em if paper document	ation used)						
	User an	d product documenta	ition on paper media i	s chlorine-	free:				\boxtimes		
	If Yes, p	please specify:									
	Totally of	chlorine-free							\boxtimes		
	Elemental chlorine-free										
	Processed chlorine-free										
P14	Volunta	ary programs:									
P14.1	The pro	duct meets the requir	ements of the following	ng voluntar	y program(s)	:					
	ENERG	SY STAR®	Criteria version: 2.0		Date:		ict category:				
	Eco-label: BAM Criteria version: RALUZ171 Date: Product category: Multifunction										
P15	Eco-lab	el: nal information (See	Criteria version:		Date:	Produ	ct category:				
1 13			e operator position [LpA:dB/A)7						
		by 19.6 (dB) Operation		_,	/4						
		·	·		· ·		· · · · · · · · · · · · · · · · · · ·	·			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1