



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	coh Europe Plc, 20 Triton Street				
e-mail address	London NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multifunction			
Commercial name *	MP C407SPF			
Model number *	SP C407SPF			
Issue date *	09 November 2016			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	lel number * MP C407SPF Logo		Logo					
Issue dat	sue date * 09 November 2016							
	Product environmental attributes - Legal requirements Re							
Item				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	$\boxtimes$				
P1.2*		s do not contain Asbestos (see legal reference).		$\boxtimes$				
D4.0*		nt: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum	1-				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	nlorinated					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 μg/cm <sup>2</sup> /	week 🔀				
		al reference).						
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$			
F 1.7	KLACII	Afficie 33 information about substances in afficies is available at (add ONL of mair	contact).		Ш	Ш		
P2	Batterie	es						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	ıl 🖂				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$				
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com							
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).						
		d information is; given in item P15 or added to this document,			$\boxtimes$			
		available at (add URL):						
P4	Consun	nable materials						
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1).						
P4.2*	If ink/tor	ner is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	:e). 🔀				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to							
		le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	nts is availa	ble				
P5		t packaging						
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	ry, cadmiun	n and 🔀				
		ent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).						
P5.3*		duct packaging material is free from ozone depleting substances as specified	I in the Mo	ntreal 🔀				
	Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
		(000 1090.1010).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C407SPF	Logo	
Issue date *	09 November 2016		

	environmental attributes - Market requirements (See General NOTE GN below)						
	Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design Piesesambly recycling						
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$				
P7.2*	Plastic materials in covers/housing have no surface coating.		+	<del>-  -</del>			
			<u> </u>				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	<u> </u>			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ	<u>L</u>			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$					
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements			_			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$				
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low						
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	ш		ш			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$					
1 1.10	Marking: FR(40)		ш	Ш			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
	according ISO 1043-4:		$\boxtimes$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		$\boxtimes$				
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0.1% are used which have been		X				
	assigned the following Risk phrases; and Hazard statements:			ш			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$					
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a						
	percentage of total plastic by weight) is 0.08%.						
	or b) The weight of recycled material is <b>15.4</b> g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	per * MP C407SPF Log							
Issue date			mber 2016						
10000 date		oo noven	1001 2010						
Product	Product environmental attributes – Market requirements (continued)  Requirement me								met
Item								n.a.	
	Material and substance requirements (continued)								
P7.21*	Biobased	d plastic ma	aterial content is used	in the product (See	NOTE B7):			$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered;								
				the biobased plastic	c material content (calcula	ated as a perc	entage of		
	Or								
	b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lam		p. mum mercury content per	r lamp:	mg		
hP8	Batteries								
P8.1*				e dioxide lithium, \	/anadium Pentoxide Liti	hium			
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and t		energy	
Sleep mod			W	W	W				$\boxtimes$
STAR® Op		Mode							
(OM) produ Standby/of		•	W	W	W				$\square$
ENERGY STAR Operational		rational							
Mode (OM) products		kWh/week	kWh/week	1.595 kWh/week					
TEC value for ENERGY STAR TEC products		GISIAR	KWII/Week	KVVII/Week	7.595 KWII/Week				
•									
(TEC= Typ		У	W	W	549.4 W				$\overline{}$
Ready mo			W	W	53.8 W				∺
Sleep mod			W	W	0.83W				+
этеер тто			W	W	W				
			W	W	W				<u> </u>
									Щ.
			W	W	W				
External P	ower Supp	ly Efficienc	cy Level (International	Efficiency Marking F	Protocol) *:				$\boxtimes$
Print/Scan	Print/Scan Speed * : 40 images per minute								
Default tim	Default time to enter energy save mode: 1 minutes								
P9.2*	29.2* Information about the energy save function is provided with the product.								
P10	Emissions								
	Noise en		Declared according to						
P10.1			power level,						
	Idle	*	Stand-by		* 3.4				$\Box$
	Operation		Operating mode	,	6.7				
Other mode See section P15									
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	Model number * MP C407SPF Logo									
Issue date	* 09 November 2016				-					
Product 6	roduct environmental attributes - Market requirements (continued)  Requirement m								met	
Item								Yes	No	n.a.
			rinting products (See NO							
P10.2*			ECMA-328 Determination of		ssion Rates from E	Electronic		$\boxtimes$		
D100			, other specify: RAL-UZ	171						
P10.3	Typical emission rate (operation phase) is (mg/h):									
	Electrophotographic devices: Ozone limit of detection Dust 1.5 Styrene 0.021									
	Benzene limit of detection TVOC 1.2									
	Ink devices: Dust Styrene Benzene TVOC									
	Note: co	ompliance with maxim	um emission rates in eco la	abels to be decla	ared in P14.					
P11		nable materials for p								
P11.1*	A Safety	y Data Sheet (SDS) is	available for the ink/toner	preparation, eve	en if not legally req	uired (see F	P4.3).	$\boxtimes$		
P11.2*	Paper of		mer recycled fibers can b	oe used, provid	ed that it meets t	he requirer	ments of	$\boxtimes$		
P11.3*	2-sided	(duplex) printing/copy	ing is an integrated produc	t function.				X		
P11.4*	The pro	duct is delivered to er	d-user with default auto-du	ıplex enabled.					Ħ	Ħ
P13	Packag	ing and documentat	ion							
P13.1* Product packaging material type(s): corrugated paper weight (kg): 7.332 Product packaging material type(s): plastic weight (kg): 0.66 Product packaging material type(s): weight (kg):										
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*										
P13.4*	Specify media for user and product documentation (tick box):  Electronic , Paper , Other									
P13.5	Ùser an	only complete this ite d product documenta please specify:	m if paper documentation ( tion on paper media is chlo	used) rine-free:						
	Totally of	chlorine-free						$\square$		
	Elemen	tal chlorine-free						Ħ		
	Process	sed chlorine-free						Ħ		
P14	Volunta	ary programs:								
P14.1	The pro	duct meets the require	ements of the following volu	untary program(	s):					
	ENERG	Y STAR®	Criteria version: 2.0	Date:	Product	category: r	nultifunctio	on		
	Eco-label: BAM Criteria version: RALUZ171 Date: Product category: multifunction									
P15	Eco-lab	el: <mark>nal information (See</mark>	Criteria version:	Date:	Product	category:				
710			operator position [LpA:	IR(A)1						
		by 20.2 (dB) Operatir		·•(A)]						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1