



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	Ricoh Europe Plc, 20 Triton Street				
e-mail address	London NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product * Printer						
Commercial name *	SP C352DN					
Model number *	SP C352DN					
Issue date *	09 November 2016					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

h

Model number *		SP C352DN	Logo				
Issue dat	te *	09 November 2016					
	Product environmental attributes - Legal requirements Re						
Item				Yes	No	n.a.	
P1		ous substances and preparations	OTE DAY				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)				
P1.2*		s do not contain Asbestos (see legal reference).					
D4 0*		nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum	1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	nlorinated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms i	n the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (	0,5 μg/cm <sup>2</sup> /\	week 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail	contoot):				
P1.7	REACH	Article 33 information about substances in articles is available at (add ORL of mail	contact).		Ш		
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	I 🔀			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\square$			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Require	d information is; given in item P15 or added to this document,			$\boxtimes$		
		available at (add URL):					
P4	Consun	nable materials					
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium meerence and NOTE B1).		_			
P4.2*	If ink/tor	ner is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	e).			
P4.3*							
P5		t packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium	n and			
		ent chromium by weight of these together.	,, oddinidn	. and	ш		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the mate	rial(s)			
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified	in the Mo	ntreal 🔀			
	Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.						
P6		ent information					
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).					
1							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP C352DN			
Issue date *	09 November 2016			

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.
P7	Design Piercombly recycling			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		₩	<del>-  -</del>
	<u> </u>		井	_#
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		부	<u> </u>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$	Ш	
D7 74	Product lifetime		_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		ᆜ	<u> </u>
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$	Ш	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 25 g $\square$ are low		$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
D7 47	Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$	
	· · · · · · · · · · · · · · · · · · ·			Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4:  Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0.1%:		$\boxtimes$	
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\boxtimes$	
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is less than 0.1%.</li> </ul>			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	per *   SP C352DN   Logo								
Issue date			mber 2016							
issue date		03 NOVEII	inder 2010							
Product (	Product environmental attributes - Market requirements (continued)  Requirement met								met	
Item								n.a.		
	Material and substance requirements (continued)									
P7.21*			aterial content is used i		NOTE B7):			$\boxtimes$		П
	If YES; a	it least one	of the two alternatives	below shall be an	swered;			_	_	_
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
		total plastic by weight) is less than 0.1 %.								
	or b) The	weight of t	the biobased plastic m	aterial is g.						
P7.22*			ee from mercury, i.e. le		mp.			$\boxtimes$		
			pecify: Number of lam		kimum mercury content per la	mp:	mg		ш	ш
P8	Batteries	S								
P8.1*	Battery c	hemical co	mposition: Manganes	e dioxide lithium						
P9			ion (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		eference/Solodes and to	tandard fo est method *	r e	nergy	
Sleep mod	le for ENE	RGY	W	W	W					$\boxtimes$
STAR® Op		Mode								
(OM) produ Standby/of	ucts fr mode for	•	W	W	W					
ENERGY S			**	**	**					
Mode (OM	) products	i								
TEC value for ENERGY STAR TEC products		GY STAR	kWh/week	kWh/week	1.161 kWh/week					
(TEC= Typ	ical Energ	ју								
Operating	mode		W	W	463.1 W					
Ready mo	de		W	W	40.2 W					
Sleep mod	de		W	W	0.6 W					$\overline{\Box}$
			W	W	W					$\overline{\Box}$
			W	W	W					Ħ
			W	W	W					$\pm$
Futamal D	C	.l								
			cy Level (International	Efficiency Marking	Protocol) ":					
Print/Scan	Speed *	:	30 images per minute							
Default tim	e to enter	energy sav	ve mode: 1 minutes							
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P10	<del></del>									
			Declared according to	ISO 9296 (See NC						
P10.1	Mode	M	lode description		Statistical upper limit A-weighted sound power leving $L_{WA,c}$ (B)		power level,			
	Idle	*	Stand-by		* 3.1					
	Operatio		Operating mode		* 6.7					
	Other mo		See section P15							
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		SP C352DN				Logo				
						Logo				
Issue date * 09 November 2016										
Product 6	environ	mental attributes	Market requirements (c	ontinued)			Re	quire	ment	met
Item								Yes	No	n.a.
			rinting products (See NOT							
P10.2*			ECMA-328 Determination of		ion Rates from E	Electronic		$\boxtimes$		
			, other specify: RAL-UZ17	71						
P10.3	Typical emission rate (operation phase) is (mg/h):									
	Electrop	hotographic devices:	Ozone limit of detection	Dust <i>limit of det</i>	ection Styrene 0	0.037				
	Benzen	e 0.007 TVOC 2.7								П
	Ink devi	ces:	Dust	Styrene	Benzene	TVOC				
	Note: co	ompliance with maxim	um emission rates in eco lab	els to be declare	ed in P14.					
P11		nable materials for p								
P11.1*	A Safet	y Data Sheet (SDS) is	available for the ink/toner pr	eparation, even	if not legally requ	uired (see P4	4.3).	X	П	
P11.2*	Paper of	containing post-consu	imer recycled fibers can be	used, provided	that it meets t	he requirem	ents of		$\overline{\Box}$	Ħ
	EN 122									
P11.3*		· · · · · · · · · · · · · · · · · · ·	ving is an integrated product						<u>Ц</u>	Щ
P11.4*			nd-user with default auto-dup	lex enabled.				$\boxtimes$		
P13		ing and documenta		1110						
P13.1*	3 ( 3)									
	Product packaging material type(s): plastic weight (kg): 0.76  Product packaging material type(s): weight (kg):									
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*	For pro	duct primary corruga	ted fiberboard packaging, s	pecify the conta	ained percentage	of minimun	n post-			$\overline{\boxtimes}$
	consum	er recovered fiber co	ntent: %							
P13.4*	Specify	media for user and p	roduct documentation (tick bo	ox):						
	Electronic , Paper , Other									
P13.5	(Please	only complete this ite	em if paper documentation us	sed)						
			tion on paper media is chlori	ne-free:				$\boxtimes$		
	If Yes, p	please specify:								
	Totally of	chlorine-free						$\boxtimes$		
	Elemental chlorine-free									
	Processed chlorine-free									
P14		ary programs:								
P14.1	The pro	duct meets the requir	ements of the following volur	ntary program(s)	•					
	ENERG	Y STAR®	Criteria version: 2.0	Date:		category: pr				
	Eco-label: BAM Criteria version: RALUZ171 Date: Product category: printer									
P15	Eco-lab	el: nal information (See	Criteria version:	Date:	Product	category:				
710			operator position [LpA:dE	R(A)1						
		by 17.3 (dB) Operatii		(C)]						
		• / •	- ' /							

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1