

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	MFP					
Commercial name *	MP C2004EXASP					
Model number *	MP C2004EXASP					
Issue date *	3 May 2017					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C2004EXASP	Logo					
Issue dat	ue date * 3 May 2017							
Product	Product environmental attributes - Legal requirements							
Item				Yes	No	n.a.		
P1	Hazardo	ous substances and preparations						
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.							
D4 ot								
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polycł /l (PCT) in preparations (see legal reference).	hlorinated					
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in the					
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 µg/cm ² /week	\boxtimes				
		al reference).						
		nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):					
P2	Batterie	S						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\square				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	mium. (See legal	\square				
P2.3*		s and accumulators are readily removable. (See legal reference)		\boxtimes				
P3	Conform	nity verification & Eco design (ErP)						
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le	gal reference).	\square				
		laration of Conformity can be requested at (add link or e-mail address): emo@ric						
	europe	,						
P3.2*		duct complies with the Eco design requirements for energy-related products,			_			
F J.Z		al reference).						
		d information is; given in item P15 or added to this document,						
	rioquirot	a wailable at (add URL):						
P4	Consum	nable materials						
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m	ax 0.01% (see	\square				
		erence and NOTE B1).	-,					
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	\boxtimes				
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance for	or which there		Ē			
-		munity workplace exposure limits, the product/packaging is adequately labeled acc						
	applicab	le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	nts is available					
		al reference).						
P5		a packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.						
P5.2*	•	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	of the material(s)	\square				
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified	I in the Montreal	\boxtimes				
		(see legal reference).		~~~		_		
		nt: Legal reference has no maximum concentration values.						
P6		nt information						
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\bowtie				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MP C2004EXASP	Logo					
Issue date *		3 May 2017						
		nental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes		n.a.		
P7	Design							
		nbly, recycling						
P7.1*		t have to be treated separately are easily separable						
P7.2*		aterials in covers/housing have no surface coating.						
P7.3*		arts > 100 g consist of one material or of easily separable materials.						
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square				
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available	ailable tools					
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes				
	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools		\square				
P7.9.		rts are available after end of production for: 7 years						
P7.10	Service is	available after end of production for: 7 years						
		and substance requirements						
P7.11*	Material t	cover/housing material type (e.g. plastics, metal, aluminum):ype: PC+ABSMaterial type:Material	type:					
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants,	and				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low 🔲 🔀							
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):					
			CAS #:		\boxtimes			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	<u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparation	s in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-						
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:						
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See N	OTE B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes				
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (entage of total plastic by weight) is <i>app. 0.06</i> %.	calculated a	_	_			
	or b) The	weight of recycled material is app. 24 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	number * MP C2004EXASP									
Issue dat	e *	3 May 201	7							
	environ	mental attr	ibutes - Market red	quirements (cont	inued)			uireme		
Item							`	res l	No n.a	
P7.21*			ance requirements (c terial content is used i							
F7.21		•	of the two alternatives		,					
	a) Of	total plastic		the biobased plastic	material content (calcul	ated as a perce	entage of			
		e weight of t	he biobased plastic ma	aterial is app. 10 g.						
P7.22*			ee from mercury, i.e. le becify: Number of lamp		o. num mercury content pe	er lamp:	ng	⊠ [
P8	Batterie									
P8.1*			mposition: Manganese	e dioxide lithium						
P9			on (See NOTE B8)							
P9.1		product the l	ollowing power levels	6, 1	<u> </u>					
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		ener	.ду	
	de for ENE perational ducts		W	W	W				\geq	
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W					
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	0.738 kWh/week					
Operating	pical Ener <u></u> g mode	уу	W	W	Mono: 456.7 W Colour: 503 W					
Ready m	ode		W	W	50.2 W					
Sleep mo	ode		W	W	0.9 W					
			W	W	W					
			W	W	W					
			W	W	W					
External F	Power Sup	ply Efficienc	y Level (International E	Efficiency Marking P	rotocol) * :					
Print/Scar			20 images per minute		-					
	•		e mode: 1 minutes							
P9.2*			e energy save function	n is provided with the	e product					
P10	Emissio									
1.10			Declared according to I	SO 9296 (See NOT	E B9)					
P10.1	Mode		ode description	S	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle	*	Stand-by	*	* 3.4					
	Operatio		Operating Mode	*	* Mono: 6, Colour <i>6.1</i>					
	Other m	ode								
	Measure	ed according		ECMA-74 (only if not covered I	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		MP C	2004EXAS	SP .							Logo				
		3 May 2017													
	environ	menta	l attribut	<mark>es - M</mark> a	arket requ	irements	(continu	ued)					Require		
Item	<u>.</u>			•		((O NO							Yes	No	n.a
P10.2*						cts (See NO ermination of		al Emi	anian Data	- (nom -	le etre e le				
P10.2	•		-					aremi	Ission Rate	S HOM E	lectronic		\bowtie		
P10.3				,	phase) is (r	ify: RAL-UZ ng/h):	171								
	<limit c<="" td=""><td>f dete</td><td></td><td>r <<i>limit</i></td><td>of detecti</td><td>o 0.44 colour on) Benzene</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></limit>	f dete		r < <i>limit</i>	of detecti	o 0.44 colour on) Benzene									
	Ink dev	ices:	Dust		Styrene	Ве	nzene		туос						
		•				ates in eco la	abels to b	e decla	ared in P14	4.					
P11					ting produ										
P11.1*	A Safet	y Data	Sheet (SD	S) is av	ailable for t	he ink/toner	preparati	on, eve	en if not leg	gally requ	ired (see	P4.3).	\square		
P11.2*	Paper o EN 122		ing post-co	onsume	r recycled	fibers can b	be used,	provid	ed that it	meets th	ne require	ements o	of 🔀		
P11.3*	2-sided	(duple:	x) printing/	copying	is an integ	rated produc	t functior	۱.					\boxtimes		
P11.4*	The pro	duct is	delivered t	o end-u	iser with de	fault auto-du	uplex ena	bled.					\square		
P13			d docume												
P13.1*	Product	packa		ial type((s): Plastic		weig nt (kg): <mark>0.</mark> nt (kg):): 12.98						
P13.2*	Product	plastic	primary pa	ackagin	g is free fro	m PVC.							\bowtie		
P13.3*			imary corr			packaging, %	specify t	he cor	ntained pe	rcentage	of minin	num post	-		\square
P13.4*	Specify Electror	media nic 🔀,	for user ar Paper 🔀	nd produ , Other	uct docume	ntation (tick	box):								
P13.5		d prod	uct docume			umentation nedia is chlo							\boxtimes		
	Totally of	chlorine	e-free										\boxtimes		
	Elemental chlorine-free						Ē.								
	Process	ed chlo	orine-free										E E		
P14	Volunta	arv pro	arams:												
P14.1				quireme	ents of the f	ollowing vol	untary pro	ogram(s):						
	ENERG Eco-lab Eco-lab	el: BAI		Cri	teria versio teria versio teria versio	n: RALUZ 1	Da 71 Da Da	te:		Product	category: category: category:				
P15			ormation (- 4				3)-				
	Sound Stand-l	pressu by: 20(<mark>ire level a</mark> dB)	t the op		ition [L _{PA} :C	IB(A)]								

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1