



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	coh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * MFP				
Commercial name *	MP C2004EXSP				
Model number *	MP C2004EXSP				
Issue date *	3 May 2017				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number * MP C2004EXSP		Logo					
Issue da	te *	3 May 2017					
Product	t environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and I	NOTE B1)	$\boxtimes$			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
1 1.5		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrac	chloride, 1.1.1		Ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no					
		ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polyc l (PCT) in preparations (see legal reference).	chlorinated				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 ca	arbon atoms i	n the			
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).		_			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 μg/cm <sup>2</sup> /v	veek 🛚			
		al reference).					
5.1 = 1		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_		
P1.7*		Article 33 information about substances in articles is available at (add URL or mai	il contact):				
		icoh-europe.com					
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	n the disposa	egal 🔀			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-					_	
	europe.com						
P3.2*		duct complies with the Eco design requirements for energy-related products,					
	, ,	al reference).					
	Require	d information is; given in item P15 or added to this document,				Ш	
		available at (add URL):					
P4		nable materials	0.040/./-				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1).	nax 0,01% (s	ee 🔀			
P4.2*	If ink/tor	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	egal referenc	e). 🔀			
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance	for which the	re 🔀			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to						
		le regulations and a Safety Data Sheet (SDS) in accordance with these requireme al reference).	ents is availal	ole			
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercuent chromium by weight of these together.	ıry, cadmium	and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	e of the mater	rial(s)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).			ntreal 🔀			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P6

P6.1

Comment: Legal reference has no maximum concentration values.

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	odel number * MP C2004EXSP		
Issue date *	3 May 2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)				
-		Require	men	t met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$		
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		$\boxtimes$		
	according ISO 1043-4:		$\boxtimes$		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: "				
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		$\boxtimes$		
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				_
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$	Ш		
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 0.06</i>%.</li> <li>or</li> <li>b) The weight of recycled material is <i>app. 24</i> g.</li> </ul>				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * MP C2004EXSP			Logo					
Issue date	date * 3 May 2017								
Product environmental attributes - Market requirements (continued)							Requ	iremen	t met
Item							Y	es No	n.a.
D7.04*	Material and substance requirements (continued)							1 -	
P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
			of the two alternatives		wered; c material content (calcula	atod as a para	ontage of		
			weight) is <i>app. 0.03</i> %		o material content (calcula	iteu as a perc	entage of		
	or								
			the biobased plastic ma				_		
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content per	lomp:	ma		
P8	Batteries		pecity. Nutriber of lamp	ps. and maxi	main mercury content per	iamp.	mg		
P8.1*		_	mposition: Manganes	e dioxide lithium					
P9	-		on (See NOTE B8)						
P9.1			following power levels	or energy consump	tions are reported:				
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard for	energy	,
3,			100 V AC	115 V AC	<b>230</b> V AC	modes and to		3,	
Sleep mod	e for ENE	RGY	W	W	W				$\boxtimes$
STAR® Op		Mode							
(OM) produ Standby/of		<u> </u>	W	W	W				
ENERGY S	STAR Ope	erational							
Mode (OM)			130//- /1-	130/1- /1-	0.700134/6/22-12				
TEC value		GYSTAR	kWh/week	kWh/week	0.738 kWh/week				Ш
(TEC- Typ	ical Energ	N. /							
(TEC= Typical Energy  Operating mode		<u> Эу</u>	W	W	Mono: 456.7 W				
Operating mode				••	Colour: 503 W				ш
Ready mo	de		W	W	50.2 W				
Sleep mod	de		W	W	0.9 W				一一
			W	W	W				$\overline{}$
			W	W	W				$\overline{}$
			W	W	W				$\overline{}$
Evternal Pr	ower Sunr	alv Efficienc							
					1010001) .				
Print/Scan			20 images per minute						<u> </u>
		- 0,	ve mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio			100 0000 (0 110	FE DO)				
P10.1	Mode Mode		Declared according to ode description		TE B9) Statistical upper limit A-we	sighted cound	power level		
1-10.1	WIOGE	IVI	oue description		Statistical upper limit A-we L <sub>WA,c</sub> (B)	agineu Souila	power lever,		
	Idle * Stand-by * 3.4								
	Operatio		Operating Mode		* Mono: 6, Colour 6.1				$\dashv$
	Other mo				,				
			g to: X ISO 7779	ECMA-74					
			_	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		MP C2004EXSP			Logo			
Issue date * 3 May 2017								
Product 6	roduct environmental attributes - Market requirements (continued)						ment	met
Item						Yes	No	n.a.
		al emissions from printing						
P10.2*		formed according to ECMA-3 ent (ISO/IEC 28360), other		emical Emission Rate	s from Electronic			Ш
P10.3		emission rate (operation phas						
	<li>limit of</li>	ohotographic devices: Dust f detection colour < limit of a on) TVOC (mono 2.86 colour	<b>letection</b> ) Benzene (mo			0		
	Ink dev	ces: Dust Styr	ene Benzer	ne TVOC				
	Note: c	mpliance with maximum emis	ssion rates in eco labels	to be declared in P14	l.			
P11		nable materials for printing						
P11.1*		Data Sheet (SDS) is availab						
P11.2*	Paper of EN 122	ontaining post-consumer rec 31.	cycled fibers can be us	sed, provided that it	meets the requiremen	ts of		
P11.3*	2-sided	(duplex) printing/copying is ar	n integrated product fun	ction.		$\boxtimes$		
P11.4*	The pro	duct is delivered to end-user v	vith default auto-duplex	enabled.		$\boxtimes$		
P13		ing and documentation						
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 12.98 Product packaging material type(s): Plastic weight (kg): 0.582 Product packaging material type(s): weight (kg):							
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*		duct primary corrugated fiber er recovered fiber content:	board packaging, spec	cify the contained per	centage of minimum	post-		
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Totally	hlorine-free						
	Elemental chlorine-free							
	Process	ed chlorine-free						
P14	Volunta	ry programs:						
P14.1	The pro	duct meets the requirements	of the following voluntar	y program(s):				
			version: 2.0		Product category: MFP			
	Eco-lab		version: <b>RALUZ171</b> version:		Product category: <i>MFP</i> Product category:			
P15		nal information (See NOTE		Date.	roduct category.			
	Sound Stand-	pressure level at the operatory: 20(dB) ng Mode: Mono: 44.6dB), Co	or position [L <sub>pA</sub> :dB(A	A)]				

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1