

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	MFP					
Commercial name *	MP C3004EXASP					
Model number *	MP C3004EXASP					
Issue date *	3 May 2017					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C3004EXASP	Logo					
Issue dat	e *	3 May 2017						
Product	Requirement met							
Item				Yes	No	n.a.		
P1		ous substances and preparations s do comply with the current European RoHS Directive. (See legal reference and N						
P1.1*	Products	IOTE B1)	\bowtie					
P1.2*	 Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. 							
P1.3*	Products							
	hydrobro trichloro	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	nlorinated					
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in the					
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (0,5 µg/cm ² /week	\boxtimes				
		al reference).						
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):					
F1.7		icoh-europe.com	contact).					
P2	Batterie							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal	\square				
	symbol.	Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	-					
P2.2*	Batteries referenc	\square						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conform	nity verification & Eco design (ErP)						
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes				
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@ric	oh-					
	europe							
P3.2*	The proc (see lega	duct complies with the Eco design requirements for energy-related products, al reference).		\square				
		d information is; given in item P15 or added to this document,			\boxtimes			
		available at (add URL):			_			
P4	Consum	nable materials						
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (see	\square				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference).	\boxtimes				
P4.3*		/toner formulation/preparation is classified as hazardous or contains a substance for						
	are Community workplace exposure limits, the product/packaging is adequately labeled according to							
		al reference).						
P5		packaging	· · · · ·					
P5.1*	hexavalent chromium by weight of these together.							
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	()	\square				
P5.3*		duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the Montreal	\boxtimes				
		t: Legal reference has no maximum concentration values.						
P6		nt information						
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MP C3004EXASP	Logo						
Issue date *		3 May 2017							
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design	I	Require	ement	met			
Item	*=manda	Yes	No i	n.a.					
P7	Design								
P7.1*		nbly, recycling t have to be treated separately are easily separable							
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>				
					<u> </u>	<u> </u>			
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>Ц</u>	<u> </u>			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	allable tool						
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).		\square					
P7.7*	Product								
		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>			
P7.8*		g can be done using commonly available tools		\square		<u> </u>			
P7.9.		rts are available after end of production for: 7 years							
P7.10		s available after end of production for: 7 years							
D7 44*		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: Material	type:						
P7.12	Insulation materials of external electrical cables are PVC free.								
P7.13	Insulation materials of internal electrical cables are PVC free.								
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants,	, and 📃					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low								
		as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:								
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
	TBBPA (additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: , CAS #: 🗌 🔀								
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:								
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparatio	ns in					
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-A· FR(40)						
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which l the following Risk phrases; and Hazard statements:							
	•		OTE B5)						
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):	,	\square					
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content entage of total plastic by weight) is <i>app. 0.06</i> %.	(calculated		_	_			
	or b) The	weight of recycled material is <i>app.</i> 24 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MP C3004	IEXASP		Logo					
Issue dat	e *	3 May 201	17							
Product	environ	mental att	ributes - Market red	uirements (cont	inued)		Reg	uiremen	nt met	
Item							-	'es No		
			ance requirements (c							
P7.21*	Biobase	d plastic ma	terial content is used i	n the product (See N	NOTE B7):		[\bowtie		
	a) Of tota or	total plastic al plastic by	of the two alternatives parts' weight > 25 g, t weight) is <i>app. 0.03</i> %. he biobased plastic ma	the biobased plastic	vered; material content (calcul	ated as a perce	entage of			
P7.22*	Light so	urces are fre	ee from mercury, i.e. le pecify: Number of lamp	ess than 0,1 mg/lamp	o. num mercury content pe	er lamp:	ng			
P8	Batterie	S				-	-			
P8.1*			mposition: Manganese	e dioxide lithium						
P9			on (See NOTE B8)							
P9.1	For the	product the f	following power levels	or energy consumpt	ions are reported:					
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	у 🗌	
	de for ENE perational ducts		W	W	W					
Standby/off mode for ENERGY STAR Operational Mode (OM) products			W	W	W					
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	1.165 kWh/week					
Operating	pical Ener <mark>g mode</mark>	<u>gy</u>	W	W	Mono: 544.6 W Colour: 604.5 W					
Ready m	ode		W	W	47.3 W					
Sleep mo			W	W	0.93 W					
			W	W	W				- H	
			W	W	W					
			W	W	W					
Extornal	Dowor Curr	nhy Efficience								
			y Level (International I	Enciency Marking P						
Print/Scar	n Speed *	:	30 images per minute							
Default tin			e mode: 1 minutes							
P9.2*	Information	tion about th	e energy save functior	n is provided with the	e product.			\triangleleft		
P10	Emissio									
			Declared according to I							
P10.1	Mode	M	ode description		tatistical upper limit A-w _{WA,c} (B)	eighted sound	power level,			
	Idle	*	Stand-by	*	* 3.4					
	Operatio	on * (Operating Mode	*	* Mono: 6.1, Colour 6.2					
	Other m	ode								
	Measure	ed according	,	ECMA-74 (only if not covered b	ov FCMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		MP C	3004EXA	SP							Logo				
		3 May	2017								-				
	environ	menta	l attribut	es - M	arket req	uirements	(con	tinued)					Require		
Item	<u>.</u>							(•)					Yes	No	n.a
D40.0t						icts (See No			· ' · · · · · · · ·						
P10.2*	•					etermination		emical Er	NISSION F	ates from	Electronic		\bowtie		
P10.3	Equipment (ISO/IEC 28360) , other specify: RAL-UZ171 Typical emission rate (operation phase) is (mg/h):														
	<limit o<="" td=""><td>f dete</td><td>ction colou</td><td>ur <limi< b=""></limi<></td><td>t of detect</td><td>o <i><limit c<="" i="" of=""> ion) Styrene C (mono 1.8</limit></i></td><td>e (mono</td><td>o <mark>0.02</mark> co</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></limit>	f dete	ction colou	ur <limi< b=""></limi<>	t of detect	o <i><limit c<="" i="" of=""> ion) Styrene C (mono 1.8</limit></i>	e (mono	o <mark>0.02</mark> co							
	Ink dev	ices:	Dust		Styrene	В	enzene	e	TVOC						
	Note: co	ompliar	nce with ma	aximum	emission i	rates in eco	labels	to be dec	clared in	P14.					
P11	Consur	nable I	materials	for prir	nting produ	ucts									
P11.1*						the ink/tone	r prepa	ration, e	ven if no	t legally rec	uired (see	e P4.3).	\square		
P11.2*	Paper of EN 122		ing post-c	onsume	er recycled	fibers can	be us	ed, prov	ded that	t it meets	the requir	ements o	of 🔀		
P11.3*	2-sided	(duple:	x) printing/	copying	g is an integ	grated produ	ict func	tion.					\square		
P11.4*	2-sided (duplex) printing/copying is an integrated product function. Image: Comparison of the product is delivered to end-user with default auto-duplex enabled. The product is delivered to end-user with default auto-duplex enabled. Image: Comparison of the product is delivered to end-user with default auto-duplex enabled.														
P13			d docume												
P13.1*	Product Product	packa packa	ging matei ging matei	rial type rial type	e(s): Plastic e(s):	wei		weight (k): 0.576):	g): 12.98						
P13.2*	Product	plastic	primary p	ackagir	ng is free fro	om PVC.							\square		
P13.3*			rimary cor overed fibe			l packaging %	, speci	ify the co	ontained	percentag	e of minin	num post	-		\square
P13.4*	Specify Electror	media nic 🔀,	for user ar Paper 🔀	nd prod , Other	uct docume	entation (tick	(box):								
P13.5		d prod	uct docum			cumentation media is chl		ree:					\square		
	Totally of	chlorine	e-free										\bowtie		
	Elemental chlorine-free														
	Process	ed chlo	orine-free												
P14	Volunta	ry pro	grams:												
P14.1				quirem	ents of the	following vo	luntary	/ progran	า(<mark>ร):</mark>						
	ENERG Eco-lab Eco-lab	el: BAI		C	riteria versio riteria versio riteria versio	on: RALUZ	171	Date: Date: Date:		Product	category: category: category:	MFP			
P15			ormation					Duit.		110000	salogory.				
	Sound Stand-l	pressu by: 19.	<mark>ire level a</mark> 5(dB)	t the o		sition [L _{PA} :	dB(A)]							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1