

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	Ricoh Europe Plc, 20 Triton Street				
e-mail address	London NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statement	conforms to the statements given in this declaration.						
Type of product *	MFP						
Commercial name *	MP C3504EXASP						
Model number *	MP C3504EXASP						
Issue date *	3 May 2017						
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C3504EXASP	Logo						
Issue dat	e *	3 May 2017							
Product	Product environmental attributes - Legal requirements R								
Item				Yes	No	n.a.			
P1	Hazardo	ous substances and preparations							
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	\boxtimes					
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes					
P1.3*	Broducto	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),							
F 1.3	hydrobro trichloro concenti	pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	naximum						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated						
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in the						
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (0,5 µg/cm²/week	\boxtimes					
	(see lega	al reference).				_			
		nt: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*		Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):						
P2	Batterie	S							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\square					
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	nium. (See legal	\square					
P2.3*		s and accumulators are readily removable. (See legal reference)		\square					
P3	Conform	nity verification & Eco design (ErP)							
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le	gal reference).						
		laration of Conformity can be requested at (add link or e-mail address): emo@ric							
	europe	· · · · · · · · · · · · · · · · · · ·							
P3.2*		duct complies with the Eco design requirements for energy-related products,							
1 0.2	(see lea	al reference).							
		d information is; given in item P15 or added to this document,			\square				
		available at (add URL):							
P4	Consum	nable materials							
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0,01% (see	\square					
		erence and NOTE B1).	, (
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference).	\boxtimes					
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance for	or which there						
	are Com	munity workplace exposure limits, the product/packaging is adequately labeled acc	cording to						
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	nts is available						
		al reference).							
P5		packaging							
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	-						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).							
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montreal	\boxtimes					
		(see legal reference).							
DA		nt: Legal reference has no maximum concentration values.							
P6		nt information							
P6.1*	informati	on for recyclers/treatment facilities is available (see legal reference).		\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MP C3504EXASP	Logo					
Issue date *		3 May 2017						
		nental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment	met		
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design							
P7.1*		nbly, recycling						
		t have to be treated separately are easily separable			<u> </u>	<u> </u>		
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>		
P7.3*	· ·	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available	ailable tools					
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).		\square				
	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>		
P7.8*		g can be done using commonly available tools		\square				
P7.9.		rts are available after end of production for: 7 years						
P7.10		available after end of production for: 7 years						
		and substance requirements						
P7.11*	Material t	cover/housing material type (e.g. plastics, metal, aluminum):ype: PC+ABSMaterial type:Material	type:					
P7.12	Insulatior	materials of external electrical cables are PVC free.			\boxtimes			
P7.13	Insulatior	materials of internal electrical cables are PVC free.			\boxtimes			
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants,	and				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low 📃 🔀							
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without con	nponents):					
			CAS #:		\boxtimes			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	<u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	is in				
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: FR(40)					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:						
			OTE B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes				
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (entage of total plastic by weight) is <i>app. 0.06</i> %.	calculated	as a				
	or b) The	weight of recycled material is app. 24 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numbe	er*	MP C3504	EXASP		Logo					
Issue date *		3 May 201	7							
	•••••			•						
Item	/ironm	ental attr	ibutes - Market red	quirements (cont	inued)		Re	equire Yes	Ment No	n.a.
	atoriala	and subst	ance requirements (c	ontinued)				res	INU	n.a.
			terial content is used i		IOTE B7):			\boxtimes		
	YES; at Of to total	least one o tal plastic plastic by	of the two alternatives	below shall be answ the biobased plastic	,	ated as a perce	entage of			
	ght sour	ces are fre	e from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lamp	o. num mercury content pe	er lamp:	mg			
	atteries									
	•		nposition: Manganese	e dioxide lithium						
		-	on (See NOTE B8)							
P9.1 Fo	or the pr	oduct the f	ollowing power levels	or energy consumpt	ions are reported:					
Energy mode	*		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te			nergy	
Sleep mode fo STAR® Opera (OM) products	ational N		W	W	W					
Standby/off mode for ENERGY STAR Operational Mode (OM) products			W	W	W					
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	1.341kWh/week					
(TEC= Typical Energy Operating mode			W	W	Mono: 544.6 W Colour: 604.5 W					
Ready mode			W	W	47.3 W					
Sleep mode			W	W	0.93 W					Π
			W	W	W					Ē
			W	W	W					⊢
			W	W	W					
External Powe	er Suppl	y Efficienc	y Level (International I	(International Efficiency Marking Protocol) * :						
Print/Scan Spe		· · · ·	35 images per minute	,	,					
			5 1							
			e mode: 1 minutes e energy save functior		product					ᆜ
			e energy save function	is provided with the				\square		
	nission		oclared according to	SO 0206 (See NOT	E RO)					
	ode		Declared according to I Dede description	S	tatistical upper limit A-w _{WA,c} (B)	eighted sound	power leve	l,		
Idl	le	* 5	Stand-by	*	* 3.4					
	peration		Operating Mode		* Mono: 6.1, Colour 6.3					
-	ther mo									
Me	easured	l according		ECMA-74 (only if not covered b	V FCMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		MP C	3504EXAS	SP						Logo				
		3 May	2017											
	environ	menta	l attribut	<mark>es - Ma</mark>	rket requi	irements (c	ontinued)			R	equire		
Item	<u>.</u>											Yes	No	n.a
D40.0t						ts (See NOTE				1				
P10.2*	•					ermination of (mission R	ates from E	lectronic		\bowtie		
P10.3		,		,	hase) is (m	y: RAL-UZ17 a/h):	1							
	<limit o<="" td=""><td>f deteo</td><td>tion colou</td><td>ır <<i>limit</i> e</td><td>of detectio</td><td><i>imit of dete</i> <i>n</i>) Styrene (m (mono 1.8 co</td><td>iono <mark>0.02</mark> c</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></limit>	f deteo	tion colou	ır < <i>limit</i> e	of detectio	<i>imit of dete</i> <i>n</i>) Styrene (m (mono 1.8 co	iono <mark>0.02</mark> c							
	Ink dev	ices:	Dust	S	Styrene	Benz	ene	тиос						
	Note: co	ompliar	ice with ma	aximum e	mission rat	tes in eco lab	els to be de	eclared in I	P14.					
P11	Consur	nable r	naterials f	for printi	ng produc	ts								
P11.1*	A Safety	/ Data	Sheet (SD	S) is ava	ilable for th	e ink/toner pr	eparation, e	even if not	legally req	uired (see l	P4.3).	\boxtimes		
P11.2*	Paper of EN 122		ng post-co	onsumer	recycled fi	bers can be	used, prov	vided that	it meets t	he require	ments of	\square		
P11.3*	2-sided	(duple)	k) printing/	copying i	s an integra	ated product f	unction.					\boxtimes		
P11.4*	The pro	duct is	delivered t	o end-us	er with defa	ault auto-dupl	ex enabled	l.						
P13			d docume											
P13.1*	Product Product	packa packa	ging mater ging mater	ial type(s ial type(s): Plastic):	weight	(kg): 0.576	kg): 12.98						
P13.2*		•			is free fron							\boxtimes		
P13.3*			imary corr			backaging, sp %	becify the o	contained	percentage	e of minim	um post-			\boxtimes
P13.4*	Specify Electror	media nic 🔀,	for user ar Paper 🔀	nd produc	t documen	tation (tick bo	x):							
P13.5		d produ	uct docume			mentation us edia is chlorir						\boxtimes		
	Totally of	chlorine	e-free									\square		
	Elemental chlorine-free													
	Process	ed chlo	orine-free											
P14	Volunta	ry pro	grams:											
P14.1				quiremer	nts of the fo	llowing volun	tary progra	m(s):						
	ENERG Eco-lab Eco-lab	el: BAI		Crite	eria version eria version eria version	: RALUZ171	Date: Date: Date:		Product	category: / category: / category:				
P15			ormation			•	Date.		Touuot	satogory.				
	Sound Stand-b	pressu by: 19.	<mark>ire level a</mark> 5dB)	t the ope		tion [L _{pA} :dB	(A)]							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1