



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	Ricoh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * MFP				
Commercial name *	MP C3504EXSP				
Model number *	MP C3504EXSP				
Issue date *	3 May 2017				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te *	3 May 2017				
Product	Product environmental attributes - Legal requirements		Requirement met			
Item			Yes	No	n.a.	
P1	Hazardous substances and preparations				n.a.	
P1.1*						
P1.2*	P1.2* Products do not contain Asbestos (see legal reference).					
	Comment: Legal reference has no maximum concentration value.			ш		
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	he 🛛			
1 1.0	chain co	intaining at least 48% per mass of chlorine in the SCCP (see legal reference).		ш		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🗵			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):				
		ricoh-europe.com		ш	ш	
P2	Batterie	•				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3						
P3.1*		nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference).				
1 0.1		claration of Conformity can be requested at (add link or e-mail address): emo@ricoh-		ш	ш	
	europe.com					
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL):				
P4	Consun	nable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).					
P4.3*						
P5		t packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.				
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material see legal reference).	` '			
P5.3*			eal 🔀			
P6		nt information				
P6.1*	* Information for recyclers/treatment facilities is available (see legal reference).					

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP C3504EXSP

Model number *	MP C3504EXSP	Logo	
Issue date *	3 May 2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)					
-	- Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: PC+ABS Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	\boxtimes				
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					
	containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low					
D7.40	halogen as defined in IEC 61249-2-21. (See NOTE B2)		$\overline{}$			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)		Ш			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
==	according ISO 1043-4:		\boxtimes			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:					
	1. Chemical name: , CAS #: (See NOTE B4)	Ш				
	2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		\boxtimes			
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\square				
1 7.20			Ш			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a					
	percentage of total plastic by weight) is app. 0.06% .					
	or					
	b) The weight of recycled material is <i>app. 24</i> g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	lodel number * MP C3504EXSP			Logo						
Issue date	ue date * 3 May 2017									
Product environmental attributes - Market requirements (continued) Req								uireme	ent	met
Item						Y	es N	No.	n.a.	
Material and substance requirements (continued)						N	<u> </u>	_		
P7.21* Biobased plastic material content is used in the product (See NOTE B7):									Ш	
			of the two alternatives		wered; c material content (calcula	ited as a nerc	entage of			
			weight) is <i>app. 0.03</i> %		material content (calcula	ileu as a pero	eritage of			
	or									
			the biobased plastic ma							
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p.mum mercury content per	lamn.	mg			Ш
P8	Batteries		pecity. Number of lamp	ps. and maxi	main mercury content per	шпр.	iiig			
P8.1*		_	mposition: Manganes	e dioxide lithium						П
P9	-		on (See NOTE B8)							
P9.1			following power levels	or energy consump	tions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard for	ener	gv	
0,			100 V AC	115 V AC	230 V AC	modes and to	est method *		0,	
Sleep mod			W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		r	W	W	W					
ENERGY S	STAR Ope	erational								
Mode (OM)			kWh/week	kWh/week	1.341kWh/week					_
TEC value		GISIAK	KVVII/Week	KVVII/Week	7.34 /KVVII/WEEK					Ш
(TEC- Typ	ical Enerc	1 \/								
(TEC= Typical Energy Operating mode		W	W	Mono: 544.6 W						
9					Colour: 604.5 W					ш
Ready mo	de		W	W	47.3 W					
Sleep mod	de		W	W	0.93 W			-		
			W	W	W					$\overline{\sqcap}$
			W	W	W					Ħ
			W	W	W					∺
External Po	ower Supr	oly Efficienc	l by Level (International I	Efficiency Marking F	Protocol) * ·					
				Emoloney Marking I						
Print/Scan	•		35 images per minute							<u>Ц</u>
			ve mode: 1 minutes							<u>Ц</u>
P9.2*			ne energy save function	n is provided with th	e product.					Ш
P10	Emissio		Daalamad aasaudin a ta l	ICO 0000 (C NO	TE DO)					
P10.1	Mode Mode		Declared according to ode description		Statistical upper limit A-we	sighted sound	nower level			
10.1	Mode	IVI	odo doscription		$L_{WA,c}$ (B)	ngritou souriu	POWOI IEVEI,			
	Idle * Stand-by * 3.4						Ц			
	Operatio		Operating Mode		Mono: 6.1, Colour 6.3					
	Other mo		. Muss	=0.44 = 4						
	Measure	ed according		ECMA-74	h FONA 74\					
Other (only if not covered by ECMA-74)										

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	MP C3504EXSP	Logo				
Issue date	ssue date * 3 May 2017						
Product	Product environmental attributes - Market requirements (continued)						
Item							n.a.
	Chemical emissions from printing products (See NOTE B10)						
P10.2*		erformed according to ECMA-328 Determination of Chemical Emission Rates from E	Electronic		\boxtimes		
		nent (ISO/IEC 28360), other specify: RAL-UZ171					
P10.3	Typical	emission rate (operation phase) is (mg/h):					
	dimit of	ophotographic devices: Dust (mono < limit of detection colour < limit of detection of detection colour < limit of detection) Styrene (mono 0.02 colour 0.02) Benzene ion colour < limit of detection) TVOC (mono 1.8 colour 1.8)					
	Ink dev	vices: Dust Styrene Benzene TVOC					
	Note: c	compliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products					
P11.1*	A Safet	ty Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see f	P4.3).	\boxtimes		
P11.2*	Paper 6 EN 122	containing post-consumer recycled fibers can be used, provided that it meets t 281.	the requirer	ments of			
P11.3*	2-sided	d (duplex) printing/copying is an integrated product function.			\boxtimes		
P11.4*	The pro	oduct is delivered to end-user with default auto-duplex enabled.			$\overline{\boxtimes}$	$\overline{\sqcap}$	
P13	Packag	ging and documentation					
P13.1*							
P13.2*		t plastic primary packaging is free from PVC.			X		
P13.3*	For pro	oduct primary corrugated fiberboard packaging, specify the contained percentage ner recovered fiber content: %	e of minimu	um post-			
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	Totally	chlorine-free			\square		
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Volunta	ary programs:					
P14.1		oduct meets the requirements of the following voluntary program(s):					
		pel: BAM Criteria version: RALUZ171 Date: Product	category: / category:				
P15		onal information (See NOTE B11)	<u> </u>				
	Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 19.5dB) Operating Mode: Mono: 45.6dB), Colour: 47(dB)						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1