

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Ricoh | Logo | | | |
|------------------------|------------------------------------|------|--|--|--|
| Company name * | Ricoh Company Ltd. | | | | |
| Contact information * | Ricoh Europe Plc, 20 Triton Street | | | | |
| e-mail address | London NW1 3BF, United Kingdom | | | | |
| Internet site * | www.ricoh.com | | | | |
| Additional information | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--|--|--|--|--|--|
| conforms to the statement | nts given in this declaration. | | | | |
| Type of product * | MFP | | | | |
| Commercial name * | MP C5504EXASP | | | | |
| Model number * | MP C5504EXASP | | | | |
| Issue date * | 3 May 2017 | | | | |
| Intended market * | 🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| | | MP C5504EXASP | Logo | | | | | |
|---------|-----------------------|--|------------------------------|-----------------|-------------|------|--|--|
| | | 3 May 2017 | | | | | | |
| Product | environ | mental attributes - Legal requirements | F | Requirement met | | | | |
| Item | | | | Yes | No | n.a. | | |
| P1 | Hazardo | ous substances and preparations | | | | | | |
| P1.1* | | s do comply with the current European RoHS Directive. (See legal reference and N | IOTE B1) | \boxtimes | | | | |
| P1.2* | Products | | | | | | | |
| D1 2* | | nt: Legal reference has no maximum concentration value. | | | | | | |
| P1.3* | hydrobro trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values. | | | | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polycł /l (PCT) in preparations (see legal reference). | hlorinated | | | | | |
| P1.5* | Products | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms in the | | | | | |
| P1.6* | | th direct and prolonged skin contact do not release nickel in concentrations above | 0,5 µg/cm ² /week | \boxtimes | | | | |
| | | al reference). | | | | | | |
| | | nt: Max limit in legal reference when tested according to EN1811:2011-5. | | | | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com | contact): | | | | | |
| P2 | Batterie | S | | | | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) | the disposal | \square | | | | |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr | mium. (See legal | \square | | | | |
| P2.3* | Batteries | s and accumulators are readily removable. (See legal reference) | | \square | | | | |
| P3 | Conform | nity verification & Eco design (ErP) | | | | | | |
| P3.1* | | duct is CE-marked to show conformance with applicable legal requirements (see le | dal reference). | \square | | | | |
| - | | laration of Conformity can be requested at (add link or e-mail address): emo@ric | | | | | | |
| | europe | , | | | | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | | | | | | |
| F3.2 | | al reference). | | | | | | |
| | Required | d information is; given in item P15 or added to this document, | | | \boxtimes | | | |
| | | available at (add URL): | | | | | | |
| P4 | Consum | nable materials | | | | | | |
| P4.1* | | o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1). | ax 0,01% (see | \square | | | | |
| P4.2* | | er is used in the product, it does not contain cadmium max 0,1% by weight (see le | gal reference). | \square | | | | |
| P4.3* | | /toner formulation/preparation is classified as hazardous or contains a substance f | | | \exists | | | |
| | are Com applicab | munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference). | cording to | | | | | |
| P5 | | packaging | | | | | | |
| P5.1* | | ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together. | ry, cadmium and | \square | | | | |
| P5.2* | • | kaging materials are marked with abbreviations and numbers indicating the nature be legal reference). | of the material(s) | \square | | | | |
| P5.3* | The pro | duct packaging material is free from ozone depleting substances as specified (see legal reference). | I in the Montreal | \square | | | | |
| | | nt: Legal reference has no maximum concentration values. | | | | | | |
| P6 | | nt information | | | | | | |
| P6.1* | Informati | on for recyclers/treatment facilities is available (see legal reference). | | \square | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model n | umber * | MP C5504EXASP | Logo | | | | |
|--------------|---|--|------------------|-----------|-------------|----------|--|
| Issue date * | | 3 May 2017 | | | | | |
| | | nental attributes - Market requirements (See General NOTE GN below) nental conscious design | | Require | ment | met | |
| ltem | *=manda | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. | |
| P7 | Design | | | | | | |
| P7.1* | | nbly, recycling t have to be treated separately are easily separable | | | | | |
| P7.2* | | aterials in covers/housing have no surface coating. | | | <u> </u> | <u> </u> | |
| | | 5 | | | <u> </u> | <u> </u> | |
| P7.3* | | arts > 100 g consist of one material or of easily separable materials. | | | <u> </u> | <u> </u> | |
| P7.4* | | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | <u>Ц</u> | <u> </u> | |
| P7.5 | - | arts are free from metal inlays or have inlays that can be removed with commonly ava | ailable tools | | <u>Ц</u> | | |
| P7.6* | | e easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | |
| | Product | | | | | | |
| P7.7* | | g can be done e.g. with processor, memory, cards or drives | | | <u> </u> | <u> </u> | |
| P7.8* | | g can be done using commonly available tools | | \square | | <u> </u> | |
| P7.9. | | rts are available after end of production for: 7 years | | | | | |
| P7.10 | | s available after end of production for: 7 years | | | | | |
| D7 44* | | and substance requirements | | | | | |
| P7.11* | Material t | ever/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: Material | type: | | | | |
| P7.12 | Insulatior | materials of external electrical cables are PVC free. | | | \boxtimes | | |
| P7.13 | Insulation | materials of internal electrical cables are PVC free. | | | \boxtimes | | |
| P7.14 | weight (1 polyvinyl | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content. | retardants, | and | | | |
| P7.15 | Printed c | ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 | g 🗌 are | low | \square | | |
| P7.16 | halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | | | | |
| P7.17 | | emical specifications of flame retardants in printed circuit boards > 25 g (without con | nponents): | | | | |
| | | | CAS #: | | \boxtimes | | |
| | | emical specifications of flame retardants in printed circuit boards (without componen JISO 1043-4: | ts) > 25 g | | \square | | |
| P7.18 | <u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi | ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " | preparation | s in | | | |
| | | cal name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043- | 4: FR(40) | | | | |
| P7.19 | In plastic assigned | parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements: | ave been | | | | |
| | | | OTE B5) | K | | | |
| P7.20* | lf YES; at a) Of to perc | umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (entage of total plastic by weight) is <i>app. 0.05</i> %. | calculated | as a | | | |
| | or b) The | weight of recycled material is app. 24 g. | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | MP C5504 | EXASP | | | Logo | | | |
|---|----------------|---|----------------------------|--|------------------|--------------|---------|-------------|
| Issue date * | 3 May 201 | 7 | | | | | | |
| | | | | • | | | | |
| | mental att | ributes - Market red | quirements (conti | nued) | | | liremen | |
| Item | l and aubat | anaa kasuikamanta (s | entinued) | | | Ŷ | es No | n.a |
| | | ance requirements (c iterial content is used i | | OTE B7) [.] | | | | |
| | • | | | , | | L | | |
| | | of the two alternatives parts' weight > 25 g. | | material content (calcul | lated as a perce | entage of | | |
| | | weight) is <i>app. 0.02</i> % | | (| | | | |
| or | | ha b'abaa adadaa da w | | | | | | |
| | | he biobased plastic ma | | | | | | |
| | | e from mercury, i.e. le becify: Number of lamp | | um mercury content pe | vr lamp: | | | |
| P8 Batteri | - | | | uni mercury content pe | i lamp. i | ng | | |
| | | mposition: Manganese | a dioxida lithium | | | | | |
| • | | on (See NOTE B8) | | | | | | |
| | - | following power levels | or energy consumption | ons are reported: | | | | |
| | | Power level at | Power level at | Power level at | Reference/St | andard for | 00010 | , |
| Energy mode * | | Power level at 100 V AC | Power level at 115 V AC | 230 V AC | modes and te | | energy | |
| Sleep mode for EN | FRGV | W | W | W | | | | \boxtimes |
| STAR® Operationa | | ** | vv | vv | | | | |
| (OM) products | | | | | | | | |
| Standby/off mode for ENERGY STAR Operational | | W | W | W | | | | \boxtimes |
| Mode (OM) product | | | | | | | | |
| TEC value for ENERGY STAR | | kWh/week | kWh/week | 2.518 kWh/week | | | | |
| TEC products | | | | | | | | |
| (TEC= Typical Ene | rgy | | | | | | | |
| Operating mode | | W | W | Mono: 831.9 W Colour: 940.3 W | | | | |
| Ready mode | | W | W | 55.1 W | | | | |
| | | | | | | | | |
| Sleep mode | | W | W | 0.89 W | | | | |
| | | W | W | W | | | | |
| | | W | W | W | | | | |
| | | W | W | W | | | | |
| External Power Sup | oply Efficienc | y Level (International I | Efficiency Marking Pr | otocol) * : | | | | |
| Print/Scan Speed * | : | 55 images per minute | | | | | | |
| Default time to ente | | 5 1 | | | | | | |
| | | e energy save function | is provided with the | product | | | | <u> </u> |
| | | c chergy save function | | | | Ż | | |
| P10 Emissi | | Declared according to I | SO 9296 (See NOTE | - B9) | | | | |
| P10.1 Mode | | ode description | | atistical upper limit A-w | eighted sound | power level. | | |
| | | | | _{VA,c} (B) | <u>.</u> | | | |
| Idle | * | Stand-by | * | 3.4 | | | | |
| Operati | | Operating Mode | * | Mono: 6.5, Colour 6.7 | | | | H |
| Other n | | | | | | | | |
| Measu | ed according | y to: 🔀 ISO 7779 🗌 | ECMA-74 | | | | | |
| | | | (only if not covered by | V ECMA-74) | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model number * Issue date * | | MP C | 5504EXAS | P | | | | | | Logo | | | | |
|-----------------------------|--|-------------------|-----------------------------|----------------------------|--|---|-------------------------|-------------------|---------------|----------------|----------|-----------|----------|-----|
| | | 3 May | / 2017 | | | | | | | | | | | |
| | environ | menta | attribut | <mark>es - Mar</mark> | ket requir | ements (co | ontinued) | | | | R | equire | | |
| Item | 01 | | | | | | D40 | | | | | Yes | No | n.a |
| P10.2* | | | | | | See NOTE mination of C | | mission Rat | es from E | lectronic | | | | _ |
| 1 10.2 | • | | - | | | : RAL-UZ17 | | 111551011 1\at | | lectionic | | \bowtie | | L |
| P10.3 | | | | , _ | ase) is (mg | | | | | | | | | |
| | <limit c<="" td=""><td>of dete</td><td>ction colou</td><td>r <<i>limit</i> o</td><td>f detection</td><td>limit of dete) Styrene (m mono 1.4 col</td><td>ono <mark>0.018</mark></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></limit> | of dete | ction colou | r < <i>limit</i> o | f detection | l imit of dete) Styrene (m mono 1. 4 col | ono <mark>0.018</mark> | | | | | | | |
| | Ink dev | | | | yrene | Benz | | TVOC | | | | | | |
| | | • | | | | es in eco labe | els to be de | clared in P1 | 4. | | | | | |
| P11 | | | | | g product | | | | a alle e a au | ined (e.e.e. l | | | | |
| P11.1* | | | | - | | ink/toner pre | - | | | | | | <u> </u> | |
| P11.2* | EN 122 | 81. | • | | - | ers can be | | rided that it | meets th | ne require | ments of | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | | | | | | | | | | | | |
| P11.4* | The product is delivered to end-user with default auto-duplex enabled. | | | | | | | | | | | | | |
| P13 | | | d docume | | | | | | | | | | | |
| P13.1* | Product Product | packa packa | ging materi ging materi | ial type(s) ial type(s) | : | weight (weight (| kg): 0.576 | :g): 11.35 | | | | | | |
| P13.2* | | • | | | s free from | | | | | | | \square | | |
| P13.3* | | | rimary corr overed fiber | | | ackaging, sp % | ecify the c | ontained pe | ercentage | of minim | um post- | | | |
| P13.4* | Specify Electror | media nic 🔀, | for user an Paper 🔀 | d product | documenta | ation (tick bo | <): | | | | | | | |
| P13.5 | | d prod | uct docume | | | nentation use dia is chlorin | | | | | | | | |
| | Totally of | chlorine | e-free | | | | | | | | | \square | | |
| | Elemental chlorine-free | | | | | | | П | | | | | | |
| | Process | sed chl | orine-free | | | | | | | | | Π | | |
| P14 | Volunta | ary pro | grams: | | | | | | | | | | | |
| P14.1 | | | | quirement | ts of the foll | owing volunt | ary program | n(s): | | | | | | |
| | ENERG Eco-lab Eco-lab | el: BA | | Crite | ria version: ria version: ria version: | 2.0 RALUZ171 | Date: Date: Date: | | | category: / | | | | |
| P15 | | | ormation (| | | | Date. | | TOQUEL | Jaiegory. | | | | |
| | Sound Stand-l | pressu by: 19a | ure level at (B) | t the oper | | on [L _{pA} :dB | (A)] | | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |