



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	/pe of product * MFP						
Commercial name *	MP C6004EXSP						
Model number *	MP C6004EXSP						
Issue date *	3 May 2017						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te *	3 May 2017						
Product	Product environmental attributes - Legal requirements							
Item	CIIVIIOII	mental attributes - Legal requirements	Require Yes	No	n.a.			
P1	Hazardo	103	140	n.a.				
P1.1*		bus substances and preparations s do comply with the current European RoHS Directive. (See legal reference and NOTE B1)		П				
P1.2*	Products	s do not contain Asbestos (see legal reference).	X	Ħ				
		nt: Legal reference has no maximum concentration value.	_	ш				
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	he 🛛					
1 1.0	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			ш				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🗵					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):						
		ricoh-europe.com		ш	ш			
P2	Batterie	•						
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries referenc	al 🔀						
P2.3*		\boxtimes						
P3	Batteries and accumulators are readily removable. (See legal reference) Conformity verification & Eco design (ErP)							
P3.1*								
1 0.1	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-							
	europe.com							
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).						
		d information is; given in item P15 or added to this document,		\boxtimes				
		available at (add URL):						
P4	Consun	nable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).							
P4.2*	If ink/ton	ner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P4.3*								
P5		t packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.						
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material see legal reference).	` '					
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montre (see legal reference). nt: Legal reference has no maximum concentration values.	eal 🔀					
P6		nt information						
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP C6004EXSP

Model number *	MP C6004EXSP		
Issue date *	3 May 2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	\boxtimes		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		\boxtimes	
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\square		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{\square}$	-
	assigned the following Risk phrases; and Hazard statements:	Ш		
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is <i>app. 0.05</i> %.			
	or b) The weight of recycled material is <i>app. 24</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	mber * MP C6004EXSP					Logo					
Issue date	*	3 May 201	17								
Product e	environn	nental att	ributes - Market red	quirements (con	tinued)		Requ	iiremen	t met		
Item							Y	es No	n.a.		
D7 04*			ance requirements (c		NOTE DZ).			1 -			
P7.21*		•	aterial content is used i		,						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of										
			weight) is <i>app. 0.02</i> %		material content (calcula	ileu as a pero	entage of				
	or										
	b) The weight of the biobased plastic material is <i>app. 10</i> g.										
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content per	lamn.	mg				
P8	Batteries		pecity. Number of lamp	ps. and maxi	main increary content per	шпр.	iiig				
P8.1*		_	mposition: Manganes	e dioxide lithium							
P9	-		on (See NOTE B8)								
P9.1			following power levels	or energy consump	tions are reported:						
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard for	energy	/		
0,			100 V AC	115 V AC	230 V AC	modes and to	est method *	0.			
Sleep mod			W	W	W				X		
STAR® Op (OM) produ		Mode									
Standby/of		r	W	W	W						
ENERGY S	STAR Ope	erational									
Mode (OM) products TEC value for ENERGY STAR		kWh/week	kWh/week	2.735 kWh/week							
TEC value		GISIAK	KVVII/Week	KVVII/WEEK	2.733 KVVII/Week				Ш		
(TEC= Typical Energy		1 \/									
Operating		<u> Э</u> у	W	W	Mono: 831.9 W						
				Colour: 940.3 W				ш			
Ready mo	de		W	W	55.1 W						
Sleep mod	de		W	W	0.89 W						
			W	W	W						
			W	W	W				$\overline{\Box}$		
			W	W W					一一		
External Po	ower Supr	oly Efficienc	 by Level (International I	Efficiency Marking F	Protocol) * ·						
				Emoloney Marking I							
Print/Scan			60 images per minute						_ <u>_</u>		
		- 0,	ve mode: 1 minutes						<u> </u>		
P9.2*			ne energy save function	n is provided with th	e product.						
P10	Emissio		Daalamad aasaudin a ta l	ICO 0000 (Caa NO	TE DO)						
P10.1	Mode Mode		Declared according to ode description		Statistical upper limit A-we	sighted sound	nower level				
10.1	Mode	IVI	odo doscription		$L_{WA,c}$ (B)	ngritou souriu	power level,				
	Idle * Stand-by			* 3.4							
	Operatio		Operating Mode	,	Mono: 6.6, Colour 6.7						
	Other mo		. Muss	F0N44 7.6							
	Measure	a accordino		ECMA-74	by ECMA 74\						
l	Other (only if not covered by ECMA-74)										

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		MP C	6004EXS	iP.						Logo				
Issue date * 3 May 2017														
Product e	environ	menta	al attribu	ites - Ma	rket requi	rements (co	ntinued	l)			R	equire	ment	met
Item												Yes	No	n.a.
						s (See NOTE								
P10.2*	Equipm	ent (IS	O/IEC 28	360),	other specify	/: RAL-UZ171	nemical E	Emission Rates	s from El	ectronic			Ш	Ш
P10.3	Typical emission rate (operation phase) is (mg/h):													
	Electrophotographic devices: Dust (mono < limit of detection colour < limit of detection) Ozone (mono < limit of detection colour < limit of detection) Styrene (mono 0.036 colour 0.063) Benzene (mono < limit of detection colour < limit of detection) TVOC (mono 1.1 colour 3.9)													
	Ink devices: Dust Styrene Benzene TVOC													
	Note: co	ompliar	nce with n	naximum	emission rate	es in eco label	s to be de	eclared in P14.						
P11					ing product									
P11.1*								even if not lega				\boxtimes		
P11.2*	EN 122	281.						vided that it n	meets th	e require	ments of			
P11.3*						ted product fur						\boxtimes		
P11.4*	The pro	duct is	delivered	to end-us	ser with defa	ult auto-duple:	x enabled	d.				\boxtimes		
P13			d docum											
P13.1*	Product	t packa	iging mate		s): Corrugat s): Plastic s):	ted paper weight (k weight (k	g): 0.483	(kg): 10.52						
P13.2*							3/					\boxtimes		
P13.3*	Product plastic primary packaging is free from PVC. For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: %													
P13.4*	Specify media for user and product documentation (tick box):													
P13.5						mentation used						\boxtimes		
			specify:	nomation	on paper me		1100.						ш	
	Totally	chlorine	e-free									\boxtimes		
	Elemental chlorine-free													
	Process	sed chl	orine-free	!										
P14			grams:					()						
P14.1	•					lowing volunta	ry progra	` '						
	ENERG				teria version:	2.0 RALUZ171	Date:			ategory:				
	Eco-lab Eco-lab		IVI		teria version:		Date: Date:		Product c	ategory:	WIFF			
P15			ormation	(See NO				-		g				
	Stand-	by: 19((dB)	•	erator posita s), Colour: 51	ion [L _{pA} :dB(,	A)]							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1