



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	Ricoh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	MP 3055ASP			
Model number *	MP 3055ASP			
Issue date *	26 January 2017			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te *	26 January 2017						
Product	Product environmental attributes - Legal requirements				Requirement met			
Item				Yes	No	n.a.		
P1	Hazardous substances and preparations							
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and No	OTE B1)	×				
P1.2*	Products	s do not contain Asbestos (see legal reference).		\boxtimes	┪			
		nt: Legal reference has no maximum concentration value.		_	ш			
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).							
P1.5*				ne 🛚				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	0.5 µg/cm²/wee	k 🛛	П			
		al reference).		_				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):					
		icoh-europe.com						
P2	Batterie							
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)			Ш			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\square				
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@rico	oh-					
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).						
	Required	d information is; given in item P15 or added to this document, available at (add URL):						
P4		nable materials						
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).						
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference).					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5	_ `	packaging						
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	nd 🔀				
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	s) 🔀				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP 3055ASP

Model number *	el number * MP 3055ASP		
Issue date *	26 January 2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools						
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
	containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
1 7.10	concentrations above 0,1%:		\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4)						
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	-					
7.19	assigned the following Risk phrases; and Hazard statements:						
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 0.08</i>%. or 						
	b) The weight of recycled material is <i>app. 16.5</i> g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	per * MP 3055ASP Logo								
Issue date	*	26 January 2017								
Product 6	environn	nental att	ributes - Market re	quirements (conti	nued)		Requ	uirem	nent	met
Item							Y	'es	No	n.a.
D= 0.4			ance requirements (c		OTT DE)					
P7.21*								Ш	Ш	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	total plastic by weight) is <i>app. 0.02</i> %.									
	or b) The weight of the biobased plastic material is <i>app. 3.8</i> g.									
P7.22*			ee from mercury, i.e. le	• • • •				$\overline{\mathbf{X}}$		$\overline{}$
17.22			pecify: Number of lamp		um mercury content pe	r lamp: ı	mg	<u> </u>	ш	ш
P8	Batteries	_								
P8.1*	-		mposition: <i>Manganes</i>	e dioxide lithium						
P9			ion (See NOTE B8)							
P9.1	For the p	product the	following power levels	or energy consumpti	ons are reported:					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		ene	ergy	
Sleep mod			W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		ř	W	W	W					
ENERGY S										
Mode (OM)			kWh/week	kWh/week	1.146 kWh/week					$\overline{}$
TEC produ		OT STAIN	RVVII/WEER	KVVII/ WEEK	7.740 KWII/WEEK					Ш
(TEC= Typ		у								
Operating			W	W	479.7 W					
Ready mo	de		W	W	58.3 W					
Sleep mod	de		W	W	<i>0.84</i> W					
			W	W	W					
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficienc	cy Level (International	Efficiency Marking Pr	otocol) *:					
Print/Scan	Speed *	:	30 images per minute							
Default tim	e to enter	energy sav	ve mode: 1 minutes							
P9.2* Information about the energy save function is provided with the product.										
P10	Emissio									
D40.4			Declared according to			-:				
P10.1	Mode	IV	lode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						
	Idle	*	Stand-by	*	3.4					
	Operatio		Operating Mode		6.2					Ħ
	Other mo	ode								
	Measure	d according	g to: X ISO 7779	ECMA-74						
		·	_	(only if not covered b	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	umber * MP 3055ASP Logo									
Issue date	*	26 January 2017								
Product 6	uct environmental attributes - Market requirements (continued) Requirement met								met	
Item				•				Yes	No	n.a.
			printing products (See NOTE							
P10.2*			ECMA-328 Determination of Ch		sion Rates from E	lectronic		\boxtimes		
			, other specify: RAL-UZ171							
P10.3	Typical emission rate (operation phase) is (mg/h):									
			Ozone < limit of detection	Dust < limit of	detection Styre	ne <i>0.004</i>				
	Benzene 0.008 TVOC 0.32 Ink devices: Dust Styrene Benzene TVOC						Ш			
	IIIK GEV	1003.	Dust	Styrene	Delizerie	1000				
	Note: c	ompliance with maxin	num emission rates in eco label	s to be declar	ed in P14.					
P11		mable materials for	Ų.							
P11.1*		•	s available for the ink/toner prep	-		•	,	\boxtimes		
P11.2*	Paper (EN 122		umer recycled fibers can be u	ised, provided	that it meets th	ne require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product fur	nction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duple:	x enabled.				\boxtimes		
P13		jing and documenta								
P13.1*			ype(s): Corrugated paper	weight (kg):	9.894					
		t packaging material t t packaging material t		g): 0.495						
P13.2*			ype(s): weight (k aging is free from PVC.	<u>g).</u>						
P13.3*			ated fiberboard packaging, spe	cify the centr	ained percentage	of minim	ım noct			
F 13.3		ner recovered fiber co		city the conta	amed percentage	. 01 1111111111	um post-			
P13.4*			roduct documentation (tick box)):						
P13.5		nic 🔲, Paper 🔲, Ot		1)						
F13.3			em if paper documentation used ation on paper media is chlorine					\boxtimes		
		please specify:	ation on paper media is emorne	1100.					ш	
		chlorine-free						\square		
	•	ital chlorine-free								
		sed chlorine-free						H		
P14		ary programs:								
P14.1		<u>, , </u>	ements of the following volunta	ry program(s)	:					
	FNFRG	SY STAR®	Criteria version: 2.0	Date:	Product	category:	MFP			
		pel: BAM	Criteria version: <i>RALUZ171</i>	Date:		category: /				
	Eco-lab		Criteria version:	Date:	Product	category:				
P15		nal information (Sec								
		pressure level at the by 19.4(dB) Operatir	e operator position [LpA:dB(/ ng mode 46.9(dB)	A)]						
			. ,							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1