

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	nts given in this declaration.				
Type of product *	MFP				
Commercial name *	MP 3555ASP				
Model number *	MP 3555ASP				
Issue date *	26 January 2017				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	mber *	MP 3555ASP	Logo			
Issue dat	e *	26 January 2017				
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	,			
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F 1.3	hydrobro trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	hlorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	rbon atoms in the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 µg/cm <sup>2</sup> /week	$\boxtimes$		
	(see lega	al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):	$\boxtimes$		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			
		Information on proper disposal is provided in user manual. (See legal reference)	and anop becan			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	mium. (See legal	$\boxtimes$		
P2.3*		s and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see le	gal reference).	$\mathbf{X}$		
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@ric	oh-		_	
	europe	e.com				
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		$\boxtimes$		
		al reference).			$\square$	
	Required	d information is; given in item P15 or added to this document,				
<b>D</b> 4	0	available at (add URL):				
P4		nable materials	av 0.040/ /aaa			
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1).	ax 0,01% (see	$\bowtie$		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	$\boxtimes$		
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance for	or which there			
	are Com	munity workplace exposure limits, the product/packaging is adequately labeled acc	cording to			
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	nts is available			
		al reference).				
P5		packaging	n a la alas hara da d		_	
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	-			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	( )			
P5.3*		duct packaging material is free from ozone depleting substances as specified	I in the Montreal			
		(see legal reference).			_	-
DC		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	informati	on for recyclers/treatment facilities is available (see legal reference).		$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MP 3555ASP	Logo			
Issue da	ite *	26 January 2017				
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			+	-
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	╞
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	nilabla toola		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u>-</u>	<u> </u>
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			╞	╞
P7.9.		rts are available after end of production for: 7 years				<u> </u>
P7.10		s available after end of production for: 7 years				<u> </u>
F7.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		ype: <b>PC+ABS</b> Material type: Material type:	type:			
P7.12	Insulation materials of external electrical cables are PVC free.					
P7.13	Insulation	materials of internal electrical cables are PVC free.				Π
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brou 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants, a	and		
P7.15	Printed c	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	low		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:       Image: Covers / housings are marked according ISO 1043-4:         Marking: FR(40)       Image: Covers / housings are marked according ISO 1043-4:       Image: Covers / housings are marked according ISO 1043-4:					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): CAS #:			
	according	emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4:				
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	s in		
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: <b>FR(40)</b>	$\bowtie$		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See Note that the second sec	OTE B5)			
F1.2U	lf YES; at a) Of to	t least one of the two alternatives below shall be answered; btal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( entage of total plastic by weight) is <i>app. 0.08</i> %.	calculated a	is a		
		weight of recycled material is app. 16.5 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MP 3555A	SP			Logo			
Issue date	ssue date * 26 January 2017								
Product	environr	nental attr	ibutes - Market ree	quirements (cont	inued)		Requ	irement	t met
Item							Ye	es No	n.a.
D7.04*			ance requirements (c						
P7.21*			terial content is used i				$\geq$		
	a) Of	total plastic	of the two alternatives parts' weight > 25 g, weight) is <i>app. 0.02</i> %	the biobased plastic	vered; material content (calcul	ated as a perce	entage of		
	b) The	e weight of th	ne biobased plastic ma	aterial is <i>app. 3.8</i> g.					
P7.22*			e from mercury, i.e. le becify: Number of lamp		o. num mercury content pe	er lamp: r	ng		
P8	Batterie								
P8.1*			nposition: Manganes	e dioxide lithium					
P9			on (See NOTE B8)						
P9.1	For the	product the f	ollowing power levels	or energy consumpt	ions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep moo STAR® O (OM) prod	perational		W	W	W				
Standby/o ENERGY Mode (ON	ff mode fo STAR Ope	erational	W	W	W				
	of or ENER	RGY STAR	kWh/week	kWh/week	1.382 kWh/week				
(TEC= Ty		gy							
Operating	g mode		W	W	<b>549</b> W				
Ready mo	ode		W	W	58.3 W				
Sleep mo	de		W	W	0.84 W				
			W	W	W				
			W	W	W				Ē
			W	W	W				
External P	Ower Sup	nly Efficiency	y Level (International I			+			
			•						
Print/Scar			35 images per minute						
		0,	e mode: <b>1</b> minutes						
P9.2*	Informat	ion about the	e energy save function	n is provided with the	e product.		$\geq$		
P10	Emissic								
D40.4			eclared according to			alabta di sava di			
P10.1	Mode	Mo	ode description		Statistical upper limit A-w <sub>WA,c</sub> (B)	eighted sound	power level,		
	Idle		Stand-by	*	3.4				
	Operatio		Operating Mode	*	6.3				
	Other m	ode							
	Measure	ed according		ECMA-74 (only if not covered b	ov FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Issue date *       26 January 2017         Product environmental attributes - Market requirements (continued)       Requirement in Yes No in Yes No in Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ171         P10.2*       Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ171       Image: Complex Procession Tate (operation phase) is (mg/h):         Electrophotographic devices:       Come Styrene       Benzene 0.021         Benzene 0.01 TVOC 0.86       Ink devices::       Dust       Styrene         Ink devices:       Dust       Styrene       Benzene TVOC         Note:       Compliance with maximum emission rates in eco labels to be declared in P14.         P11.1*       A Safety Data Sheet (SDS) is available for the ink/honer preparation, even if not legally required (see P4.3).       Image: P11.1*         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.       Image: P12.2*         P13.1*       Product packaging material type(s): Corrugated paper       weight (kg): 0.495         P13.1*       Product packaging material type(s): P1321*       Product packaging material type(s): P132*         P13.3*       For product pinany packaging is free from PVC.       Image: P133*         P13.4*       Specify media	Product enviro	26 January 2017							
Item       Yes       No         Chemical emissions from printing products (See NOTE B10)       Image: Second Secon									
Chemical emissions from printing products (See NOTE B10)       Image: Construct of the second of the		onmental attributes	- Market requirements (co	ntinued)		R	equire	ment	me
P10.2'       Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic       □         Equipment (ISO/IEC 28360)							Yes	No	n.a
Equipment (ISO/IEC 28360)	Cher	nical emissions from	printing products (See NOTE I	310)					
Electrophotographic devices: Ozone < limit of detection				nemical Emiss	sion Rates from E	electronic	$\boxtimes$		
Benzene 0.01 TVOC 0.86 Ink devices:       Dust       Styrene       Benzene       TVOC         Note: compliance with maximum emission rates in eco labels to be declared in P14.       P11.0       Consumable materials for printing products         P11.1*       A Safety Data Sheet (SDS) is available for the ink/honer preparation, even if not legally required (see P4.3).       Image: Consumable materials for printing products         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.       Image: Consumable for the ink/honer preparation, even if not legally required (see P4.3).       Image: Consumable for the ink/honer preparation, even if not legally required (see P4.3).       Image: Consumable for the ink/honer preparation, even if not legally required (see P4.3).       Image: Consumable for the ink/honer preparation, even if not legally required (see P4.3).       Image: Consumable for consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.       Image: Consumable for consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.       Image: Consumable for consumer recycled fibers can be used, provided that it meets the requirements of the following is an integrated product function.       Image: Consumable for consumer recycled fibers can be used, provide (kg): 9.894         Product packaging material type(s):       Corrugated fibers can be veckaging, specify the contained percentage of minimum post-consumer recovered f	210.3 Typic	al emission rate (opera	tion phase) is (mg/h):						
Ink devices:       Dust       Styrene       Benzene       TVOC         Note: compliance with maximum emission rates in eco labels to be declared in P14.       P11       Consumable materials for printing products         P11.1*       A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).       Image: Consumable materials for printing post-consumer recycled fibers can be used, provided that it meets the requirements of the N 12281.         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of the product is delivered to end-user with default auto-duplex enabled.       Image: Consumer recycled fibers can be used, provided that it meets the requirements of the product packaging material type(s): Corrugated paper       Weight (kg): 9.894         P13.4*       The product packaging material type(s): Plastic       Weight (kg): 9.894       Product packaging material type(s): Weight (kg): 0.495         P13.2*       Product packaging material type(s): Plastic       Weight (kg): 0.495       Image: Consumer recovered fiber content:       Imag			: Ozone < limit of detection D	oust < <i>limit of</i>	detection Styre	ene <i>0.021</i>			
Note: compliance with maximum emission rates in eco labels to be declared in P14.         P11       Consumable materials for printing products         P11.1'       A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).         P11.2'       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.         P11.3'       2-sided (duplex) printing/copying is an integrated product function.         P11.4'       The product is delivered to end-user with default auto-duplex enabled.         P13       Packaging and documentation         P13.1'       Product packaging material type(s): Corrugated paper weight (kg): 0.495         Product packaging material type(s): Weight (kg): 0.495         Product packaging material type(s): weight (kg):         P13.2'       Product packaging material type(s):         P13.2'       Product packaging material type(s):         P13.4'       Specify media for user and product documentation (tick box):         Electronic N, Paper N, Other P       P         P13.5'       (Please only complete this item if paper documentation used)         User and product do			Duet	Styropo	Bonzono	TVOC			
P11       Consumable materials for printing products         P11.1*       A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).       □         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.       □         P11.3*       2-sided (duplex) printing/copying is an integrated product function.       □         P11.4*       The product is delivered to end-user with default auto-duplex enabled.       □         P13.1*       Product packaging material type(s): Corrugated paper weight (kg): 9.894       □         Product packaging material type(s): Corrugated paper weight (kg): 9.495       □       □         Product packaging material type(s): Corrugated paper weight (kg): 9.495       □       □         Product packaging material type(s): Plastic weight (kg): 0.495       □       □         Product packaging material type(s): Plastic weight (kg):       0.495       □       □         P13.4*       For product pinary ackaging is free from PVC.       □       □       □         P13.3*       For product packaging material type(s): Other □       □       □       □       □         P13.4*       Specify media for user and product documentation used)       □       □       □       □         P13.5*       (Please only complete this item if		evices.	Dust	Styrene	Delizerie	1000			
P11.1*       A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).       Image: Containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.         P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.         P11.3*       2-sided (duplex) printing/copying is an integrated product function.         P11.4*       The product is delivered to end-user with default auto-duplex enabled.         P13       Packaging and documentation         P13.1*       Product packaging material type(s): Corrugated paper weight (kg): 0.495         Product packaging material type(s):       Weight (kg):         P13.2*       Product packaging material type(s):         P13.3*       For product primary packaging is free from PVC.         P13.3*       For product primary packaging is free from PVC.         P13.4*       Specify media for user and product documentation (tick box):         Electronic M2, Paper M2, Other Image: Processed chlorine-free         P13.5       (Please only complete this item if paper documentation used)         User and product documents of the following voluntary program(s):         P14       Voluntary programs:         P14.1       The product meets the requirem	Note	compliance with maxin	num emission rates in eco labels	s to be declar	ed in P14.				
P11.2*       Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.         P11.3*       2-sided (duplex) printing/copying is an integrated product function.         P11.4*       The product is delivered to end-user with default auto-duplex enabled.         P13.       Packaging and documentation         P13.1*       Product packaging material type(s): Corrugated paper       weight (kg): 9.894         Product packaging material type(s): Corrugated paper       weight (kg): 0.495         Product packaging material type(s):       weight (kg):         P13.2*       Product packaging material type(s):         P13.3*       For product packaging is free from PVC.         P13.3*       For product packaging is free from PVC.         P13.3*       For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:         %       Specify media for user and product documentation (tick box):         Electronic Q. Paper Q. Other									
EN 12281.       Image: Construct of the second	211.1* A Sa	fety Data Sheet (SDS) i	s available for the ink/toner prep	aration, even	if not legally req	uired (see P4.3).	$\square$		
P11.4*       The product is delivered to end-user with default auto-duplex enabled.       Image: Constraint of the product is delivered to end-user with default auto-duplex enabled.         P13       Packaging and documentation         P13.1*       Product packaging material type(s): Corrugated paper weight (kg): 9.894 Product packaging material type(s): Weight (kg): 0.495 Product packaging material type(s): weight (kg):         P13.2*       Product packaging is free from PVC.         P13.3*       For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: %         P13.4*       Specify media for user and product documentation (tick box): Electronic \[\begin{bmatrix}, Paper \[\begin{bmatrix}, Other \[-]         P13.5       (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free       \[\begin{bmatrix}]{1mmm}         P14.1       The product meets the requirements of the following voluntary program(s): ENERGY STAR®       Criteria version: 2.0 Criteria version: RALUZ171 Date: Product category: MFP Eco-label: BAM Criteria version: Date: Product category: MFP         P15       Additional information (See NOTE B11)         Sound pressure level at the operator position [L <sub>p</sub> A:dB(A)]			umer recycled fibers can be u	sed, provideo	d that it meets t	he requirements of	$\boxtimes$		
P13       Packaging and documentation         P13.1*       Product packaging material type(s): Corrugated paper weight (kg): 9.894         Product packaging material type(s): Plastic weight (kg):       0.495         Product packaging material type(s):       weight (kg):         P13.2*       Product plastic primary packaging is free from PVC.         P13.3*       For product primary packaging is free from PVC.         P13.4*       Specify media for user and product documentation (tick box):         Electronic  ☐, Paper  ☐, Other  ☐         P13.5       (Please only complete this item if paper documentation used)         User and product documentation on paper media is chlorine-free:       I         If Yes, please specify:       I         Totally chlorine-free       I         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date: Product category: MFP         Eco-label: BAM       Criteria version: RALUZ171       Date: Product category: MFP         Eco-label: BAM       Criteria version: RALUZ171       Date: Product category: MFP         Fooduct category: MFP       Eco-label: Criteria version: Date: Product category: MFP         Eco-label: Criteria version: Date: Product category: MFP       Eco-label: Product category: MFP         Foulable: Criteria version:	2-sid	ed (duplex) printing/cop	ying is an integrated product fur	nction.			$\times$		
P13.1*       Product packaging material type(s): Corrugated paper weight (kg): 9.894         Product packaging material type(s):       weight (kg): 0.495         Product packaging material type(s):       weight (kg):         P13.2*       Product plastic primary packaging is free from PVC.         P13.3*       For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:         P13.4*       Specify media for user and product documentation (tick box):         Electronic \(\tilde{\)}, Paper \(\tilde{\)}, Other \(\tilde{\)})         P13.5       (Please only complete this item if paper documentation used)         User and product documentation on paper media is chlorine-free:       \(\tilde{\)})         If Yes, please specify:       \(\tilde{\)})         Totally chlorine-free       \(\tilde{\)})         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Fco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L_pA:dB(A)]	211.4* The	product is delivered to e	nd-user with default auto-duple>	enabled.					
Product packaging material type(s):       Plastic       weight (kg):       0.495         Product packaging material type(s):       weight (kg):           P13.2*       Product plastic primary packaging is free from PVC.            P13.3*       For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:       %           P13.4*       Specify media for user and product documentation (tick box):       Electronic ∑, Paper ∑, Other									
P13.2*       Product plastic primary packaging is free from PVC.       □         P13.3*       For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: %         P13.4*       Specify media for user and product documentation (tick box):          Electronic ☑, Paper ☑, Other □         P13.5       (Please only complete this item if paper documentation used)             User and product documentation on paper media is chlorine-free:             If Yes, please specify:             Totally chlorine-free             Elemental chlorine-free             Processed chlorine-free             Processed chlorine-free             Product meets the requirements of the following voluntary program(s):             ENERGY STAR®             Criteria version: 2.0             Eoc-label: BAM             Criteria version: RALUZ171             Date:             Product category: MFP             Froduct category: MFP             Foroduct category:	Prod	uct packaging material t	ype(s): <i>Plastic</i> weight (kg	g): <b>0.495</b>	9.894				
consumer recovered fiber content:       %         P13.4*       Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other □         P13.5       (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free       ☑         P14       Voluntary programs:       ☑         P14.1       The product meets the requirements of the following voluntary program(s): ENERGY STAR®       Criteria version: 2.0 Criteria version: RALUZ171       Date:       Product category: MFP Product category: MFP         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>P</sub> A:dB(A)]				0/			$\boxtimes$		
Electronic , Paper , Other         P13.5       (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:         If Yes, please specify:       Image: Complete the	13.3* For process	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
Wilder and product documentation on paper media is chlorine-free:       Image: Second product documentation docd)         User and product documentation on paper media is chlorine-free:       Image: Second product documentation docd)         If Yes, please specify:       Image: Second product documentation on paper media is chlorine-free:         Totally chlorine-free       Image: Second product documentation docd)         P14       Voluntary programs:         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Ft       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>PA</sub> :dB(A)]				:					
Elemental chlorine-free       Image: Constraint of the following voluntary program (s):         P14       Voluntary programs:         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>PA</sub> :dB(A)]	User	and product documenta	em if paper documentation used ation on paper media is chlorine	l) -free:					
Processed chlorine-free         P14       Voluntary programs:         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>pA</sub> :dB(A)]	Tota	ly chlorine-free					$\boxtimes$		
P14       Voluntary programs:         P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>P</sub> A:dB(A)]									
P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>PA</sub> :dB(A)]	Proc	essed chlorine-free					H		
P14.1       The product meets the requirements of the following voluntary program(s):         ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>pA</sub> :dB(A)]	214 Volu	ntary programs:							
ENERGY STAR®       Criteria version: 2.0       Date:       Product category: MFP         Eco-label:       BAM       Criteria version: RALUZ171       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category: MFP         Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>pA</sub> :dB(A)]			rements of the following volunta	ry program(s)	:				
Eco-label:     BAM     Criteria version:     RALUZ171     Date:     Product category:     MFP       Eco-label:     Criteria version:     Date:     Product category:     MFP       P15     Additional information (See NOTE B11)     Sound pressure level at the operator position [L <sub>P</sub> A:dB(A)]		·	0	<b>, , ,</b>		category: MEP			
Eco-label:       Criteria version:       Date:       Product category:         P15       Additional information (See NOTE B11)       Sound pressure level at the operator position [L <sub>PA</sub> :dB(A)]									
Sound pressure level at the operator position [L <sub>PA</sub> :dB(A)]	Eco-	abel:	Criteria version:						
	15 Addi	tional information (Se	e NOTE B11)						
				A)]					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1