



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * MFP					
Commercial name *	MP 3555SP					
Model number *	MP 3555SP					
Issue date *	26 January 2017					
Intended market * Global Europe Asia, Pacific & Japan Americas Other						
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Product environmental attributes - Legal requirements	Issue date *		26 January 2017					
Hear Hazardous substances and preparations	Product	Product environmental attributes - Legal requirements			Require	ment	met	
P1.12 Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			inomai atti ibatoo =59ai 104aii omonto					
P1.12 Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	P1	Hazardo						
Comment. Legal reference has no maximum concentration value. P1.3: Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrobromof	P1.1*		\boxtimes	\Box				
Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochroorduorachons (HBCFC), Halons, carbonietrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Prince Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Prince	P1.2*							
terphenyl (PCT) in preparations (see legal reference). P1.5: Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6: Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7: REACH Article 33 information about substances in articles is available at (add URL or mail contact):	P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
P1.6° Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7° REACH Article 33 information about substances in articles is available at (add URL or mail contact): P2.1° Batteries Batteries or accumulator on proper disposal is provided in user manual. (See legal reference) P2.2° Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are readily removable. (See legal reference) Batteries and accumulators are readily removable. (See legal reference) P3.1° The product Sc. Esc-marked to show conformance with applicable legal requirements (see legal reference). P3.1° The product complies with the Eco design requirements for energy-related products, (see legal reference). P4.1° P4.1° The product complies with the Eco design requirements for energy-related products, (see legal reference). P4.1° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference). P4.1° If ink/toner is used in the product, it does not contain cadmium max 0,01% (see legal reference). P5.1° Product packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavelent chromium by weight of these together. P5.2° Product packaging material is free from ozone depleting substances as specified in the Montreal P5.3° Product packaging material is free from ozone depleting substances as specified in the Montreal P6.3° Product packaging material is fr	P1.4*			lorinated	\boxtimes			
P1.6' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). P1.7' REACH Article 33 information about substances in articles is available at (add URL or mail contact): emo@ricoh-europe.com P2. Batteries P2.1' If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3' Batteries or accumulators are readily removable. (See legal reference) P3.1' The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1' The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2' The product complies with the Eco design requirements for energy-related products, (see legal reference). P4.1' The product complies with the Eco design requirements for energy-related products, (see legal reference). P4.1' If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference). P4.2' If ink/toner is used in the product, it does not contain cadmium max 0,01% (see legal reference). If the ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1' Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2' The packaging materials are marked with abbreviations and numbers indicating th	P1.5*	P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in						
P2. Batteries P2.1 If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3' Batteries and accumulators are readily removable. (See legal reference) P3.3' The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoheurope.com P3.2' The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): P4.1' If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). P4.2' If ink/loner is used in the product, it does not contain cadmium max 0,01% (see legal reference). P4.3' If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1' Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2' The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum concentration values. P6. Treatment information	P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above (al reference).),5 μg/cm²/\	veek 🛚			
P2.1	P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):				
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, See legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P7.2* The packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference). Comment: Legal reference has no maximum concentration values. P6.4* Treatment information P7.4* P7.4	P2		•					
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) reference)		If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposa	I 🖂			
P2.3* Batteries and accumulators are readily removable. (See legal reference)	P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega						
P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoheurope.com The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is;	P2.3*	,						
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoheurope.com P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is;	P3	Conform	nity verification & Eco design (ErP)			_		
The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoheurope.com P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is;				gal reference	;e).	$\overline{\Box}$		
(see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): P4				oh-	,			
Required information is; given in item P15 or added to this document, available at (add URL): P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,					
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		Required information is; given in item P15 or added to this document,						
legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.								
P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		legal ref	erence and NOTE B1).		_			
are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	e). 🔀			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available						
hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5	Product	packaging					
used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		hexavale	ent chromium by weight of these together.					
Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		used (se	e legal reference).					
P6 Treatment information	P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montr Protocol (see legal reference).						
	P6							

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP 3555SP

.ogo	Logo	MP 3555SP	Model number *
		26 January 2017	Issue date *
		26 January 2017	Issue date *

	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement m						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
D7.44	Disassembly, recycling		_				
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements			_			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes					
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			_			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
P7.15	containing more than 25% post-consumer recycled content.	$\overline{}$	\boxtimes				
1 7.13	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	Ш					
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$				
P7.16	Marking: <i>FR</i> (40)		Ш				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_		_			
	according ISO 1043-4:		\boxtimes				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:		\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4)	_					
	2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	<u> </u>					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		\boxtimes				
	The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):						
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a						
	percentage of total plastic by weight) is <i>app. 0.08</i> %.						
	or						
	b) The weight of recycled material is <i>app.</i> 16.5 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	ımber * MP 3555SP Logo									
Issue date	late * 26 January 2017									
Product environmental attributes - Market requirements (continued) Requirement me								met		
Item	tem Yes No							No	n.a.	
D= 0.11			ance requirements (c		OTT DE)		, and the second se			
P7.21*		•	aterial content is used i	•	,			\times	Ш	Ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
			weight) is <i>app. 0.02</i> %		material content (calcula	ateu as a perce	eritage of			
	or b) The weight of the biobased plastic material is <i>app. 3.8</i> g.									
P7.22*			ee from mercury, i.e. le	•••			N		$\overline{}$	$\overline{}$
17.22			pecify: Number of lamp		um mercury content pe	r lamp: ı	mg	\boxtimes	Ш	Ш
P8	Batteries									
P8.1*	-		mposition: Manganes	e dioxide lithium						
P9			on (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consumpti	ons are reported:					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		ene	ergy	
Sleep mod			W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		r	W	W	W					\boxtimes
ENERGY S										
Mode (OM)			kWh/week	kWh/week	1.382 kWh/week					_
TEC value		GISIAK	KVVII/Week	kvvii/week	7.362 KWII/Week					Ш
(TEC= Typ		у	10/	10/	5 (0) (4)					
Operating			W	W	549 W					
Ready mo	de		W	W	58.3 W					
Sleep mod	de		W	W	<i>0.84</i> W					
			W	W	W					
			W	W	W					
			W	W	W					П
External Po	ower Supp	oly Efficienc	cy Level (International I	Efficiency Marking Pr	otocol) *:					
Print/Scan	Speed *	:	35 images per minute							
Default tim	e to enter	energy sav	ve mode: 1 minutes							
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio									
D40.4			Declared according to			-1-1-1-1-1-1-1				
P10.1	Mode	IV	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle * Stand-by * 3.4									
	Operatio	n *	Operating Mode	*	6.3					
Other mode										
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74						
			Other	(only if not covered b	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	umber * MP 3555SP Logo									
Issue date	*	26 January 2017								
Product 6	duct environmental attributes - Market requirements (continued) Requirement met									
Item								Yes	No	n.a.
			printing products (See NOTE							
P10.2*			ECMA-328 Determination of Ch	nemical Emiss	ion Rates from E	lectronic		\boxtimes		
D.10.0			, other specify: RAL-UZ171							
P10.3	Typical	emission rate (operate	ion phase) is (mg/h):							Ш
	Electro	photographic devices	Ozone < limit of detection D	Oust < limit of	detection Styre	ne 0.021				
	Benzene 0.01 TVOC 0.86									
	Ink devices: Dust Styrene Benzene TVOC									
	Note: co	ompliance with maxin	num emission rates in eco label	s to be declare	ed in P14.					
P11	Consu	mable materials for	orinting products							
P11.1*		•	s available for the ink/toner prep	-	0 , .	`	,	\boxtimes		
P11.2*	Paper of EN 122		umer recycled fibers can be u	ised, provided	that it meets th	ne require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product fur	nction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duple:	x enabled.				\boxtimes		
P13		ing and documenta								
P13.1*			ype(s): Corrugated paper	weight (kg):	9.899					
		t packaging material t t packaging material t		O,						
P13.2*			aging is free from PVC.	9/-						
P13.3*			ited fiberboard packaging, spe	cify the conta	ined percentage	of minim	um post-			X
	consum	ner recovered fiber co	ntent: %	•						
P13.4*		media for user and pnic \boxtimes , Paper \boxtimes , Ot	roduct documentation (tick box)):						
P13.5			em if paper documentation used	4/						
1 10.0			ition on paper media is chlorine					\boxtimes		
	If Yes, I	please specify:							_	
	Totally	chlorine-free						\boxtimes		
	Elemen	ital chlorine-free						П		
	Process	sed chlorine-free								
P14		ary programs:								
P14.1	The pro	duct meets the require	ements of the following volunta	ry program(s):						
		SY STAR®	Criteria version: 2.0	Date:		category:				
	Eco-lab Eco-lab	oel: <i>BAM</i>	Criteria version: RALUZ171 Criteria version:	Date: Date:		category: //category:	WFP			
P15		onal information (Sec		Date.	Floducti	calegory.				
			e operator position [LpA:dB(A)]						
	Stand-by 19.5(dB) Operating mode 47.2(dB)									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1