

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.					
Type of product *	MFP					
Commercial name *	MP 4055ASP					
Model number *	MP 4055ASP					
Issue date *	26 January 2017					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	mber *	MP 4055ASP	Logo			
Issue dat	e *	26 January 2017				
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F 1.3	hydrobro trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	hlorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	rbon atoms in the	\boxtimes		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 µg/cm ² /week	\boxtimes		
		al reference).	10			
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
	emo@r	ricoh-europe.com				
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\square		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	mium. (See legal	\boxtimes		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le	gal reference).			
		laration of Conformity can be requested at (add link or e-mail address): emo@ric				
	europe					
P3.2*		duct complies with the Eco design requirements for energy-related products,				
1 5.2		al reference).				
		d information is; given in item P15 or added to this document,			\square	
		available at (add URL):				
P4	Consum	nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m	ax 0.01% (see	\square		
		erence and NOTE B1).	-,			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	\square		
P4.3*	If the ink	/toner formulation/preparation is classified as hazardous or contains a substance f	or which there		Ē	
-		munity workplace exposure limits, the product/packaging is adequately labeled ac				
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	nts is available			
		al reference).				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).	of the material(s			
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montrea			
	Protocol	(see legal reference).		لالسكا		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	MP 4055ASP	Logo				
Issue date *		26 January 2017					
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.	
P7	Design	while reactailing					
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.			+		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>	
P7.5			allahla taala		<u> </u>	<u> </u>	
P7.5 P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly ava			<u> </u>	<u> </u>	
P7.0		e easily separable. (This requirement does not apply to safety/regulatory labels).		\square			
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			<u> </u>	<u> </u>	
P7.9.		rts are available after end of production for: 7 years				<u> </u>	
P7.10						<u> </u>	
P7.10		s available after end of production for: 7 years					
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
17.11		ype: PC+ABS Material type: Material type: Material type:	type:				
P7.12	Insulation materials of external electrical cables are PVC free.						
P7.13	Insulatior	n materials of internal electrical cables are PVC free.		— Ħ		Ē	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brou 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants, a	and			
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	low			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Image: FR(40)						
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): CAS #:		\square		
	according	emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4:					
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	s in			
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: FR(40)	\bowtie			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been				
			OTE B5)				
P7.20*	lf YES; a a) Of to	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (sentage of total plastic by weight) is <i>app. 0.1</i> %.	calculated a	is a			
		weight of recycled material is app. 24.7 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MP 4055A	SP			Logo			
Issue date	ssue date * 26 January 2017								
Product	environr	nental attr	ibutes - Market ree	quirements (cont	inued)		Requ	irement	t met
Item							Ye	es No	n.a.
			ance requirements (c						
P7.21*			terial content is used i				\geq		
	a) Of	total plastic	of the two alternatives parts' weight > 25 g, weight) is <i>app. 0.02</i> %	the biobased plastic	/ered; material content (calcul	lated as a perce	entage of		
	b) The	e weight of the	ne biobased plastic ma	aterial is <i>app. 3.8</i> g.					
P7.22*			e from mercury, i.e. le becify: Number of lamp		o. num mercury content pe	er lamp: r	ng		
P8	Batterie								
P8.1*			nposition: Manganes	e dioxide lithium					
P9			on (See NOTE B8)						
P9.1	For the	product the f	ollowing power levels	or energy consumpt	ions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep moo STAR® O (OM) prod	perational		W	W	W				\square
Standby/o ENERGY Mode (ON	ff mode fo STAR Ope	erational	W	W	W				
	of or ENER	RGY STAR	kWh/week	kWh/week	1.654 kWh/week				
(TEC= Ty		ду							
Operating	g mode		W	W	600.7 W				
Ready mo	ode		W	W	48.8 W				
Sleep mo	de		W	W	0.82 W				
			W	W	W				
			W	W	W				Ħ
			W	W	W				
External P	Ower Sup	nly Efficiency	y Level (International I						
Print/Scar			40 images per minute						
Default tin		0,	e mode: 1 minutes						
P9.2*	Informat	ion about the	e energy save function	n is provided with the	e product.				
P10	Emissic								
B 10 :			eclared according to						
P10.1	Mode	Mo	ode description		tatistical upper limit A-w _{WA,c} (B)	eighted sound	power level,		
	Idle		Stand-by	*	3.4				
	Operatio	on * (Operating Mode	*	6.4				
	Other m	ode							
	Measure	ed according		ECMA-74 (only if not covered b	w FCMA-74)			_	_

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue date	e *									
		26 January 2017								
Product	environ	mental attributes	- Market require	ements (cor	ntinued)		I	Require	ment	me
ltem								Yes	No	n.a
		al emissions from								
P10.2*	•	rformed according to ent (ISO/IEC 28360)			emical Emiss	sion Rates from	Electronic	\boxtimes		
P10.3	Typical	emission rate (opera	tion phase) is (mg/	h):						
	•	ohotographic devices e 0.008 TVOC 0.99		detection D	ust < <i>limit of</i>	f detection Styre	ene <i>0.004</i>			
	Ink devi			ust s	Styrene	Benzene	TVOC			
		ompliance with maxi			to be declar	ed in P14.				
P11		nable materials for								
P11.1*		y Data Sheet (SDS)				• •	• • •	\boxtimes		
P11.2*	Paper of EN 122	containing post-cons 81.	umer recycled fibe	ers can be u	sed, provideo	d that it meets	the requirements of	f		
P11.3*	2-sided	(duplex) printing/cop	ying is an integrate	d product fun	iction.			\times		
P11.4*	The pro	duct is delivered to e	end-user with defau	lt auto-duplex	enabled.					
P13		aging and documentation								
P13.1*	Product	packaging material packaging material packaging material	type(s): Plastic	d paper weight (ko weight (ko		9.894				
P13.2*		plastic primary pack						\square		
P13.3*		duct primary corrug er recovered fiber co			cify the conta	ained percentag	e of minimum post-	-		
P13.4*		media for user and phic $\boxed{\mathbf{X}}$, Paper $\boxed{\mathbf{X}}$, C		ion (tick box)	:					
P13.5	Ùser an	only complete this is d product document blease specify:						\boxtimes		
	Totally of	chlorine-free						\boxtimes		
	Elemental chlorine-free									
	Process	ed chlorine-free						H		
P14	Volunta	ary programs:								
P14.1		duct meets the requ	rements of the follo	wing volunta	ry program(s)):				
	Eco-lab	Y STAR® el: BAM	Criteria version: Criteria version:		Date: Date:	Product	category: <i>MFP</i> category: <i>MFP</i>			
P15	Eco-lab		Criteria version:		Date:	Product	category:			
F13	Additional information (See NOTE B11) Sound pressure level at the operator position [L _{PA} :dB(A)]									
		pressure level at th by 19.2(dB) Operati		n [LpA:dB(/	4)]					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1