



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	coh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	pe of product * MFP					
Commercial name *	MP 4055SP					
Model number *	MP 4055SP					
Issue date *	26 January 2017					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te *	26 January 2017				
Product environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetractethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.		1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week 🛚		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):			
P2	Batterie	•				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		ce).		
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@ric	oh-			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required information is; given in item P15 or added to this document, available at (add URL):					
P4		nable materials		<u></u>		
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).		_		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP 4055SP

Model number *	MP 4055SP	Logo	
Issue date *	26 January 2017		

	t environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
5 - 40	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u></u>		<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 0.1%</i> . or b) The weight of recycled material is <i>app. 24.7</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * MP 4055SP			Logo					
Issue date	sue date * 26 January 2017							
							Requirement	
Item				n			Yes No	n.a.
Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
F1.21		•		•	•			Ш
			of the two alternatives parts' weight > 25 g.			ated as a perce	entage of	
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is app. 0.02%. 							
	or b) The	weight of t	the biobased plastic ma	aterial is ann 3.80				
P7.22*	,	•	ee from mercury, i.e. le	• • • • •	n.			$\overline{}$
			pecify: Number of lamp		num mercury content per	lamp:	mg	ш
P8	Batteries							
P8.1*	-		mposition: Manganes	e dioxide lithium				
P9			ion (See NOTE B8)					
P9.1	For the p	product the	following power levels	or energy consump	tions are reported:			
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and to	0,	
Sleep mod			W	W	W			\boxtimes
STAR® Op (OM) produ		Mode						
Standby/of		r	W	W	W			
ENERGY S								
Mode (OM)			kWh/week	kWh/week	1,654 kWh/week			
TEC produ		OT STAIN	KVVII/WEEK	KVVII/WCCK	7.004 KVVII/ WEEK			
(TEC= Typ		у						
Operating	mode		W	W	600.7 W			
Ready mo	de		W	W	48.8 W			
Sleep mod	de		W	W	0.82 W			
			W	W	W			
			W	W	W			
			W	W	W			\Box
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking P	rotocol) *:			
Print/Scan	Speed *	:	40 images per minute					一
Default tim	e to enter	energy sav	ve mode: 1 minutes					$\overline{}$
P9.2*	P9.2* Information about the energy save function is provided with the product.							
P10	Emissio							
			Declared according to					
P10.1	Mode	M	lode description		Statistical upper limit A-we - _{WA,c} (B)	eighted sound	power level,	
	Idle	*	Stand-by	*	3.4			
	Operatio	n *	Operating Mode	*	6.4			
	Other mo	ode						
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74				
	l		Other	(only if not covered I	by FCMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	number * MP 4055SP Logo		1							
Issue date	*	26 January 2017								
Product 6	environ	mental attributes	- Market requirements (co	ntinued)			Re	quire	ment	met
Item				•				Yes	No	n.a.
			printing products (See NOTE							
P10.2*			ECMA-328 Determination of Ch	nemical Emiss	ion Rates from E	lectronic		\boxtimes		
			, other specify: RAL-UZ171							
P10.3	Typical	emission rate (operate	tion phase) is (mg/h):							
			Ozone < limit of detection	Oust < limit of	detection Styre	ne <i>0.004</i>				
	Ink dev	ne 0.008 TVOC 0.99	Dust	Styrene	Benzene	TVOC				Ш
	IIIK UEV	1003.	Dusi	Styrene	Denzene	1000				
			num emission rates in eco label	s to be declar	ed in P14.					
P11		mable materials for	Ų.							
P11.1*		, ,	s available for the ink/toner prep	-	0 , .	•	,	\boxtimes		
P11.2*	Paper of EN 122		umer recycled fibers can be u	sed, provided	that it meets th	ne require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product fur	nction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duple:	x enabled.				\boxtimes		
P13		ging and documenta								
P13.1*			ype(s): Corrugated paper	weight (kg):	9.899					
		t packaging material t t packaging material t		g): 0.493						
P13.2*			ype(s): weight (k aging is free from PVC.	9).						
P13.3*			ated fiberboard packaging, spe	cify the cente	ninod porcontago	of minim	ım noct			
F 13.3		ner recovered fiber co		city the conta	anieu percentage	. 01 1111111111	um post-			
P13.4*			roduct documentation (tick box)):						
D40.5		nic 🔀, Paper 🔀, Ot								
P13.5			em if paper documentation used ation on paper media is chlorine					\boxtimes		
		please specify:	ation on paper media is chionne	-IIee.					Ш	
		chlorine-free								
	•	chionne-free stal chlorine-free						\bowtie		
		sed chlorine-free						Н		
P14										
P14.1		ary programs:	rements of the following volunta	ry program(s)						
	•	GY STAR®	Criteria version: 2.0	Date:		00t000m//	WED.			
		oel: BAM	Criteria version: RALUZ171	Date:		category: <i>I</i> category: <i>I</i>				
	Eco-lab		Criteria version:	Date:		category:				
P15	Additio	onal information (Sec	NOTE B11)							
	Sound pressure level at the operator position [L _{PA} :dB(A)]									
	Stand-	by 19.2(dB) Operatir	ig moae 49(aB)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1