



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	Ricoh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * MFP					
Commercial name *	MP 5055ASP				
Model number *	MP 5055ASP				
Issue date *	26 January 2017				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		26 January 2017					
Product environmental attributes - Legal requirements			Require	ment	met		
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*							
P1.4*	Products	\boxtimes					
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/	week 🗵			
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):				
P2	Batterie	•					
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		ce).			
	The Dec	laration of Conformity can be requested at (add link or e-mail address): emo@ric	oh-				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).					
	Required information is; given in item P15 or added to this document, available at (add URL):						
P4		nable materials					
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).		_			
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging		. 53			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square			

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * MP 5055ASP

Model number *	I number * MP 5055ASP		
Issue date *	26 January 2017		

Produc	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and partial chloride at 0.3% weight (2000 ppm) bromine and 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine in partial chloride at 0.3% weight (2000 ppm) chlorine at 0.3% weight (200						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:		\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4)	_					
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
D7 10	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			- -			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
D= 00:	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is app. 0.1%. 						
	or b) The weight of recycled material is <i>app. 24.7</i> g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	er * MP 5055ASP Logo								
Issue date	*	26 January 2017								
Product 6	Product environmental attributes - Market requirements (continued) Requirement me									met
Item	em Yes							es N	VО	n.a.
D= 0.11			ance requirements (c		1075 DE					
P7.21*		•	aterial content is used i	•	,					Ш
	If YES; at least one of the two alternatives below shall be answered;									
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is app. 0.02%. 									
	or b) The weight of the biobased plastic material is <i>app. 3.8</i> g.									
P7.22*			ee from mercury, i.e. le	• • •			<u> </u>		_	$\overline{}$
17.22			pecify: Number of lamp		um mercury content pe	r lamp:	mg			Ш
P8	Batteries									
P8.1*	-		mposition: Manganes	e dioxide lithium						
P9			on (See NOTE B8)							
P9.1	For the p	product the	following power levels	or energy consumpti	ons are reported:					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		ener	gy	
Sleep mod			W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		r	W	W	W					
ENERGY S										
Mode (OM)			kWh/week	kWh/week	2.341 kWh/week					
TEC value		GY STAR	kvvn/week	kvvn/week	2.341 kwn/week					Ш
(TEC= Typ		JY								
Operating			W	W	821.7 W					
Ready mo	de		W	W	48.8 W					
Sleep mod	de		W	W	0.82 W					
			W	W	W					
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficienc	cy Level (International I	Efficiency Marking Pr	rotocol) *:					
Print/Scan	Speed *	:	50 images per minute							
Default tim	e to enter	energy sav	ve mode: 1 minutes							
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio									
D40.4			Declared according to			- Code to all a second				
P10.1	Mode	IV	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle	* Stand-by * 3.4								
	Operatio	n *	Operating Mode	*	6.6					
Other mode										
	Measured according to: ☐ ISO 7779 ☐ ECMA-74									
			Other	(only if not covered b	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	umber * MP 5055ASP Logo									
Issue date	e * 26 January 2017									
Product	duct environmental attributes - Market requirements (continued) Requirement met									
Item				-				Yes	No	n.a.
			printing products (See NOTE							
P10.2*			ECMA-328 Determination of Ch		ion Rates from E	lectronic		\boxtimes		
			, other specify: RAL-UZ171							
P10.3	Typical emission rate (operation phase) is (mg/h):									
		photographic devices ne 0.008 TVOC 0.99	Ozone < limit of detection	Oust < limit of	detection Styre	ne <i>0.004</i>				
	Ink devices: Dust Styrene Benzene TVOC									
	Note: c	ompliance with maxin	num emission rates in eco label	s to be declare	ed in P14.					
P11		mable materials for	Ų.							
P11.1*		, ,	s available for the ink/toner prep	-	0 , .	`	,	\boxtimes		
P11.2*	Paper 6 EN 122		umer recycled fibers can be u	ised, provided	I that it meets th	ne require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product fur	nction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duple:	x enabled.				\boxtimes		
P13		ging and documenta								
P13.1*	Produc	t packaging material t t packaging material t t packaging material t		weight (kg): (g): 0.495	9.894					
P13.2*			aging is free from PVC.	9).						
P13.3*			ated fiberboard packaging, spe	cify the conta	nined percentage	of minim	ım post-			
1 10.0	consum	ner recovered fiber co	ntent: %	·	anica percentage	01 1111111111	um poot			
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other									
P13.5			em if paper documentation used ation on paper media is chlorine							
	If Yes,	please specify:								
	Totally	chlorine-free						\boxtimes		
	Elemental chlorine-free									
	Process	sed chlorine-free								
P14		ary programs:								
P14.1	The pro	duct meets the require	rements of the following volunta	ry program(s)	•					
		BY STAR® pel: BAM pel:	Criteria version: 2.0 Criteria version: RALUZ171 Criteria version:	Date: Date: Date:	Product	category: I category: I category:				
P15		onal information (Sec								
		pressure level at the	e operator position [LpA:dB(A)]						
	Starid-	by 19.5(ub) Operatir	ig mode au.oub)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1