

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company, Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London NW1 3BF	RICOH
e-mail address	emo@ricoh-europe.com	
		imagine. change.
Internet site *	www.ricoh.com	•
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Printer
Commercial name *	SP 377DNwX
Model number *	SP 377DNwX
Issue date *	2.2.2017
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	SP 377DNwX	Logo			
Issue date *		2.2.2017		RICOH imagine. change.		
Produc	t environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	(see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.		ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal reference)			
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at (add URL):				
P4		nable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).					
P4.3*	are Com applicab (see lega	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	ording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).				
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the M al reference). nt: Legal reference has no maximum concentration values.	Nontreal Proto	ocol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	SP 377DNwX	Logo			
Issue da	ite *	2.2.2017			COH e. change.	
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	_ <u>H</u> _
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.3 P7.4*	•				<u> </u>	<u> </u>
	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	_Ц
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	allable tools		<u>Ц</u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools		\square		<u> </u>
P7.9.	• •	rts are available after end of production for: 7 years				
P7.10		s available after end of production for: 7 years				
D7 4 1 *		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: Material t	vne.			
P7.12		n materials of external electrical cables are PVC free.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		\square	
P7.13		n materials of internal electrical cables are PVC free.				⊢⊢
P7.14	External weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brow 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in p n 25% post-consumer recycled content.	etardants,	and		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g a d in IEC 61249-2-21. (See NOTE B2)	ire low halo	igen		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17	TBBPA (emical specifications of flame retardants in printed circuit boards > 25 g (without corr additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , iRs are used, which are not restricted of their inclusion by regulations	nponents): CAS #:			
	Alt. 2: Ch according	emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4:			\square	
P7.18	<u>Alt. 1:</u> Fla concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	s in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4.			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:				
	-		OTE B5)			
P7.20*		umer recycled plastic material content is used in the product (See NOTE B6):	,	\square		
	a) Of to perc	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (sentage of total plastic by weight) is $<0.16\%$. or weight of recycled material is g.	calculated a	_	_	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nui	nber *	SP 377DN	wX			Logo			
Issue date	ssue date * 2.2.2017						COH e. change.		
Product	environr	nental attr	ibutes - Market ree	quirements (cont	inued)		Requ	rement	met
ltem				-	-		Ýe	s No	n.a.
			ance requirements (c						
P7.21* Biobased plastic material content is used in the product (See NOTE B7):							\geq		
	a) Of tota	total plastic	of the two alternatives parts' weight > 25 g, weight) is < 0.01% .	below shall be answ the biobased plastic	vered; material content (calcula	ted as a perce	entage of		
	or b) The	e weight of t	he biobased plastic ma	aterial is g.					
P7.22*			e from mercury, i.e. le becify: Number of lamp		o. num mercury content per	lamp: r	ng		
P8	Batterie	s							
P8.1*			nposition: <i>Lithium-ioi</i>	n battery (One cell	battery)				
P9	Energy	consumption	on (See NOTE B8)						
P9.1	For the p	product the f	ollowing power levels	or energy consumpt	ions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep moo STAR® O (OM) prod	perational		W	W	W				
Standby/or ENERGY Mode (OM	ff mode fo STAR Ope	erational	W	W	W				\square
TEC value	for ENER		kWh/week	kWh/week	1,263 kWh/week				
(TEC= Typ	oical Energ	gy							
Operating			W	W	475 W				
Ready Mo	de		W	W	64.6 W				
Sleep Mo	de		W	W	0.93 W0				
			W	W	W				
			W	W	W				Ē
			W	W	W				
External P	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking P	rotocol) * :				
Print/Scan	Speed *	::	28 images per minute						
Default tim	e to enter	energy sav	e mode: 0.5 minutes						$\overline{\neg}$
P9.2*	Informat	ion about th	e energy save function	n is provided with the	e product.		\geq		
P10	Emissio								
	1		eclared according to						
P10.1	Mode	M	ode description		statistical upper limit A-we _{WA,c} (B)	eighted sound	power level,		
	Idle	*	Stand-by	*	3.0				
	Operatio		Operating mode	*	6.9				
	Other m	ode	See section P 15						
	Measure	ed according		ECMA-74 (only if not covered b	DV ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	SP 377DNwX				Logo			
Issue date) *	2.2.2017					RICO imagine. cha	nge.	
Product	environ	mental attributes	s - Market requiremen	ts (continued)			Require	ment	met
Item			•	1 <i>i</i>			Yes	No	n.a.
	Chemic	al emissions from	printing products (See	NOTE B10)					
P10.2*	Test pe	rformed according t	ECMA-328 Determination	on of Chemical Emiss	ion Rates from E	lectronic			
P10.3	Typical	emission rate (oper	ation phase) is (mg/h):						
	Electrop	hotographic device	s: Ozone 0.22 Dust 0.79	Styrene 0.047 Benz	ene <limit de<="" of="" td=""><td>tection TVO</td><td>C <mark>9.1</mark></td><td></td><td></td></limit>	tection TVO	C <mark>9.1</mark>		
	Ink devi	0 1	Dust	Styrene	Benzene	TVOC			
	Note: co	ompliance with max	mum emission rates in ec	co labels to be declare	ed in P14.				
P11			r printing products						
P11.1*		,	is available for the ink/tor		• • •	•			
P11.2*	Paper of EN 122		sumer recycled fibers ca	an be used, provideo	that it meets t	he requireme	nts of 🔀		
P11.3*	2-sided	(duplex) printing/co	pying is an integrated pro	duct function.			\square		
P11.4*	The pro	duct is delivered to	end-user with default auto	o-duplex enabled.			\boxtimes		
P13	Packag	ing and document	ation						
P13.1*	Product Product	packaging material packaging material	type(s): w	per weight (kg): 2 eight (kg): 0.365 eight (kg):	2.296				
P13.2*	Product	plastic primary pac	kaging is free from PVC.				\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: %						\square		
P13.4*		media for user and nic 🔀, Paper 🔀, (product documentation (t	ick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally of	chlorine-free					\boxtimes		
	Elemen	tal chlorine-free					П		
	Process	ed chlorine-free					П		
P14	Volunta	ary programs:							
P14.1	The pro	duct meets the requ	irements of the following	voluntary program(s)	•				
	Eco-lab		Criteria version: 2.0 Criteria version:	Date: Date:	Product	category: Print	nter		
P15	Eco-lab	en: nal information (S	Criteria version:	Date:	Product	category:			
115			to utilize recycled plast	ic materials whereve	er available				_
	Declare Stand-l		nd pressure level L _{pAm} (C						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1