

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Colour Printer					
Commercial name *	SP C261DNw					
Model number *	SP C261DNw					
Issue date *	11 October 2017					
Intended market *	🗌 Global 🔀 Europe 🔲 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	SP C261DNw Logo	_				
Issue da	ite *	11 October 2017	RI	C	0	Н	
Produc	t environ	mental attributes - Legal requirements	Req	uire	ment	met	
Item			Ŷ	′es	No	n.a.	
P1		us substances and preparations					
P1.1*		do comply with the current European RoHS Directive. (See legal reference and NOTE B1)		$\times$			
P1.2*	Commer	a do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	[	$\ge$			
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.	1-	$\boxtimes$			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).	[	$\times$			
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms i ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the	$\times$			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/λ al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	week [	$\boxtimes$			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): coh-europe.com	[	${\times}$			
P2	Batterie	S					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference)	ıl [			$\boxtimes$	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					$\boxtimes$	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see legal reference laration of Conformity can be requested at (add link or e-mail address):	;e).	$\times$			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).	[	$\boxtimes$			
	Required information is; given in item P15 or added to this document,				$\boxtimes$		
		available at (add URL): emo@ricoh-europe.com					
P4	Consum	able materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (s erence and NOTE B1).	ee	$\boxtimes$			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging		$\triangleleft$			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	used (se	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal X I Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\times$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	SP C261DNw	Logo				
Issue date *		11 October 2017		RIC	:0	Н	
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ment i	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.	
P7	Design						
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*					<u>+</u>	<u> </u>	
P7.2 P7.3*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>	
-		arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ailable tools.	$\boxtimes$			
P7.6*	Labels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$			
	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives		$\boxtimes$			
P7.8*	10	g can be done using commonly available tools		$\boxtimes$			
P7.9.	Spare pa	rts are available after end of production for: 7 years					
P7.10	Service is	available after end of production for: 7 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):   ype: PC + ABS PC + PS   Material type: Material type:	ype:				
P7.12		materials of external electrical cables are PVC free.	••		$\boxtimes$		
P7.13	Insulatior	materials of internal electrical cables are PVC free.					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 25 $\oplus$	g 🗌 are low		$\square$		
P7.16		as defined in IEC 61249-2-21. (See NOTE B2) arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\boxtimes$			
P7.17	<u>Alt. 1: Č</u> h	emical specifications of flame retardants in printed circuit boards > 25 g (without com	ponents):				
			CAS #:		$\boxtimes$		
	<u>Alt. 2: </u> Ch	e used, which are not restricted of their inclusion by regulations emical specifications of flame retardants in printed circuit boards (without component a ISO 1043-4:	ts) > 25 g		$\boxtimes$		
P7.18	<u>Alt. 1:</u> F	ame retarded plastic parts > 25 g contain the following flame retardant substances/p concentrations above 0,1%:	reparations in		$\boxtimes$		
	2. Chemi	cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "					
	<u>Alt. 2:</u>	Chemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: <b>FR (40)</b>	$\boxtimes$			
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which he following Risk phrases; and Hazard statements:	ave been		$\boxtimes$		
			OTE B5)				
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		$\boxtimes$			
	a) Of to perc	least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( entage of total plastic by weight) is< 0.1%.	calculated as a				
	or b) The	weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	SP	C261DNw			Logo		
Issue date	*	11 0	October 2017			RICOH		
Product	environm	ental atti	ributes - Market re	quirements (coi	ntinued)		Requirement m	net
Item							Yes No r	n.a.
D7.04*			ance requirements (					
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered;							Ш
	a) Of to total or	tal plastic plastic by		the biobased plast	swered; ic material content (calcula	ited as a perce	entage of	
P7.22*	Light sour	ces are fre	e from mercury, i.e. l	ess than 0,1 mg/lar				
	If mercury	is used sp	pecify: Number of lam	ps: and max	kimum mercury content per	lamp: I	mg	
P8	Batteries	<u> </u>						
P8.1*	-		mposition: No battery	,				
P9			on (See NOTE B8)					
P9.1	For the pr	oduct the f	ollowing power levels	or energy consum	ptions are reported:			
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/St modes and te		
	le for ENER perational M ucts		W	W	1W			$\boxtimes$
Standby/of	f mode for STAR Oper	ational	W	W	<b>0</b> W			$\boxtimes$
	for ENERG	SY STAR	kWh/week	kWh/week	1303 kWh/week			
	oical Energy	'						
Operating	mode		W	W	321.2 BW 383.8 Col W			
Ready mo	de		W	W	58.3 W		[	
Sleep mo	de		W	W	1.2 W			
			W	W	W			
			W	W	W			
			W	W	W			
External P	ower Supply	y Efficienc	y Level (International	Efficiency Marking	Protocol) * :			$\boxtimes$
Print/Scan	Speed *	: :	20 images per minute	9				
Default tim	e to enter e	energy sav	e mode: 1 minutes					
P9.2*	•••							
P10	Emission							_
	Noise em		Declared according to	ISO 9296 (See NC				
P10.1	Mode	M	ode description		Statistical upper limit A-we	eighted sound	power level,	
	Idle		Stand-by		* 4.2			
	Operation		Operating Mode	* Mono: 6.5, Colour: 6.6	, Colour: 6.6			
	Other mod		See section P15					
	Measured	according	to: 🛛 ISO 7779 🗌	ECMA-74 (only if not covered	d by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	SP C261	DNw				Logo		_		-
Issue dat	e *	11 Octob	er 2017					RI	C		1
Product	environ	mental attribut	es - Market requ	irements (con	tinued)			Re	quire	ment	met
Item									Yes	No	n.a.
			m printing produc								
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic										
P10.3	Typical emission rate (operation phase) is (mg/h):										
	Benzen	e BW & Col <i>limit</i>	ces: Ozone 0.2 BN of detection TVO	C (Print) <b>1.36 BV</b>	/ 3.04 COL	-		B COL			
	Ink devi	ces:		Dust S	tyrene	Benzene	TVOC				
	Note: co	mpliance with m	aximum emission ra	tes in eco labels	to be declare	ed in P14.					
P11			for printing produc								
P11.1*	A Safety	/ Data Sheet (SD	S) is available for th	e ink/toner prepa	aration, even	if not legally r	equired (see F	94.3).	$\boxtimes$		
P11.2*	Paper o EN 1228		onsumer recycled f	ibers can be us	ed, provided	that it meets	s the requiren	nents of	$\square$		
P11.3*	2-sided	(duplex) printing/	copying is an integra	ated product fund	ction.				$\boxtimes$		
P11.4*	The pro	duct is delivered	to end-user with def	ault auto-duplex	enabled.				$\boxtimes$		
P13	Packag	ing and docume	ntation								
P13.1*	Product		ial type(s): <b>corruga</b> ial type(s): <b>plastic</b> ial type(s):	ted paper weight (kg weight (kg		3.086					
P13.2*			ackaging is free fror		, ,				$\boxtimes$		
P13.3*		duct primary cor er recovered fibe	rugated fiberboard r content:	packaging, spec %	ify the conta	iined percenta	age of minimu	ım post-			
P13.4*		media for user ar iic 🔀, Paper 🔀	nd product documen	tation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Elemen	chlorine-free tal chlorine-free ed chlorine-free									
P14	Volunta	ry programs:									
P14.1	The pro	duct meets the re	quirements of the fo	ollowing voluntary	/ program(s):						
	ENERG	Y STAR®	Criteria versior	n: <b>2.0</b>	Date:	Produ	ict category: p	rinter			
	Eco-lab		Criteria version		Date:		ict category:				
P15	Eco-lab		Criteria versior (See NOTE B11)	1:	Date:	Produ	ict category:				
F13				ovalad plactic	notoriolo unh		blo				
			signed to utilise re				idle.				
	Stand-b	oy: 30.7(dB)	54.7(dB), Colour: 5	1 ( )	operation po	osition					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1