

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Colour MFP					
Commercial name *	SP C261SFNw					
Model number *	SP C261SFNw					
Issue date *	28 September 2017					
Intended market *	🔲 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	SP C261SFNw		Logo				
Issue da	ite *	28 September 2	2017		RIC	0	Н	
Produc	t environ	mental attributes - L	egal requirements		Require	ement	met	
Item					Yes	No	n.a.	
P1	Hazardo	us substances and pr	eparations					
P1.1*			rent European RoHS Directive. (See legal referenc	e and NOTE B1)	\boxtimes			
P1.2*	Commer	nt: Legal reference has i	os (see legal reference). no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloroe	mofluorocarbons (HBF	Depleting Substances: Chlorofluorocarbons (CFC), C), hydrochlorofluorcarbons (HCFC), Halons, carbo (see legal reference). Comment: Legal reference h		1-			
P1.4*		do not contain more th (PCT) in preparations	an; 0,005% polychlorinated biphenyl (PCB), 0,005% (see legal reference).	% polychlorinated	\boxtimes			
P1.5*			an 0,1% short chain chloroparaffins (SCCP) with 10 or mass of chlorine in the SCCP (see legal reference		n the			
P1.6*	(see lega Commer	al reference). ht: Max limit in legal refe	skin contact do not release nickel in concentrations rence when tested according to EN1811:2011-5.		veek 🔀			
P1.7*		Article 33 information al coh-europe.com	pout substances in articles is available at (add URL	or mail contact):	\boxtimes			
P2	Batterie	5						
P2.1*			or an accumulator, the battery/accumulator is label isposal is provided in user manual. (See legal refer		I 🛛			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conform	nity verification & Eco	design (ErP)					
P3.1*			ow conformance with applicable legal requirements an be requested at (add link or e-mail address):	s (see legal referenc	æ). 🛛			
P3.2*		luct complies with the E al reference).	co design requirements for energy-related products	б,	\boxtimes			
	Required information is; given in item P15 or added to this document,							
54	•		available at (add URL): emo@ricoh-europe.co	m				
P4		able materials	ate Vie yeard in the product it does not contain and	mium max 0.040/ /-	aa 177			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).							
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).							
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5		packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).							
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal							
P6		nt information						
P6.1*	Informati	on for recyclers/treatme	nt facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	SP C261SFNw Logo		• • •			
Issue date *		28 September 2017		OH			
		nental attributes - Market requirements (See General NOTE GN below) nental conscious design	equirem	ent met			
Item	*=manda	ory to fill in. Additional information regarding each item may be found under P14.	Yes N				
P7	Design						
P7.1*		nbly, recycling have to be treated separately are easily separable					
P7.2*				╡┝╡			
P7.2 P7.3*		aterials in covers/housing have no surface coating.		╡──┤			
-		rts > 100 g consist of one material or of easily separable materials.		<u> </u>			
P7.4*		rts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>			
P7.5		Ints are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives					
P7.7		g can be done using commonly available tools		╡──┤			
-			\square	<u> </u>			
P7.9.		rts are available after end of production for: 7 years		<u> </u>			
P7.10		available after end of production for: 7 years					
P7.11*		and substance requirements over/housing material type (e.g. plastics, metal, aluminum):					
F <i>1</i> .11		ype: PC + ABS PC + PS Material type: Material type:					
P7.12		materials of external electrical cables are PVC free.					
P7.13	Insulatior	materials of internal electrical cables are PVC free.					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low					
P7.16		as defined in IEC 61249-2-21. (See NOTE B2) arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\triangleleft			
	<u>Alt. 2: </u> Ch	e used, which are not restricted of their inclusion by regulations emical specifications of flame retardants in printed circuit boards (without components) > 25 g I ISO 1043-4:					
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	1. Chemi 2. Chemi	concentrations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "					
	Alt. 2:	Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR (40)					
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:					
		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):					
	a) Of to perc	least one of the two alternatives below shall be answered; tal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a entage of total plastic by weight) is< 0.1% .					
	or b) The	weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	SP	C261SFNw			Logo			
Issue date) *	28 \$	September 2017				RIC		
Product	environm	nental atti	ributes - Market re	quirements (co	ntinued)		Requ	irement	met
Item							Ye	es No	n.a.
			ance requirements (
P7.21* Biobased plastic material content is use				in the product (See	e NOTE B7):		\geq		
	a) Of to total or	otal plastic I plastic by	weight) is 0.01%.	the biobased plast	swered; tic material content (calcula	ated as a perce	entage of		
		-	he biobased plastic m	-			_		
P7.22*	If mercury	y is used s	ee from mercury, i.e. lo becify: Number of lam		mp. kimum mercury content per	lamp: r	ng		
P8	Batteries								
P8.1*	•		mposition: Manganes	e dioxide lithium					
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	ollowing power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *		energy	
Sleep moo STAR® O (OM) prod	perational I		W	W	1W				
	ff mode for STAR Ope		W	W	0 W				\square
TEC value	for ENER	GY STAR	kWh/week	kWh/week	1303 kWh/week				
	oical Energ	у							
Operating	mode		W	W	331.3 BW 404.1 Col W				
Ready mo	ode		W	W	60.7 W				
Sleep mo	de		W	W	1.3 W				
			W	W	W				
			W	W	W				Ē
			W	W	W				H
Extornal D	owor Supp	ly Efficience	y Level (International						
		-			F1010C0I) .				\square
Print/Scan	Print/Scan Speed * : 20 images per minute								
Default time to enter energy save mode: 1 minutes									
P9.2*	Informatio	on about th	e energy save functio	n is provided with t	he product.		\geq		
P10	Emissio	ns							
		nission – [Declared according to	ISO 9296 (See NC					
P10.1	Mode	M	ode description		Statistical upper limit A-we	eighted sound	power level,		
	Idle		Stand-by		* 3.3				
	Operation								
	Other mo	ode	See section P15						
	Measured	d according	to: 🛛 ISO 7779 🗌	ECMA-74 (only if not covered					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	SP C261	SFNw				Logo		_		_
Issue date *		28 Septer	mber 2017					RI	C	D	1
Product	environ	mental attribut	es - Market requi	irements (con	tinued)			Re	quire	ment	met
Item									Yes	No	n.a.
			m printing produc								
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic										
P10.3	Typical	emission rate (op	eration phase) is (m	ıg/h):							
	Benzen	e BW & Col <i>limit</i>	ces: Ozone 0.2 BW of detection TVOC	C (Print) 1.36 BV	V 3.04 COL			3 COL			
	Ink devi	ces:		Dust S	styrene	Benzene	TVOC				
		1	aximum emission ra		to be declare	ed in P14.					
P11			for printing produc				–		<u></u>		
P11.1*			S) is available for th			• •	• •	,	\square		
P11.2*	EN 122	B1.	onsumer recycled f			I that it mee	ets the requiren	nents of			
P11.3*			copying is an integra						\boxtimes		
P11.4*	The pro	duct is delivered t	to end-user with defa	ault auto-duplex	enabled.				\boxtimes		
P13	Packaging and documentation										
P13.1*	Product packaging material type(s): corrugated paper weight (kg): 3.54 Product packaging material type(s): plastic weight (kg): 0.605 Product packaging material type(s): weight (kg):										
P13.2*			ackaging is free from		/				\boxtimes		
P13.3*		duct primary corr er recovered fibe	rugated fiberboard r content:	packaging, spec %	ify the conta	iined percen	tage of minimu	ım post-			
P13.4*		media for user ar iic 🔀, Paper 🔀	nd product documen , Other	tation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Totally chlorine-free										
	Process	ed chlorine-free							Π		
P14		ry programs:									
P14.1	The pro	duct meets the re	quirements of the fo	llowing voluntary	y program(s):						
	ENERG	Y STAR®	Criteria versior	n: 2.0	Date:	Prod	luct category: p	rinter			
	Eco-lab	el:	Criteria version	1:	Date:	Prod	luct category:				
B/ 5	Eco-lab		Criteria version	1:	Date:	Prod	luct category:				
P15		nal information (
			signed to utilise re				lable.				
	Stand-b	oy: 20.2(dB)	55.2(dB), Colour: 5	1 ()	operation po	osition					
	operal	ing mode. world.									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1