



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Colour MFP			
Commercial name *	SP C262SFNw			
Model number *	SP C262SFNw			
Issue date *	24 August 2017			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	SP C262SFNw	Logo	DICOLL
Issue date *	24 August 2017		RICOH

Product	oduct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square				
	terphenyl (PCT) in preparations (see legal reference).		ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes				
	(see legal reference).					
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): emo@ricoh-europe.com	\boxtimes	Ш			
D.	· · · · · · · · · · · · · · · · · · ·					
P2.1*	Batteries If the product contains a bottom or an accumulator, the bottom/accumulator is labeled with the disposal		_			
P2.1	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes	Ш			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square	$\overline{}$			
1 2.2	reference)		ш			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address):					
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\bowtie	Ш			
	Required information is; given in item P15 or added to this document,		\boxtimes			
	and the contract of the contra					
P4	available at (add URL): emo@ricoh-europe.com Consumable materials					
P4.1*		<u> </u>	_			
F4.1	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\overline{\mathbb{M}}$				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		∺			
1 4.0	are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
	(see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	j 🖂				
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	<u> </u>				
F3.2	used (see legal reference).) 🖂	Ш			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea					
	Protocol (see legal reference).		ш	ш		
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP C262SFNw	Logo	DICOLL
Issue date *	24 August 2017		RICOH

	environmental attributes - Market requirements (See General NOTE GN below)	Di		1
	•	Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\mathbb{X}}$	+	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{\mathbb{X}}$	∺	- -
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square	+	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		井	- -
P7.6*	<u> </u>		 	_#
F7.0	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u> Ш</u>	
P7.7*	Product lifetime Ungrading can be done a g with processor memory cards or drives	<u> </u>	_	
	Upgrading can be done e.g. with processor, memory, cards or drives		ᆜ	_
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		<u>_</u>
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC + ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.		<u> </u>	
		_#		_#
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		\boxtimes	
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: BFR's are used, which are not restricted of their inclusion by regulations , CAS #:			Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		\boxtimes	
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR (40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		\boxtimes	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is > 6.4%. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nui	mber *	SP	C262SFNw	Logo					
Issue date	e *	24 August 2017			RIC	O ł			
	environn	nental att	ributes - Market red	quirements (con	tinued)		Require		
Item	Motorial	and subst	anaa raquiramanta (a	antinuad)			Yes	No	n.a.
P7.21*	Material and substance requirements (continued) 27.21* Biobased plastic material content is used in the product (See NOTE B7):								
					,			Ш	ш
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.001%. 								
		weight of t	the biobased plastic ma	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content pe	er lamp: r	ng		
P8	Batteries								
P8.1*			mposition: Manganes	e dioxide lithium					
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® O _I (OM) prod	perational	RGY Mode	W	W	W				
Standby/or ENERGY Mode (OM	ff mode for STAR Ope	erational	W	W	W				\boxtimes
TEC value	for ENER		kWh/week	kWh/week	2.672 kWh/week				
(TEC= Typ		Jy							
Operating	g mode		W	W	825.1 W				
Ready mo	ode		W	W	43.4 W				
Sleep mo	de		W	W	<i>0.88</i> W				
			W	W	W				
			W	W	W				〒
			W	W	W				一
External P	ower Supp	oly Efficiend	L by Level (International I	Efficiency Marking F	Protocol) * :				
Print/Scan	Speed *	:	20 images per minute						$\overline{\Box}$
Default tim	ne to enter	energy say	ve mode: 1 minutes						〒
P9.2*						旹			
P10	Emissio	ns	<u> </u>	<u> </u>	•				
			Declared according to	SO 9296 (See NO	ΓΕ B9)				
P10.1	Mode		ode description	;	Statistical upper limit A-w L _{WA,c} (B)	eighted sound	oower level,		
	Idle		Stand-by		* 3.4				
	Operatio		Operating Mode		* Mono: 6.5, Colour: 6.5				
	Other mode See section P15								
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	SP C262SFNw		DICOLL
Issue date *	24 August 2017		RICOH

				•			
Product	oduct environmental attributes - Market requirements (continued)						met
Item						No	n.a.
	Chemical emissions from pri						
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic						
	Equipment (ISO/IEC 28360), other specify: RAL-UZ171 / RAL-UZ205						
P10.3	Typical emission rate (operation	n phase) is (mg/h):					
	Electrophotographic devices: 0	Ozone <i>limit of detection</i> Dus	t 1.4 Styrene 0.0 2	21 Benzene 0.02 TVOC			
	limit of detection						Ħ
	Ink devices:	Dust S	Styrene Ber	nzene TVOC			ш
	A						
D44	Note: compliance with maximu		to be declared in P	14.			
P11	Consumable materials for pr			and the manufact (and DAO)	<u> </u>	_	
P11.1*	A Safety Data Sheet (SDS) is a				<u> </u>	<u>Ц</u>	<u>Ц</u>
P11.2*	Paper containing post-consumEN 12281.	ner recycled fibers can be us	sed, provided that i	t meets the requirements of	\boxtimes	Ш	Ш
P11.3*	2-sided (duplex) printing/copying	ng is an integrated product fun	ction.		\boxtimes		
P11.4*	The product is delivered to end	d-user with default auto-duplex	enabled.		\boxtimes		
P13	Packaging and documentation	on					
P13.1*	Product packaging material typ		weight (kg): 9.8				
	Product packaging material type						
D40.0*	Product packaging material typ)):				_
P13.2*	Product plastic primary packag	•			\boxtimes		Щ.
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:						
D40.4*	0	deat de come autotion (Cololla de Colo					
P13.4*	Specify media for user and pro						
D40.5	Electronic , Paper , Other .						
P13.5	(Please only complete this item if paper documentation used)						
	User and product documentation on paper media is chlorine-free:						
	Totally chlorine-free				\bowtie		
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs:	and the faller farmer had a					
P14.1	The product meets the require						
		Criteria version: 2.0	Date:	Product category: <i>printer</i>			
		Criteria version: RAL-UZ171 Criteria version:	Date: Date:	Product category: <i>printer</i> Product category:			
P15	Additional information (See I		Date.	Froduct category.			
1 10		ed to utilise recycled plastic	materials wherever	r available			
	Declared A-weighted sound pressure level L_p Am (dB) in operation position Stand-by: 20.2 (dB)						
	Operating Mode: Mono: 55.2(dB), Colour: 55.4(dB)						
		\ /					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1