



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	coh Europe Plc, 20 Triton Street				
e-mail address	London NW1 3BF, United Kingdom				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	SP C842DN			
Model number *	SP C842DN			
Issue date *	09 November 2016			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

h

Model number *		SP C842DN	Logo				
Issue dat	te *	09 November 2016					
	environ	mental attributes - Legal requirements		Require		met	
Item				Yes	No	n.a.	
P1		ous substances and preparations	OTE DAY				
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	IOTE BT)		Щ.		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes			
D4 0*		nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum	1-	Ш		
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (0,5 μg/cm ² /\	week 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	contact).				
P1.7	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):		Ш		
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	l 🖂			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	Require	d information is; given in item P15 or added to this document,			\boxtimes		
		available at (add URL):					
P4	Consun	nable materials					
P4.1*	legal ref	to conductor (drum, belt etc.) is used in the product, it does not contain cadmium materiace and NOTE B1).					
P4.2*	If ink/tor	ner is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	e).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		t packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium	n and			
		ent chromium by weight of these together.	y, oddinian	. and	ш		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the mate	rial(s)			
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference).	I in the Mo	ntreal 🔀			
	Comment: Legal reference has no maximum concentration values.						
P6		ent information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP C842DN		
Issue date *	09 November 2016		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	t met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.
P7	Design Piercombly recycling			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		∺	- -
	<u> </u>		井	_#
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		부	<u> </u>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes	<u>Ц</u>	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	Ш	
D7 74	Product lifetime		_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes	Ш	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7 47	Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	· · · · · · · · · · · · · · · · · · ·			Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		\boxtimes	
P7.18	according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0.1%:		\boxtimes	
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)		Ш	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes	Ш	
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. 			
	or			
	b) The weight of recycled material is <i>less than 0.05%</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	el number * SP C842DN Logo								
Issue date		09 November 2016							
133uc uato		03 Noven	rember 2010						
Product	Product environmental attributes - Market requirements (continued) Requirement me								met
Item								n.a.	
	Material and substance requirements (continued)								
P7.21*			aterial content is used		NOTE B7):				
	If YES; at least one of the two alternatives below shall be answered;								
				the biobased plasti	c material content (calculated	as a perce	entage of		
	or tota	i plastic by	weight) is %.						
		weight of t	the biobased plastic m	aterial is <i>0.001%</i> g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. imum mercury content per lan	np:	mg		
P8	Batteries	•	, , , , , , , , , , , , , , , , , , , ,			T-	··· ·		
P8.1*			mposition: Lithium-io	n (one cell battery)				\Box
P9			on (See NOTE B8)						
P9.1			following power levels	or energy consump	otions are reported:				
Energy mo	ode *		Power level at	Power level at			ce/Standard for e	nergy	
			100 V AC	115 V AC	230 V AC	modes a	nd test method *		
Sleep mod			W	W	W				\boxtimes
STAR® Op (OM) produ		Mode							
Standby/of	ff mode for	•	W	W	W				\boxtimes
ENERGY STAR Operational		erational							
Mode (OM) products TEC value for ENERGY STAR		kWh/week	kWh/week	2.772 kWh/week				_	
TEC products		OTOTAL	KVVII/WEEK	KVVII/WEEK	Z.77Z KVVII/ WGGK				Ш
(TEC= Typ	nical Energ	IV.							
Operating		ıy	W	W	840.9BW/978.1Col W				$\overline{\Box}$
Ready mo			W	W	52.1 W				∺
Sleep mod			W	W	0.81 W				∺
Опсертно			W	W	W				-
			W	W	W				
									ᆜ
			W	W	W				
External P	ower Supp	ly Efficienc	cy Level (International	Efficiency Marking	Protocol) *:				\boxtimes
Print/Scan	Speed *	:	60 images per minute						
Default tim	Default time to enter energy save mode: 1 minutes						$\overline{\Box}$		
P9.2*	P9.2* Information about the energy save function is provided with the product.						市		
P10	Emissions								
	Noise er	nission – [Declared according to	ISO 9296 (See NO	TE B9)				
P10.1									
					L _{WA,c} (B)				
Idle * Sta		Stand-by		* 3.3				$\overline{}$	
	Operatio		Operating mode		* 6.8(Color) 6.7(BW)				+
Other mode			See section P15		. , , , ,				
	Measure	d according	g to: X ISO 7779	ECMA-74					
		`	_	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		SP C842DN				Logo				
Issue date *		09 November 2016								
Product	environ	mental attributes	- Market requirements (cor	ntinued)			Re	quire	ment	met
Item								Yes	No	n.a.
			printing products (See NOTE							
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic									
P10.3	Equipment (ISO/IEC 28360), other specify: <i>RAL-UZ171</i> Typical emission rate (operation phase) is (mg/h):									
F 10.3										Ш
			Ozone limit of detection Dus		on(Color) 0.7	78(BW) Sty	yrene			Ц
	Ink devi		nzene 0.013 TVOC 8.4(Color) 2 Dust		Benzene	TVOC				Ш
	ilik devi	ices.	Dust	Styrene i	Denzene	1 000				
	Note: co	ompliance with maxin	num emission rates in eco labels	to be declared in	n P14.					
P11		mable materials for								
P11.1*		• • •	s available for the ink/toner prep		• • •	•	,		Щ	Щ
P11.2*	Paper of EN 122		umer recycled fibers can be us	sed, provided tha	at it meets th	ne require	ments of			
P11.3*	2-sided	(duplex) printing/cop	ying is an integrated product fun	ction.				X		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duplex	enabled.				\boxtimes		
P13		jing and documenta								
P13.1*	Product	t packaging material t t packaging material t t packaging material t		• ,	05					
P13.2*			aging is free from PVC.	<i>3)</i> ·				\boxtimes		П
P13.3*			ated fiberboard packaging, spec	cify the contained	d percentage	of minim	um post-			
	consum	ner recovered fiber co	ntent: %	·			·			
P13.4*	Specify media for user and product documentation (tick box):									
P13.5			em if paper documentation used							
		nd product documenta please specify:	ation on paper media is chlorine-	free:					Ш	
	Totally chlorine-free						\boxtimes			
	Elemental chlorine-free						П			
	Processed chlorine-free									
P14	Volunta	ary programs:								
P14.1	The pro	duct meets the require	rements of the following voluntar	ry program(s):						
	_	SY STAR®	Criteria version: 2.0	Date:		category: /				
	Eco-label: BAM Criteria version: RALUZ171 Date: Product category: printer Eco-label: Criteria version: Date: Product category:									
P15	Additional information (See NOTE B11)									
	Sound pressure level at the operator position [LpA:dB(A)]									
	Stand-by 19.4 (dB) Operating mode 51.9(BW) 52.9(Color) (dB)									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1