



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company, Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London NW1 3BF	RICOH
e-mail address	emo@ricoh-europe.com	
		imagine. change.
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	nts given in this declaration.			
Type of product *	Printer			
Commercial name *	SP 400DN			
Model number *	SP 400DN			
Issue date *	26.1.2016			
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	SP 400DN	Logo	
Issue date *	26.1.2016		RICOH imagine. change.

Product	roduct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	€ 🔀				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes				
	Required information is; given in item P15 or added to this document,					
D4	available at (add URL):					
P4.1*	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		_			
	legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference).	ol 🔀				
De	Comment: Legal reference has no maximum concentration values. Treatment information					
P6.1*						
F0.1	miormation for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP 400DN	Logo	
Issue date *	26.1.2016		RICOH imagine. change.

	environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: BFRs are used, which are not restricted of their inclusion by regulations			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.3%. or b) The weight of recycled material is g.	l		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nur	odel number * SP 400DN		Logo						
Issue date	ate * 26.1.2016				imagine. ch				
Product	Product environmental attributes - Market requirements (continued) Requirement met						met		
Item	OTTVIT OTTI	iontal att	induted market re-	quiromonto (oonti	naouj		Yes	No	n.a.
II.OIII	Material	and subst	ance requirements (c	continued)			100	110	ma.
P7.21*	Material and substance requirements (continued) 7.21* Biobased plastic material content is used in the product (See NOTE B7):				OTE B7):				
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		l plastic by	weight) is < 0.1%.						
	or b) The	weight of t	the biobased plastic ma	aterial is g.					
P7.22*	Light sou	rces are fre	ee from mercury, i.e. le	_				\neg	
			pecify: Number of lam		ium mercury content per l	amp: mg		ш	ш
P8	Batteries								
P8.1*	Battery c	hemical co	mposition: <i>Manganes</i>	e dioxide lithium					
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consumpti	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		Reference/Standar modes and test me		energy	
Sleep mod	e for ENE	RGY	W	W	W				
STAR® Op		Mode							
(OM) produ		,	W	W	W				
Standby/of ENERGY S			VV	VV	VV				
Mode (OM) products								
TEC value TEC produ		GY STAR	kWh/week	kWh/week	1.430 kWh/week				
(TEC= Typ	ical Energ	У							
Operating		·	W	W	457.9 W				
Ready Mo	de		W	W	84.8 W				
Sleep Mod	de		W	W	0.96 W0				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	ower Supp	ly Efficienc	y Level (International	Efficiency Marking Pr	otocol) *:				
Print/Scan	Speed *	:	30 images per minute						
Default tim	e to enter	energy sav	ve mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10									
5.0.1			Declared according to			1			
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)								
Idle * S		Stand-by	*	* 3.1					
	Operatio	n *	Operating mode	*	6.7				П
		See section P 15							
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74					
		·	Other	(only if not covered b	y ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	SP 400DN	Logo			
Issue date *		26.1.2016		RICO imagine. cha		
Product	environ	mental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic					
		ent (ISO/IEC 28360), other specify: RAL-UZ171				
P10.3	Typical	emission rate (operation phase) is (mg/h):				
	Electron	photographic devices: Ozone < limit of detection Dust < limit of detection Styre	ne 0.034			
		e Imit of detection TVOC 2.8				H
	Ink devi	ices: Dust Styrene Benzene	TVOC			
		ompliance with maximum emission rates in eco labels to be declared in P14.				
P11		mable materials for printing products	'and (and D4.0)		_	
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	,		<u>Ц</u>	
P11.2*	EN 122	-	e requirements o	f 🔀		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		\boxtimes		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 2.313					
		t packaging material type(s): <i>Plastic</i> weight (kg): <i>0.754</i>				
P13.2*		packaging material type(s): weight (kg): plastic primary packaging is free from PVC.		N/	$\overline{}$	
			of maladanama and			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:					
P13.4*		media for user and product documentation (tick box):				
	Electror	nic 🔀, Paper 🔀, Other 🗌				
P13.5		only complete this item if paper documentation used)		_		
		nd product documentation on paper media is chlorine-free:		\boxtimes		
	If Yes, p	please specify:				
	Totally chlorine-free					
	Elemental chlorine-free					
	Processed chlorine-free					
P14	Volunta	ary programs:		-		
P14.1	The pro	duct meets the requirements of the following voluntary program(s):				

Date:

Date:

Date:

Criteria version: 2.0

Criteria version:

Criteria version: RAL UZ171

This product is designed to utilize recycled plastic materials wherever available Declared A-weighted sound pressure level L_{pAm} (dB) in operation position

ENERGY STAR®

Stand-by: 16.5 (dB) Operating Mode; 58(dB)

Additional information (See NOTE B11)

Eco-label: BAM

Eco-label:

P15

Product category: *Printer*Product category: *Printer*

Product category:

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1