

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	icoh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	SP C360SFNw				
Model number *	SP C360SFNw				
Issue date *	11 January 2018				
Intended market *	nded market * 📃 Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	SP C360SFNw	Logo				
Issue da	ite *	11 January 2018					
Produc	t environ	mental attributes - Legal requirements		Requi	remer	nt met	
Item				Yes	s No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)				
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		,1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	nlorinated	$\square$			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μ <b>g/cm²</b> /	′week 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\square$			
P2	Batterie	S					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conform	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address):	gal referen	ce). 🛛 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
	Required information is; given in item P15 or added to this document, available at (add URL):						
P4		nable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\mathbf{X}$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	SP C360SFNw	Logo				
Issue date *		11 January 2018					
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	Nor	n.a.	
P7	Design	mbly requeling					
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.			╞	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>	
P7.4*					<u>-</u>	<u> </u>	
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	allable tools.		<u> </u>	<u> </u>	
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			<u> </u>	<u> </u>	
				$\square$		<u> </u>	
P7.9.		rts are available after end of production for: 7 years				<u> </u>	
P7.10		s available after end of production for: 7 years					
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
F7.11			tvne:				
P7.12	Material type: Material type: Material type:   Insulation materials of external electrical cables are PVC free. Image: Comparison of external electrical cables are PVC free.						
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brou 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants, a	and			
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are I	low			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		$\boxtimes$			
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): CAS #:		$\square$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	s in			
	Alt. 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: <b>FR(40)</b>	$\square$			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been				
			OTE B5)				
P7.20*	lf YES; a a) Of te	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( entage of total plastic by weight) is %.	calculated a	s a			
		weight of recycled material is less than 0.04% g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	Imber *	SP C360S	FNw			Logo			
Issue date * 11 Janua			ry 2018						
	environr	nental attr	ibutes - Market ree	quirements (cont	inued)			irement	t met
Item							Ye	s No	n.a.
P7.21*			ance requirements (c terial content is used i						
17.21	lf YES; a a) Of t	at least one o total plastic	of the two alternatives parts' weight > 25 g,	below shall be answ	,	ated as a perce	entage of		
	or	al plastic by	weight) is %. he biobased plastic ma	aterial is <i>less than (</i>	0.01% a.				
P7.22*	Light sou	urces are fre	e from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp	8	r lamp:	ng		
P8	Batterie	S			· ·	•	-		
P8.1*	Battery of	chemical cor	mposition: <i>Lithium-ioi</i>	n (one cell battery)					
P9			on (See NOTE B8)						
P9.1	For the p	product the f	ollowing power levels	or energy consumpt	ions are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *		energy	
	de for ENE Operational ducts		W	W	W				$\square$
Standby/o ENERGY	off mode fo STAR Ope M) products	erational	W	W	W				
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	1330 kWh/week				
	pical Energ	ду							
Operatin	g mode		W	W	469 BW / 512 Col				
Ready m	ode		W	W	<b>43.6</b> W	-			
Sleep mo	ode		W	W	1.5 W				
			W	W	W				
			W	W	W				Ē
			W	W	W				Ē
External F	Power Supr	oly Efficienc	y Level (International I	International Efficiency Marking Protocol) * :					
Print/Sca				,	,				
	•		30 images per minute						<u> </u>
			e mode: 1 minutes	- to many data to the st			ĸ	a –	
P9.2*			e energy save function	h is provided with the	e product.				
P10	Emissio		Declared according to		E B0)				
P10.1	Mode		ode description	S	tatistical upper limit A-we <sub>WA,c</sub> (B)	eighted sound	power level,		
	Idle	* 5	Stand-by * 3.3						
	Operatio		Operating mode * 6.7						
	Other m	ode	See section P15						
	Measure	ed according		ECMA-74 (only if not covered b	DV ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	SP C360SFNw				Logo			
Issue date *		11 January 201	8						
Product	environ	mental attribute	es - Market requirements (co	ntinued)			Require	ment	me
ltem							Yes	No	n.a
			m printing products (See NOTE						
P10.2*			to ECMA-328 Determination of Cl 50) , other specify: <b>RAL-UZ171</b>		on Rates from E	lectronic	$\boxtimes$		
P10.3			eration phase) is (mg/h):						
	Electrop	photographic devic	ces: Ozone < limit of detection	Dust < limit of	detection Sty	rene 0.027 (C	ol) /		Г
	999 (B	N) Benzene 0.0	12 (Col) / 999 (BW) TVOC 4.4 (Co	ol)/ 2.4 (BW)					
	Ink dev	ces:	Dust	Styrene	Benzene	TVOC			
	Note: c	ompliance with ma	ximum emission rates in eco label	s to be declare	d in P14.				
P11			or printing products						
P11.1*			S) is available for the ink/toner prep S) is available for the ink/toner prep		• • •		· <u> </u>		
P11.2*	Paper o EN 122		onsumer recycled fibers can be u	ised, provided	that it meets t	he requireme	nts of 🔀		
P11.3*	2-sided	(duplex) printing/o	copying is an integrated product fu	nction.			$\square$		
P11.4*	The pro	The product is delivered to end-user with default auto-duplex enabled.							
P13	Packaging and documentation								
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 5.82 Product packaging material type(s): Cardbord & other papers weight (kg): 0.722 Product packaging material type(s): weight (kg):								
P13.2*			ackaging is free from PVC.	9/-			$\square$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: %								
P13.4*		media for user an nic 🔀, Paper 🔀	d product documentation (tick box)	):					
P13.5	(Please User ar	only complete thi	s item if paper documentation used entation on paper media is chlorine						
	Elemen	chlorine-free tal chlorine-free sed chlorine-free							
P14		ary programs:							
P14.1	The pro	duct meets the re-	quirements of the following volunta	ry program(s):					
	-	GY STAR® el: <b>BAM</b>	Criteria version: <b>2.0</b> Criteria version: <b>RALUZ171</b>	Date: Date:		category: category:			
	Eco-lab		Criteria version:	Date:	Product	category:			
P15		nal information (							
			the operator position [LpA:dB(/ ting mode 57.4 (BW)/ 57.3 (Col) (						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1