



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C2000				
Model number *	IM C2000				
Issue date *	7 January 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e *	7 January 2019					
Product	Product environmental attributes - Legal requirements						
Item						met n.a.	
P1	Hazardo		Yes	No			
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$			
P1.2*	Products	s do not contain Asbestos (see legal reference).		$\boxtimes$			
		nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlorid ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxin ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorin /l (PCT) in preparations (see legal reference).	ated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon a chaining at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in the				
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	g/cm²/week				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contricoh-europe.com	act):				
P2	Batterie	S					
P2.1*	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the d Information on proper disposal is provided in user manual. (See legal reference)	lisposal				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium	. (See legal				
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$			
P3	Conform						
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reclaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-ccom	eference).				
P3.2*	The product complies with the Eco design requirements for energy-related products,						
	(see legal reference).  Required information is; given in item P15 or added to this document,  available at (add URL):						
P4		nable materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0, erence and NOTE B1).	01% (see				
P4.2*	If ink/ton	ner is used in the product, it does not contain cadmium max 0,1% by weight (see legal re	eference).	$\boxtimes$			
P4.3*	are Com applicab	Vioner formulation/preparation is classified as hazardous or contains a substance for whamunity workplace exposure limits, the product/packaging is adequately labeled accordingle regulations and a Safety Data Sheet (SDS) in accordance with these requirements is all reference).	ng to				
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, ca ent chromium by weight of these together.					
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	e material(s)				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.						
P6		nt information					

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1\*

Model number \* IM C2000

Model number *	IM C2000	Logo	
Issue date *	7 January 2019		

Product environmental attributes - Market requirements (See General NOTE GN below)							
-		Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
D7.4*	Disassembly, recycling		_				
P7.1*	Parts that have to be treated separately are easily separable		井				
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$					
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
D7 40	Material type: PC+ABS Material type: Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u>					
P7.13	Insulation materials of internal electrical cables are PVC free.	<u>L</u>					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts						
	containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	$\boxtimes$				
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			_			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$					
	Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
D7.40	according ISO 1043-4:		$\boxtimes$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:						
	1. Chemical name: , CAS #: (See NOTE B4)	Ш					
	2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\boxtimes$				
	assigned the following Risk phrases; and Hazard statements:						
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		$\overline{}$				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		Ш				
	If YES; at least one of the two alternatives below shall be answered;						
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is app. 1.16%.</li> </ul>						
	or						
	b) The weight of recycled material is app. 400g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	el number * IM C2000									
Issue date	*	7 January 2019								
Product environmental attributes - Market requirements (continued)  Requirement										
Item										
D= 0.4			ance requirements (c		\\O_== D=\					
P7.21*		•	aterial content is used i		,			1 L		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
			weight) is <i>app. 0.01</i> %		c material content (calcula	ted as a perc	entage of			
	or									
			the biobased plastic ma							
P7.22*			ee from mercury, i.e. le			la asas				
Do			pecify: Number of lamp	os. and maxi	mum mercury content per	іапір.	mg			
<b>P8</b> P8.1*	Battery c		mposition: <i>Manganes</i>	e dioxide lithium						
P9	-		on (See NOTE B8)	о атохнао папат						
P9.1			following power levels	or energy consump	tions are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/S	tandard for	energy		
Liloigy illo	do		100 V AC	115 V AC	230 V AC	modes and to		onorgy	ш	
Sleep mod	e for ENE	RGY	W	W	W					
STAR® Op		Mode								
(OM) produ Standby/of		•	W	W	W					
ENERGY S			**	**	,,,					
Mode (OM)										
TEC value TEC produ		GY STAR	kWh/week	kWh/week	0.24 kWh/week					
(TEC= Typ		Jy .	W	W	Mono: <b>415.9</b> W					
Operating	mode		VV	VV	Colour: <b>465.2</b> W				Ш	
Ready mo	de		W	W	46.2 W					
Sleep mod			W	W	0.55 W				屵	
Sieep mod	<i></i>								<u> </u>	
			W	W	W				_ <u>_</u> _	
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking F	Protocol) *:				$\boxtimes$	
Print/Scan	Speed *	:	20 images per minute						П	
Default tim	e to enter	energy say	re mode: 1 minutes						$\overline{}$	
P9.2* Information about the energy save function is provided with the product.						1 🗆	一一			
P10	Emissio	ns		·						
			Declared according to							
P10.1 Mode Mode descrip		ode description		Statistical upper limit A-weighted sound power lev $L_{WA,c}$ (B)		power level,				
	Idlo		Ctand by		* 2.4					
	Idle		Stand-by Operating Mode		* 3.4 * Mono: 6.0 Colour 6.1				_#	
	Operatio Other mo		Operating Mode		* Mono: <b>6.0</b> Colour <b>6.1</b>					
			n to:  100 7770	ECMA-74						
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		IM C200	00					Logo				
Issue date	te * 7 January 2019											
<b>Product</b>	luct environmental attributes - Market requirements (continued)									equire	ment	met
Item										Yes	No	n.a.
				printing produc								
P10.2*				ECMA-328 Det			nission Rates fr	om Electronic		$\boxtimes$		
D40.0	Equipm	ent (ISO/	(IEC 28360)	, other speci	fy: <b>RAL-UZ 205</b>							_
P10.3	Typical emission rate (operation phase) is (mg/h):											
				es: Dust (mono 0.064) Benzene								
	Ink dev	vices: D	Oust	Styrene	Benzei	ne	TVOC					
	Note: co	ompliance	e with maxin	num emission ra	ites in eco labels	s to be ded	clared in P14.					
P11				printing produc								
P11.1*	A Safet	y Data Sł	neet (SDS) i	s available for th	ne ink/toner prep	paration, e	ven if not legally	y required (see F	P4.3).	$\boxtimes$		
P11.2*	EN 122	181.	5 1	umer recycled		, , ,	ided that it me	ets the requirer	ments of			
P11.3*	2-sided	(duplex)	printing/cop	ying is an integr	ated product fur	nction.				$\boxtimes$		
P11.4*	The pro	oduct is de	elivered to e	nd-user with de	fault auto-duplex	c enabled.				$\boxtimes$		
P13			documenta									
P13.1*	Product	t packagii		type(s): <b>Corrug</b> a type(s): <b>Plastic</b> type(s):		weight (k weight (k a):						
P13.2*	Product plastic primary packaging is free from PVC.											
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:											
P13.4*	Specify media for user and product documentation (tick box):											
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
	Totally	chlorine-f	ree							$\square$		
	Elemental chlorine-free											
	Processed chlorine-free											
P14	Volunta	ary progr	rams:									
P14.1	The pro	duct mee	ets the requi	rements of the f	ollowing volunta	ry progran	n(s):					
	Eco-lab Eco-lab			Criteria versio Criteria versio Criteria versio	n: <b>RA-UZ 205</b>	Date: Date: Date:	Pro	duct category: duct category: duct category:	MFP			
P15				e NOTE B11)	Man II v A JD/A	N=						
	Sound pressure level at the operator position [LpA:dB(A)] Stand-by: 20.3(dB) Operating Mode: Mono: 44.5 (dB), Colour: 45.2(dB)											
	-	-							·	-		

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1