

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	nts given in this declaration.			
Type of product *	MFP			
Commercial name *	IM C2000			
Model number *	IM C2000			
Issue date *	7 January 2019			
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	mber *	IM C2000	Logo			
Issue dat	e *	7 January 2019				
Product	Require	ment	met			
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values.				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polycl /l (PCT) in preparations (see legal reference).	hlorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	rbon atoms in the			
P1.6*	Parts wit (see lega	th direct and prolonged skin contact do not release nickel in concentrations above al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	$\square$		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	mium. (See legal	$\boxtimes$		
P2.3*		s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see le claration of Conformity can be requested at (add link or e-mail address): emo@ric		$\square$		
D2.0*						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,			$\boxtimes$	
		available at (add URL):				
P4		nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1).	ax 0,01% (see	$\boxtimes$		
P4.2*	If ink/ton	her is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal reference).	$\boxtimes$		
P4.3*	are Com applicab	//toner formulation/preparation is classified as hazardous or contains a substance f munity workplace exposure limits, the product/packaging is adequately labeled ac le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5		t packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	-			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(s)	$\square$		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	I in the Montreal			
P6		Int information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	IM C2000	Logo			
Issue date *		7 January 2019				
		mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*					<u> </u>	<u> </u>
	-	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly ava	allable tools.		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product					
		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools		$\square$		<u> </u>
P7.9.		rts are available after end of production for: 7 years				<u> </u>
P7.10		s available after end of production for: 7 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: PC+ABS Material type: Material t				
P7.12	Material type: Material type:   Insulation materials of external electrical cables are PVC free. Image: Comparison of external electrical cables are PVC free.					
P7.13	Insulation materials of internal electrical cables are PVC free.					
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brou 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants, a	and		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all DPCBs > 25 g are low D					
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)     Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:     Marking: <i>FR(40)</i>					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):     TBBPA (additive)   , TBBPA (reactive)     (See NOTE B3), Other; chemical name:   , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	s in		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4: <b>FR(40)</b>	$\square$		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been			
			OTE B5)			
P7.20*	lf YES; a a) Of to	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ( sentage of total plastic by weight) is <i>app. 1.16</i> %.	calculated a	is a		
		weight of recycled material is app. 400g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	IM C2000				Logo			
Issue dat	e *	7 January	2019						
Product	environ	nental attr	ibutes - Market red	quirements (con	tinued)		Requ	uiremer	nt met
Item							Y	'es No	n.a.
D7.04*			ance requirements (c						
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	a) Of	total plastic	of the two alternatives parts' weight > 25 g, weight) is <i>app. 0.01</i> %.	the biobased plastic	wered; c material content (calcul	ated as a perce	entage of		
	b) The	e weight of t	he biobased plastic ma	aterial is <i>app. 3.8</i> g.					
P7.22*			e from mercury, i.e. le becify: Number of lamp		p. mum mercury content pe	er lamp:	ng		
P8	Batterie								
P8.1*	•		mposition: Manganes	e dioxide lithium					
P9		-	on (See NOTE B8)		()				
P9.1		product the f	ollowing power levels			-			
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energ	y 🗌
	de for ENE perational lucts		W	W	W				
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W				
TEC value for ENERGY STAR TEC products			kWh/week	kWh/week	0.685 kWh/week				
(TEC= Ty Operating	pical Energ <b>g mode</b>	gy	W	W	Mono: <b>415.9</b> W Colour: <b>465.2</b> W				
Ready m	ode		W	W	<b>46.2</b> W				
Sleep mo			W	W	0.55 W				$- \exists$
			W	W	W				- 🕂
			W	W	W				_ <u></u>
			W		W				<u> </u>
Euto 12		<b></b>		W					
			y Level (International I	Endency Marking F	1010C0I) *:				$\square$
Print/Scar	n Speed *	: :	20 images per minute						
Default tin	ne to enter	energy sav	e mode: 1 minutes						
P9.2*	Informat	ion about th	e energy save functior	n is provided with th	e product.			$\triangleleft$	
P10	Emissio	ons							
			Declared according to I						
P10.1	Mode	M	ode description		Statistical upper limit A-w L <sub>WA,c</sub> (B)	eighted sound	power level,		
	Idle	* 5	Stand-by * 3.4						
	Operatio	on * (	Operating Mode * Mono: 6.0 Colour 6.1						
	Other m	ode							
	Measure	ed according		ECMA-74 (only if not covered					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	IM C2000			Logo			
Issue date *		7 January 2019	)					
Product	environ	mental attribut	tes - Market requirements (co	ntinued)		Require	ment	me
Item				<b>-</b>		Yes	No	n.a
	Chemi	al emissions fro	om printing products (See NOTE	B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic					$\square$		
	Equipm	ent (ISO/IEC 283	860) , other specify: <b>RAL-UZ205</b>	1				
P10.3			peration phase) is (mg/h):					
	Electrophotographic devices: Dust (mono <0.6 colour < <i>limit of detection</i> ) Ozone (mono <0.2 colour <0.2) Styrene (mono 0.064 colour 0.012) Benzene (mono 0.009 colour <0.007) TVOC (mono 3.4 colour 0.68)							
	Ink dev	ices: Dust	Styrene Benze	ene TVOC				
	Note: c	ompliance with m	aximum emission rates in eco label	Is to be declared in P14.				
P11			for printing products					
P11.1*			0S) is available for the ink/toner pre			$\square$		
P11.2*	EN 122	81.	onsumer recycled fibers can be u		neets the requirements of	of 🔀		
P11.3*	2-sided	(duplex) printing/	copying is an integrated product fu	nction.		$\square$		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.							
P13	Packaging and documentation							
P13.1*	Product packaging material type(s): Corrugated paper   weight (kg): 12.14     Product packaging material type(s): Plastic (LDPE)   weight (kg): 0.385     Product packaging material type(s):   weight (kg):							
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content:   %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Úser ar		is item if paper documentation used entation on paper media is chlorine					
	Totally chlorine-free							
	Elemental chlorine-free					Ë		
	Processed chlorine-free							
P14	Volunt	ary programs:						
P14.1			equirements of the following volunta	ary program(s):				
	•	Y STAR®	Criteria version:	,	roduct category:			
		el: BAM	Criteria version: RALUZ205		roduct category: MFP			
	Eco-lab		Criteria version:		roduct category:			
P15			(See NOTE B11)					
	Stand-	<b>by: 20.3(</b> dB)	t the operator position [L <sub>pA</sub> :dB( : 44.5dB), Colour: 45.2(dB)	A)]				
			: <b>44.5</b> dB), Colour: <b>45.2</b> (dB)					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1