



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C2000A				
Model number *	IM C2000A				
Issue date *	7 January 2019				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	te * 7 January 2019			
Product	environmental attributes - Legal requirements	Requirer	ment	met
Item	- CHAIR CHINOTHAL CHAIR CHOCK - CONTINUE - C	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$	$\overline{\sqcap}$	
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
1 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the state of the stat	the 🛛		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we	ek 🛚		
	(see legal reference).			_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
	emo@ricoh-europe.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		$\overline{}$	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference)	gal 🔀	Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$	$\overline{}$	$\overline{}$
P3	Conformity verification & Eco design (ErP)		<u> Ш</u>	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference)	. 🛛	$\overline{}$	
1 3.1	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-		ш	Ш
P3.2*	europe.com The product complies with the Eco design requirements for energy-related products,		$\overline{}$	
F3.2	(see legal reference).		Ш	
	Required information is; given in item P15 or added to this document,		$\boxtimes$	
		ш		ш
P4	available at (add URL):  Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	· 🖂	$\overline{}$	
' '	legal reference and NOTE B1).	<i>'</i>	Ш	Ш
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	. 🔲	П	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		Ħ	$\overline{}$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	ш
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available	)		
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a hexavalent chromium by weight of these together.	and 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material	ıl(s)	$\overline{\Box}$	
	used (see legal reference).	(3)	ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montr	real 🔀		
	Protocol (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* IM C2000A

Model number *	IM C2000A	Logo	
Issue date *	7 January 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
-	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$						
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$						
P7.9.	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: PC+ABS Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$					
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\square$						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been							
	assigned the following Risk phrases; and Hazard statements:							
P7.20*	The source(s) for these classifications is/are found at (add URL(s)):  Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\square$						
77.20	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.16</i> %.  or  b) The weight of recycled material is <i>app. 400</i> g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * IM C2000A				Logo					
Issue date	sue date * 7 January 2019									
Product 6	Product environmental attributes - Market requirements (continued)								nent	met
Item							Υ	'es	No	n.a.
P7.21*			ance requirements (c		NOTE D7\.		F		$\overline{}$	$\overline{}$
P7.21		•	aterial content is used i	•	,		Į	$\boxtimes$	Ш	Ш
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	total plastic by weight) is <i>app. 0.01</i> %.									
	or									
D= 00t		•	•						_	
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		np. imum mercury content per	lamn:	mg	$\boxtimes$	Ш	Ш
P8	Batteries	<u> </u>	peony. Hamber of lamp	oo. ana max	and merodry content per	iamp.	'''9			
P8.1*		_	mposition: Manganese	e dioxide lithium						
P9	-		ion (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at	Reference/Si	tandard for	en	ergy	
			100 V AC	115 V AC	230 V AC	modes and to	est method *		•	
Sleep mod			W	W	W					$\boxtimes$
STAR® Op (OM) produ		Mode								
Standby/of		r	W	W	W					
ENERGY S										
Mode (OM) TEC value			kWh/week	kWh/week	0.685 kWh/week					$\overline{}$
TEC produ		OT OTAIN	KVVII/WCCK	KVVII/WCCK	0.000 KWII/WCCK					Ш
(TEC= Typ	ical Energ	ıv								
Operating		"	W	W	Mono: 415.9 W					
				Colour: <b>465.2</b> W						
Ready mo	de		W	W	46.2 W					
Sleep mod	de		W	W	0.55 W					$\overline{\Box}$
			W	W	W					一
			W	W	W					∺
			W	W	W					౼
External Do	ower Supr	oly Efficienc	y Level (International I	7.5						
				-molerity ivial Killy	1 1010001)					
Print/Scan			20 images per minute							<u>Ц</u>
		• • •	ve mode: 1 minutes							
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio			100 0000 (O. NO	TE D0)					
P10.1	Mode er		Declared according to I lode description	150 9296 (See NO	Statistical upper limit A-we	inhted sound	nower level			
1 10.1	Wode	IV	lode description		$L_{WA,c}$ (B)	iginieu sounu	power level,			
	Idle	*	Stand-by		* 3.4					
	Operatio		Operating Mode		* Mono: 6.0 Colour 6.1					
	Other mo									
	Measured according to: X ISO 7779 ECMA-74									
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number * IM C2000A							Logo					
Issue date *		7 January 2019	)									
	luct environmental attributes - Market requirements (continued)								equire		met	
Item										Yes	No	n.a.
			om printing produc									
P10.2*			g to ECMA-328 Dete		iemical Ei	mission Rates	s from Ele	ctronic		$\boxtimes$		
D40.0			360) , other specif									_
P10.3	rypicai	emission rate (or	peration phase) is (m	g/n):								
	Electrophotographic devices: Dust (mono <0.6 colour <li>limit of detection) Ozone (mono &lt;0.2 colour &lt;0.2)  Styrene (mono 0.064 colour 0.012) Benzene (mono 0.009 colour &lt;0.007) TVOC (mono 3.4 colour 0.68)</li>											
	Ink devices: Dust Styrene Benzene TVOC											
	Note: co	ompliance with m	aximum emission ra	tes in eco labels	to be de	clared in P14	١.					
P11	Consu	mable materials	for printing produc	ts								
P11.1*	A Safet	y Data Sheet (SD	S) is available for th	e ink/toner prep	aration, e	ven if not leg	ally requir	ed (see l	P4.3).	$\boxtimes$		
P11.2*	Paper of EN 122	0 1	consumer recycled fi	bers can be u	sed, prov	ided that it r	meets the	require	ments of			
P11.3*	2-sided	(duplex) printing	copying is an integra	ated product fun	ction.					$\boxtimes$		
P11.4*	The pro	duct is delivered	to end-user with defa	ault auto-duplex	enabled.							
P13	Packag	jing and docume	entation									
P13.1*	Product		rial type(s): Corruga rial type(s): Plastic ( rial type(s):		weight (k	(g): <b>12.14</b> (g): <b>0.385</b>						
P13.2*	Product plastic primary packaging is free from PVC.											
P13.3*												
P13.4*	Specify media for user and product documentation (tick box):											
P13.5			nis item if paper docu									
		nd product docum please specify:	entation on paper m	edia is chlorine-	-tree:						Ш	
	Totally	chlorine-free								$\boxtimes$		
	Elemental chlorine-free											
	Processed chlorine-free											
P14	Volunta	ary programs:										
P14.1	The pro	duct meets the re	equirements of the fo	llowing voluntar	ry prograr	n(s):						
	ENERG	SY STAR®	Criteria version	1:	Date:	F	Product ca	ategory:				
		el: <i>BAM</i>	Criteria version		Date:		Product ca	0 ,	<b>MFP</b>			
P15	Eco-lab		Criteria version	1:	Date:	F	Product ca	ategory:				
FID			(See NOTE B11)  It the operator posit	tion [LudD//	111							
	Stand-	by: <b>20.3(</b> dB)	t the operator position: 44.5dB), Colour: 45	- `	נער							
	•		,,	• ,								
											_	

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1