



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	t * MFP					
Commercial name *	IM C2500A					
Model number *	IM C2500A					
Issue date *	7 January 2019					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		IM C2500A	Logo				
Issue da	Issue date * 7 January 2019						
Product	Require	ment	met				
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and N	IOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.		1-			
P1.4*	4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms i	n the			
P1.6*							
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):				
	emo@r	ricoh-europe.com					
P2	Batterie	es ·					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	I 🖂			
P2.2*	Batteries reference	legal 🔀					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Batteries and accumulators are readily removable. (See legal reference) Conformity verification & Eco design (ErP)						
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see le claration of Conformity can be requested at (add link or e-mail address): emo@ric	-	e). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	, ,	d information is; given in item P15 or added to this document,			\boxtimes		
		available at (add URL):				_	
P4	Consun	nable materials					
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium materials and NOTE B1).	ax 0,01% (s	ee 🔀			
P4.2*		ner is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referenc	e).			
P4.3*		re 🔀					
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		t packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).					
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified	in the Mo	ntreal 🔀			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Treatment information

P6

P6.1

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	IM C2500A	Logo	
Issue date *	7 January 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\overline{}$
	assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\square		
77.20	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.16</i> %. or b) The weight of recycled material is <i>app. 400</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * IM C2500A				Logo					
Issue date	*	7 January 2019								
Product environmental attributes - Market requirements (continued)									ement	met
Item								Yes	No	n.a.
P7.21*			ance requirements (c		NOTE DZV					
P7.21		•	aterial content is used i	•	,					Ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	total plastic by weight) is <i>app. 0.01</i> %.									
	or		de a la Cale a a a di ada a d'a a a							
D= 00*			the biobased plastic ma							
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		np. kimum mercury content per la	amo.	mg	\boxtimes		
P8	Batteries		peony. Hamber of lamp	oo. ana ma	amam mercury content per it	лпр.	1119			
P8.1*			mposition: Manganes	e dioxide lithium						$\overline{\Box}$
P9	-		on (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard f	or e	nergy	
			100 V AC	115 V AC	230 V AC	modes and t	est method	*	•	
Sleep mod		_	W	W	W					\boxtimes
STAR® Op (OM) produ		Mode								
Standby/of		r	W	W	W					
ENERGY S										
Mode (OM) products TEC value for ENERGY STAR		kWh/week	kWh/week	0.850 kWh/week						
TEC products		KVVII/WEEK	KVVII/WEEK	0.000 KVVII/WEEK					Ш	
(TEC= Typ	ical Enerc	11/								
(TEC= Typical Energy Operating mode		33	W	W	Mono: 451.5 W					
operating mean					Colour: 497.1 W					
Ready mo	de		W	W	46.2 W					
Sleep mod	de		W	W	0.55 W					
			W	W	W					
			W	W	W					Ħ
			W	W	W					$\overline{\Box}$
External Po	ower Supr	oly Efficienc	L by Level (International I	Efficiency Marking	Protocol) *:					
Print/Scan			25 images per minute							
			. .							<u> </u>
	Default time to enter energy save mode: 1 minutes							<u> </u>		
P9.2*							Ш			
P10	Emissio		Doctored according to	ISO 0206 (Soo NO	TE RO					
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) 10.1 Mode Mode description Statistical upper limit A-weighted sound power level,									
			,		L _{WA,c} (B)	,		,		
	Idle	*	Stand-by		* 3.4					
	Operatio		Operating Mode		* Mono: 6.0, Colour 6.1					
	Other mo									
	Measure	d according	g to: 🔀 ISO 7779 🗌	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	IM C2500A					L	.ogo				
Issue date	ue date * 7 January 2019											
	duct environmental attributes - Market requirements (continued)							R	equire		met	
Item										Yes	No	n.a.
D40.0*			m printing products				, FI					
P10.2*			to ECMA-328 Determination to ECMA-328 Determ		emical Er	nission Rate	es from Ele	ctronic			Ш	Ш
P10.3			eration phase) is (mg/									
	Electrophotographic devices: Dust (mono <0.6 colour limit of detection) Ozone (mono <0.2 colour <0.2) Styrene (mono 0.064 colour 0.012) Benzene (mono 0.009 colour <0.007) TVOC (mono 3.4 colour 0.68)											
	Ink devices: Dust Styrene Benzene TVOC											
	Note: co	ompliance with ma	ximum emission rate	s in eco labels	to be de	clared in P14	4.					
P11			or printing products									
P11.1*	A Safet	y Data Sheet (SDS	S) is available for the	ink/toner prep	aration, e	ven if not leg	gally require	ed (see	P4.3).	\boxtimes		
P11.2*	Paper of EN 122		nsumer recycled fib	ers can be us	sed, prov	ided that it	meets the	require	ments of			
P11.3*	2-sided	(duplex) printing/c	opying is an integrate	ed product fun	ction.					\boxtimes		
P11.4*	•		o end-user with defau	ult auto-duplex	enabled.					\boxtimes		
P13	Packaging and documentation											
P13.1*	Product	t packaging materi t packaging materi t packaging materi		e d paper weight (ko weight (ko	g): 0.385	g): 12.14						
P13.2*	Product plastic primary packaging is free from PVC.											
P13.3*		duct primary corru ner recovered fiber	ugated fiberboard pa content: %	ackaging, spec %	cify the c	ontained per	rcentage o	f minim	um post-			
P13.4*	Specify media for user and product documentation (tick box):											
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:											
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free											
P14	Volunta	ary programs:										
P14.1	The pro	duct meets the red	quirements of the follo	owing voluntar	y progran	n(s):						
		SY STAR® eel: <i>BAM</i> eel:	Criteria version: Criteria version: Criteria version:	RALUZ205	Date: Date: Date:	!	Product ca Product ca Product ca	tegory:	MFP			
P15		nal information (
	Stand-	by: 20.3(dB)	the operator position 44.5dB), Colour: 45.2		A)]							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1