



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C3000				
Model number *	IM C3000				
Issue date *	7 January 2019				
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Product environ	mental attributes - Legal requirements		Requirement met
Issue date *	7 January 2019		
Model number *	IM C3000	Logo	

Product	duct environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🛚					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): emo@ricoh-europe.com						
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required information is; given in item P15 or added to this document, available at (add URL):						
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).						
P4.3*							
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	′ 🔼					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀					
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C3000	Logo	
Issue date *	7 January 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\square$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\overline{}$
	assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)):  Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\square$		
77.20	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.13</i> %.  or  b) The weight of recycled material is <i>app. 400</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	number * IM C3000 L					Logo			
Issue date	*	7 January	January 2019						
Product environmental attributes - Market requirements (continued) Require									
Item									n.a.
D= 0.4			ance requirements (c		110TE DE'				
P7.21*		•	aterial content is used i	•	,				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is app. 0.01%.</li> </ul>								
	or								
			the biobased plastic ma						
P7.22*			ee from mercury, i.e. le		•	lomn:			
Do	Batteries		pecify: Number of lamp	os. and maxi	mum mercury content per	іапр.	mg		
<b>P8</b> P8.1*			mposition: <i>Manganes</i>	e dioxide lithium					
P9	-		on (See NOTE B8)						
P9.1			following power levels	or energy consump	tions are reported:				
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard for	energy	/ $\square$
3,			100 V AC	115 V AC	<b>230</b> V AC	modes and to			<b>′</b>
Sleep mod			W	W	W				$\boxtimes$
STAR® Op		Mode							
(OM) produ Standby/of		•	W	W	W				
ENERGY S	STAR Ope	erational							
Mode (OM)			1300-61-	LAMIL L	0.04130////				
TEC value		GYSTAR	kWh/week	kWh/week	0.34 kWh/week				Ш
		<b>41.7</b>							
(TEC= Typ		<u>Jy</u>	W	W	Mono: 503.3 W				
				Colour: <b>559.7</b> W				ш	
Ready mo	de		W	W	47.6 W				
Sleep mod	de		W	W	0.55 W				$\overline{\Box}$
			W	W	W				$\overline{\Box}$
			W	W	W				$\overline{H}$
			W	W	W				$\dashv$
External Da	ower Supr	dy Efficienc	vv cy Level (International I						
			· ,	Efficiency Marking F					
Print/Scan	Speed *	:	30 images per minute						
Default tim	e to enter	energy sav	ve mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissio			100 0000 (0 110					
D10.1			Declared according to lode description		E B9) Statistical upper limit A-we	iabtod sound	nower level		
P10.1 Mode Mo		lode description		L <sub>WA,c</sub> (B)	eignieu souna	power level,			
	Idle * Stand-by * 3.4								
	Operatio		Operating Mode	1	Mono: 6.1 Colour 6.2				$\overline{H}$
	Other mo		- Parading mode						
			g to: X ISO 7779	ECMA-74					
				(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		IM C3000					Logo				
Issue date	tte * 7 January 2019										
	environ	mental attribute	es - Market requ	irements (cor	tinued)			Re	quire	ment	met
Item									Yes	No	n.a.
			m printing produc			<del></del>					
P10.2*			to ECMA-328 Dete		emical Er	mission Rates f	rom Electronic		$\boxtimes$		
D40.0			60) , other specif								_
P10.3	Typical	emission rate (ope	eration phase) is (m	ig/h):							
	Electrophotographic devices: Dust (mono <i>not available</i> colour <0.18) Ozone (mono <0.2 colour <0.2)  Styrene (mono 0.005 colour 0.02) Benzene (mono 0.014 colour 0.018) TVOC (mono 1.2 colour 2.2)										
	Ink devices: Dust Styrene Benzene TVOC										
	Note: co	ompliance with ma	ximum emission ra	tes in eco labels	to be de	clared in P14.					
P11			or printing produc								
P11.1*	A Safet	y Data Sheet (SDS	S) is available for th	e ink/toner prep	aration, e	ven if not legall	y required (see F	P4.3).	$\boxtimes$		
P11.2*	Paper of EN 122	0 1	nsumer recycled f	ibers can be us	sed, prov	ided that it me	eets the requirer	ments of			
P11.3*	2-sided	(duplex) printing/o	copying is an integra	ated product fun	ction.				$\boxtimes$		
P11.4*	The pro	duct is delivered to	o end-user with def	ault auto-duplex	enabled.				$\boxtimes$		
P13	Packag	jing and documer	ntation								
P13.1*	Product		al type(s): Corruga al type(s): Plastic ( al type(s):		weight (k	(g): <b>12.14</b> (g): <b>0.385</b>					
P13.2*			ackaging is free fror	0 1	.,				$\boxtimes$		
P13.3*		duct primary correct recovered fiber	ugated fiberboard content:	packaging, spec %	cify the c	ontained perce	entage of minimu	um post-			
P13.4*	Specify media for user and product documentation (tick box):										
P13.5			s item if paper docu								
		nd product docume please specify:	entation on paper m	edia is chlorine-	free:					Ш	
	Totally	chlorine-free							$\square$		
	Elemen	tal chlorine-free									
	Processed chlorine-free										
P14	Volunta	ary programs:									
P14.1	The pro	duct meets the red	quirements of the fo	ollowing voluntar	y prograr	n(s):					
	ENERG	SY STAR®	Criteria versior	n: <b>3.0</b>	Date:	Pro	oduct category:				
	Eco-lab	el: <b>BAM</b>	Criteria versior	n: <b>RAL-UZ 205</b>	Date:		oduct category: /	MFP			
	Eco-lab		Criteria versior	n:	Date:	Pro	oduct category:				
P15		nal information (		tion [] m A - dD (A)	\1						
	Stand-	by: <b>20.3</b> (dB)	the operator posi 45.4(dB), Colour: 4		)]						
	C por ac		,,	(~-/							

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1