



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	e of product * MFP					
Commercial name *	IM C3500					
Model number *	IM C3500					
Issue date *	7 January 2019					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	IM C3500	Logo	
Issue date *	7 January 2019		
Product environ		Requirement met	
L.			V N

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
F1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes		
5	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🛛		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
1 1.0	(see legal reference).	. 🔼	Ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	×		
	emo@ricoh-europe.com			_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
D0.04	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\square		
	(see legal reference).		ш	ш
	Required information is; given in item P15 or added to this document,		\boxtimes	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see			
D4 Ot	legal reference and NOTE B1).		_	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	<u> </u>	<u>Ц</u>	_Ц_
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes	Ш	
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).		_	_
P6	Comment: Legal reference has no maximum concentration values. Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
. 0	montation to responsibilities assistant translation to available (see legal telefolios).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C3500	Logo	
Issue date *	7 January 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
D7 10	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		X	
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): Postconsumer recycled plastic material content is used in the product (See NOTE B6):	<u> </u>		
P7.20*	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.13</i> %. or b) The weight of recycled material is <i>app. 400</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	Imber * IM C3500					Logo				
Issue date	*	7 January	anuary 2019							
Product 6	Product environmental attributes - Market requirements (continued) Requirement me									
Item									n.a.	
D7 04*			ance requirements (c		NOTE DZ			7 _		
P7.21*		•	aterial content is used i		,					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of									
	total plastic by weight) is <i>app. 0.01</i> %.									
	or									
D7 00*	b) The weight of the biobased plastic material is <i>app. 3.8</i> g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
P7.22*			ee from mercury, i.e. io pecify: Number of lam		p. mum mercury content per	lamp:	mg [2			
P8	Batteries		p = 0, 1. 1		a por		··· ·			
P8.1*			mposition: Manganes	e dioxide lithium					П	
P9	Energy	consumpti	on (See NOTE B8)							
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S		energy	/	
			100 V AC	115 V AC	230 V AC	modes and to	est method *			
Sleep mod STAR® Op		_	W	W	W				\boxtimes	
(OM) produ		WOUC								
Standby/of			W	W	W				\boxtimes	
ENERGY S Mode (OM)										
TEC value			kWh/week	kWh/week	0.39 kWh/week					
TEC produ	cts								_	
(TEC= Typical Energy										
Operating	mode		W	W	Mono: 532.9 W					
					Colour: 598.6 W					
Ready mode			W	W	47.6 W					
Sleep mod	de		W	W	0.55 W					
			W	W	W					
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficienc	y Level (International I	Efficiency Marking F	Protocol) *:					
Print/Scan	Speed *	•	35 images per minute		·					
Default time to enter energy save mode: 1 minutes P9.2* Information about the energy save function is provided with the product.						7 -	- 			
P10	Emissio		energy save function	Tris provided with th	e product.				<u> </u>	
FIU			Declared according to	ISO 9296 (See NO	ΓΕ B9)					
P10.1										
					L _{WA,c} (B)					
	Idle	*	Stand-by	3	* 3.4					
	Operatio		Operating Mode	1	* Mono: 6.2 Colour 6.3				\overline{H}	
	Other mo		- F 2. 44.1.9 11.040	+	30.00.					
			g to: X ISO 7779	ECMA-74						
			_	(only if not covered	by ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	del number * IM C3500 Logo										
Issue date	te * 7 January 2019										
	uct environmental attributes - Market requirements (continued) Requirem								ment	met	
Item									Yes	No	n.a.
		cal emissions from									
P10.2*		rformed according to			emical Er	nission Rates fro	m Electronic		\boxtimes		
D40.0		ent (ISO/IEC 28360									_
P10.3	Typical	emission rate (oper	ation phase) is (m	g/n):							
	Electrophotographic devices: Dust (mono <i>not available</i> colour <0.18) Ozone (mono <0.2 colour <0.2) Styrene (mono 0.005 colour 0.02) Benzene (mono 0.014 colour 0.018) TVOC (mono 1.2 colour 2.2)										
	Ink devices: Dust Styrene Benzene TVOC										
	Note: co	ompliance with maxi	mum emission ra	tes in eco labels	to be ded	clared in P14.					
P11		mable materials for									
P11.1*	A Safet	y Data Sheet (SDS)	is available for th	e ink/toner prep	aration, e	ven if not legally	required (see F	P4.3).	\boxtimes		
P11.2*	EN 122		,			ided that it mee	ts the requiren	nents of			
P11.3*	2-sided	(duplex) printing/co	pying is an integra	ated product fun	ction.				\boxtimes		
P11.4*	The pro	duct is delivered to	end-user with defa	ault auto-duplex	enabled.				\boxtimes		
P13	Packag	ing and document	ation								
P13.1*	Product	packaging material packaging material packaging material	type(s): Plastic (weight (k weight (k ı):	O,					
P13.2*		plastic primary pac	, , , ,	n PVC.	,,				X		
P13.3*											
P13.4*	Specify media for user and product documentation (tick box):										
P13.5		only complete this									
		nd product documen olease specify:	tation on paper m	edia is chlorine-	free:					Ш	
	Totally	chlorine-free							\boxtimes		
	Elemen	tal chlorine-free							Ħ		
	Processed chlorine-free										
P14	Volunta	ary programs:									
P14.1	The pro	duct meets the requ	irements of the fo	llowing voluntar	y progran	n(s):					
	ENERG	SY STAR®	Criteria version	: 3.0	Date:	Prod	uct category:				
		el: <i>BAM</i>	Criteria version		Date:		uct category: //	<i>IFP</i>			
D45	Eco-label: Criteria version: Date: Product category:										
P15		nal information (Sepressure level at the		tion [LnA:dB/A	\1						
	Stand-	by: 20.3(dB) ing Mode: Mono: 4			<u>, 1</u>						
	Spo. ac	gout mont. 4	(ab), colour. 4	(32)							

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1