



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C5500				
Model number *	IM C5500				
Issue date *	7 January 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		7 January 2019							
Dradust	Product environmental attributes - Legal requirements				Requirement met				
Item	environ	mental attributes - Legal requirements		Yes	No				
P1	Hazarda	res	INO	n.a.					
P1.1*		ous substances and preparations odo comply with the current European RoHS Directive. (See legal reference and NO	OTE B1)		$\overline{}$				
P1.2*		<u>```</u>	312 01)		╫				
P1.2		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			Ш				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$				
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.									
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated		П				
		(PCT) in preparations (see legal reference).		_					
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🛚					
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🛚					
		al reference).							
		nt: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):						
		icoh-europe.com							
P2	Batterie			\square					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)								
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)								
P2.3*	Batteries and accumulators are readily removable. (See legal reference)								
P3	Conforn								
P3.1*		fluct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).		$\overline{}$	\Box			
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-								
	europe								
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).							
	-	d information is; given in item P15 or added to this document,							
		available at (add URL):							
P4		nable materials							
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	x 0,01% (see						
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	al reference).						
P4.3*									
	, ,	al reference).							
P5		packaging 0 040% lead and a second se							
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			Ш				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).		eal 🔀						
	Comment: Legal reference has no maximum concentration values.								
P6		nt information							
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes					

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * IM C5500

Model number *	IM C5500	Logo	
Issue date *	7 January 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requireme						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been						
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.15</i> %. or b) The weight of recycled material is <i>app. 400</i> g.		_	_			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	mber * IM C5500					Logo				
Issue date	*	7 January	nuary 2019							
Product e	Product environmental attributes - Market requirements (continued) Requiremen									
Item									n.a.	
D7.04*			ance requirements (c		NOTE DE					
P7.21*		•	aterial content is used i		,					
	If YES; at least one of the two alternatives below shall be answered;									
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is app. 0.01%. 									
	or									
			the biobased plastic ma				_			
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content per	lomn:				
P8	Batteries		pecity. Nutriber of lamp	ps. and maxi	mum mercury content per	iairip.	mg			
P8.1*			mposition: Manganes	e dioxide lithium						
P9	-		on (See NOTE B8)							
P9.1			following power levels	or energy consump	tions are reported:					
Energy mo	de *		Power level at	Power level at	Power level at	Reference/S	tandard for	energy	/	
3,			100 V AC	115 V AC	230 V AC	modes and to			′	
Sleep mod		_	W	W	W					
STAR® Op		Mode							_	
(OM) produ Standby/of		•	W	W	W					
ENERGY S	STAR Ope	erational								
Mode (OM)			1300-61-	130/1-11-	0.5011111111111111111111111111111111111					
TEC value TEC produ		GYSTAR	kWh/week	kWh/week	2.52 kWh/week					
		41.7								
(TEC= Typ		Ју	W	W	Mono: 644.6 W			-		
operating mean				•••	Colour: 729.9 W				ш	
Ready mode			W	W	59 W					
Sleep mod	de		W	W	0.62 W				$\overline{\Box}$	
			W	W	W				$\overline{}$	
			W	W	W				\overline{H}	
			W	W	W				\dashv	
External Da	ower Supr	dy Efficienc	vv cy Level (International I							
			· ,	Liliciency Marking P	Totocoi) .					
Print/Scan	Speed *	:	55 images per minute							
Default tim	Default time to enter energy save mode: 1 minutes									
P9.2*	9.2* Information about the energy save function is provided with the product.									
P10	Emissio			100 0000 (0 110						
D10.1	Noise er Mode		Declared according to lode description		E B9) Statistical upper limit A-we	iabtod sound	nower level			
P10.1	iviode	IVI	oue description		Statistical upper limit A-we L _{wa,c} (B)	agnieu Sound	power lever,			
	Idle	*	Stand-by	3	* 3.4					
	Operatio		Operating Mode	1	Mono: 6.4 Colour 6.5				\overline{H}	
	Other mo		- Parading mode							
			g to: X ISO 7779	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * IM C5500			Logo									
Issue date	*	* 7 January 2019										
Product of										equire	ment	met
Item	Chemical emissions from printing products (See NOTE B10)									Yes	No	n.a.
D40.0*							' D-t for F	-1				_
P10.2*			_			emicai Emiss	ion Rates from E	ectronic		\boxtimes	Ш	Ш
P10.3					fy: RAL-UZ205							
1 10.5	Typical emission rate (operation phase) is (mg/h):											
	Electrophotographic devices: Dust (mono <0.28 colour < limit of detection) Ozone (mono <0.3 colour 0.16) Styrene (mono 0.26 colour 0.13) Benzene (mono 0.02 colour < 0.02) TVOC (mono 9.8 colour 3.34)											
	Ink devices: Dust Styrene Benzene TVOC											
					ites in eco labels	to be declare	ed in P14.					
P11		mable materia	•				27		24.0\			
P11.1*		`	· '				if not legally req	,		<u> </u>		Щ.
P11.2*	EN 122	81.				• •	that it meets t	he requirer	ments of			
P11.3*		, .	•		ated product fun					\boxtimes		
P11.4*	The pro	duct is delivere	ed to end	l-user with def	ault auto-duplex	enabled.				\boxtimes		
P13		jing and docu										
P13.1*	P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg):											
P13.2*	Product plastic primary packaging is free from PVC.											
P13.3*												
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other .											
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free											
P14		ary programs:				()						
P14.1					ollowing voluntar	y program(s):						
		SY STAR®		Criteria versior		Date:		category:	450			
	Eco-lab	oel: BAM oel:		Criteria versior Criteria versior	n: RALUZ205 n:	Date: Date:		category: //	VIFP			
P15		nal information			1.	Duto.	1100001	outogory.				
	Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB) Operating Mode: Mono: 47.2dB), Colour: 47.9(dB)											
L												

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1