

THE ECO DECLARATION



Ecma/TC38-TG3/2015/025
(Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| | | |
|---|---|------|
| Brand * | <i>Ricoh</i> | Logo |
| Company name * | <i>Ricoh Company Ltd.</i> | |
| Contact information * e-mail address | <i>RICOH Europe SCM B.V., Blankenweg 24 4612 RC Bergen op Zoom, Netherlands</i> | |
| Internet site * | <i>www.ricoh.com</i> | |
| Additional information | | |

| | |
|--|--|
| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | |
| Type of product * | <i>MFP</i> |
| Commercial name * | <i>IM C6000</i> |
| Model number * | <i>IM C6000</i> |
| Issue date * | <i>7 January 2019</i> |
| Intended market * | <input type="checkbox"/> Global <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other |
| Additional information | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| |
|--|
| <p>About Annex B1</p> <p>Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:</p> <p>P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.</p> |
|--|

| | | |
|-----------------------|-----------------------|-------------|
| Model number * | <i>IM C6000</i> | Logo |
| Issue date * | <i>7 January 2019</i> | |

| Product environmental attributes - Legal requirements | | Requirement met | | |
|--|--|-------------------------------------|-------------------------------------|--------------------------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P1.4* | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P1.5* | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P1.6* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P1.7* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): emo@ricoh-europe.com | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P3 | Conformity verification & Eco design (ErP) | | | |
| P3.1* | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P3.2* | The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; <input type="checkbox"/> given in item P15 or added to this document, <input type="checkbox"/> available at (add URL): | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P4 | Consumable materials | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P5.2* | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P6 | Treatment information | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| | | |
|----------------|----------------|------|
| Model number * | IM C6000 | Logo |
| Issue date * | 7 January 2019 | |

| Product environmental attributes - Market requirements (See General NOTE GN below) | | Requirement met | | |
|--|---|-------------------------------------|-------------------------------------|--------------------------|
| - Environmental conscious design | | Yes | No | n.a. |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | | | |
| P7 | Design | | | |
| | Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.2* | Plastic materials in covers/housing have no surface coating. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.8* | Upgrading can be done using commonly available tools | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.9. | Spare parts are available after end of production for: 7 years | | | <input type="checkbox"/> |
| P7.10 | Service is available after end of production for: 7 years | | | <input type="checkbox"/> |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type: | | | |
| P7.12 | Insulation materials of external electrical cables are PVC free. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all <input type="checkbox"/> PCBs > 25 g <input type="checkbox"/> are low halogen as defined in IEC 61249-2-21. (See NOTE B2) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> (See NOTE B3), Other; chemical name: , CAS #: , Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is app. 1.29% . or b) The weight of recycled material is app. 451 g . | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| | | |
|----------------|----------------|------|
| Model number * | IM C6000 | Logo |
| Issue date * | 7 January 2019 | |

Product environmental attributes - Market requirements (continued) **Requirement met**

| Item | Yes | No | n.a. | | |
|--|-------------------------------------|--------------------------|--|--|---|
| Material and substance requirements (continued) | | | | | |
| P7.21* | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is app. 0.01% . or b) The weight of the biobased plastic material is app. 3.8g . | | | | | |
| P7.22* | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg | | | | | |
| P8 Batteries | | | | | |
| P8.1* | | | <input type="checkbox"/> | | |
| Battery chemical composition: Manganese dioxide lithium | | | | | |
| P9 Energy consumption (See NOTE B8) | | | | | |
| P9.1 For the product the following power levels or energy consumptions are reported: | | | | | |
| Energy mode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | <input type="checkbox"/> |
| Sleep mode for ENERGY STAR® Operational Mode (OM) products | W | W | W | | <input checked="" type="checkbox"/> |
| Standby/off mode for ENERGY STAR Operational Mode (OM) products | W | W | W | | <input checked="" type="checkbox"/> |
| TEC value for ENERGY STAR TEC products (TEC= Typical Energy) | kWh/week | kWh/week | 0.76 kWh/week | | <input type="checkbox"/> |
| Operating mode | W | W | Mono: 837.8 W Colour: 957.0 W | | <input type="checkbox"/> |
| Ready mode | W | W | 59 W | | <input type="checkbox"/> |
| Sleep mode | W | W | 0.62 W | | <input type="checkbox"/> |
| | W | W | W | | <input type="checkbox"/> |
| | W | W | W | | <input type="checkbox"/> |
| | W | W | W | | <input type="checkbox"/> |
| External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : | | | | | <input checked="" type="checkbox"/> |
| Print/Scan Speed * : 60 images per minute | | | | | <input type="checkbox"/> |
| Default time to enter energy save mode: 1 minutes | | | | | <input type="checkbox"/> |
| P9.2* | | | | Information about the energy save function is provided with the product. | <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| P10 Emissions | | | | | |
| Noise emission – Declared according to ISO 9296 (See NOTE B9) | | | | | |
| P10.1 | Mode | Mode description | Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B) | | |
| | Idle | * Stand-by | * 3.4 | | |
| | Operation | * Operating Mode | * Mono: 6.6 Colour 6.7 | | |
| | Other mode | | | | |
| Measured according to: <input checked="" type="checkbox"/> ISO 7779 <input type="checkbox"/> ECMA-74 <input type="checkbox"/> Other (only if not covered by ECMA-74) | | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>

NOTE B9 A Guidance document on Acoustic Noise is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>

| | | |
|----------------|----------------|------|
| Model number * | IM C6000 | Logo |
| Issue date * | 7 January 2019 | |

| Product environmental attributes - Market requirements (continued) | | Requirement met | | |
|--|--|-------------------------------------|--------------------------|--|
| Item | | Yes | No | n.a. |
| Chemical emissions from printing products (See NOTE B10) | | | | |
| P10.2* | Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) <input type="checkbox"/> , other specify: RAL-UZ 205 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P10.3 | Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust (mono not available colour <0.6) Ozone (mono <0.2 colour <0.2) Styrene (mono 0.003 colour 0.003) Benzene (mono 0.013 colour 0.015) TVOC (mono 1.0 colour 5.0) Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. | | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| P11 Consumable materials for printing products | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P11.4* | The product is delivered to end-user with default auto-duplex enabled. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P13 Packaging and documentation | | | | |
| P13.1* | Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg): | | | |
| P13.2* | Product plastic primary packaging is free from PVC. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| P13.3* | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % | | | <input checked="" type="checkbox"/> |
| P13.4* | Specify media for user and product documentation (tick box): Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/> | | | <input type="checkbox"/> |
| P13.5 | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| P14 Voluntary programs: | | | | |
| P14.1 | The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 3.0 Date: Product category: Eco-label: BAM Criteria version: RAL-UZ 205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: | | | |
| P15 Additional information (See NOTE B11) | | | | |
| Sound pressure level at the operator position [LpA:dB(A)] Stand-by: 20.1(dB) Operating Mode: Mono: 50.0(dB), Colour: 50.8(dB) | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII) | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |