



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
e-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C6000				
Model number *	IM C6000				
Issue date *	7 January 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		7 January 2019				
Product environmental attributes - Legal requirements		mental attributes - Legal requirements		Require	ment	met
Item					No	n.a.
P1	Hazardo					
P1.1*	Products	OTE B1)				
P1.2*	Products		X	T		
	Comme	nt: Legal reference has no maximum concentration value.		_		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no matricon values.	naximum			
P1.4*		Jorinated				
F 1.4		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lioiliated		Ш	
P1.5*						
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0) 5 µg/cm²/we	ek 🛛		
	(see leg	al reference).	,,ο μg/οιπ / π ο	on Z	ш	ш
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
		icoh-europe.com				
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference)		П	
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-					
	europe					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	-	d information is; given in item P15 or added to this document,			\boxtimes	
		available at (add URL):				
P4		nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (see			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference).	. 🛛		
P4.3*		toner formulation/preparation is classified as hazardous or contains a substance for				
		munity workplace exposure limits, the product/packaging is adequately labeled acc				
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	its is available	9		
P5		al reference). packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	v cadmium s	and 🔽		
	hexavale	ent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the materia used (see legal reference).					
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montr	eal 🔀		
	Protocol	(see legal reference).			_	
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * IM C6000

Model number *	IM C6000	Logo	
Issue date *	7 January 2019		

Product	environmental attributes - Market requirements (See General NOTE GN below)							
- F	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
D7.4*	Disassembly, recycling		_					
P7.1*	Parts that have to be treated separately are easily separable		Щ					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9.	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: <i>PC+ABS</i> Material type: Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes					
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\square					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in							
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes						
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 1.29</i>%. or b) The weight of recycled material is <i>app. 451</i> g. 							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	del number * IM C6000					Logo			
Issue date	*	7 January 2019							
Product environmental attributes - Market requirements (continued) Requirement									t met
Item	tem							es No	n.a.
D7.04*			ance requirements (c		NOTE DZ				_
P7.21*		•	aterial content is used i	. ,	•				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic by weight) is <i>app. 0.01</i> %.								
	or								
D7 00*			the biobased plastic ma						
P7.22*			ee from mercury, i.e. le pecify: Number of lam		p. mum mercury content per	lamp:	mg		Ш
P8	Batteries		p = = = = = = = = = = = = = = = = = = =	301 and maxin		15	9		
P8.1*			mposition: Manganes	e dioxide lithium					П
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S		energy	
Sleep mod	o for ENE	PCV	W	W	W	modes and t	CSt metriod		
STAR® Op			VV	VV	VV				
(OM) produ			10/	10/	10/				
Standby/of ENERGY S			W	W	W				\boxtimes
Mode (OM)) products	i							
TEC value TEC produ		GY STAR	kWh/week	kWh/week	2.723 kWh/week				
·									
(TEC= Typ		ЈУ	W	W	Mono: 837.8 W				
operating mode		,,,	**	Colour: 957.0 W				Ш	
Ready mo	de		W	W	59 W				
Sleep mod	de		W	W	0.62 W				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	ower Supp	oly Efficienc	l cy Level (International I	Efficiency Marking F	Protocol) *:				
Print/Scan			60 images per minute	, ,	,				
	Default time to enter energy save mode: 1 minutes								
P9.2* Information about the energy save function is provided with the product.									
P10	Emissio								
5			Declared according to				 		
P10.1	Mode Mode description Statistical upper limit A-weighted s $L_{WA,c}$ (B)		eighted sound	power level,					
	Idle * Stand-by * 3.4								
	Operatio	n *	Operating Mode	*	Mono: 6.6 Colour 6.7				
Other mode									
	Measure	d according		ECMA-74					
			Other	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product environmental attributes - Market requirements (continued) Requirement met	Model number * IM C6000						L	ogo							
Item	Issue date *		7 January 201	9											
Item															
Chemical emissions from printing products (See NOTE B10) P10.2" Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/ICC 28360) other specify: RAL-UZ205 Date: Product plastic primary programs		environ	mental attribu	tes - Market requi	irements (cor	ntinued)				R					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust (mono <0.6 colour detection) Ozone (mono <0.2 colour <0.2) Styrene (mono 0.003 colour 0.003 Benzene (mono 0.015 colour 0.013 TVOC (mono 5.0 colour 1.0) Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11	Item														
Equipment (ISO/IEC 28360) on ther specify: RAL-U2205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust (mono <0.6 colour styrene (mono 0.003 colour 0.003) Benzene (mono 0.015 colour 0.013) TVOC (mono 5.0 colour 1.0) Ink devices: Dust	D40.0*							, FI				_	_		
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Dust (mono <0.6 colour Asian Colour <0.03 colour <0.03 Benzene (mono 0.015) (Dotor 0.013) TVOC (mono 5.0 colour <0.02) Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. 	P10.2*			· _		iemicai Er	nission Rates	s from Elec	tronic		\boxtimes				
Electrophotographic devices: Dust (mono <0.6 colour <1/td> colour <0.21 colour <0.22 colour <0.23 styrene (mono 0.003 colour 0.003) Benzene (mono 0.015 colour 0.013) TVOC (mono 5.0 colour 1.0) lnk devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11. Consumable materials for printing products A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	D40.0														
Styrene (mono 0.003 colour 0.003) Benzene (mono 0.015 colour 0.013) TVOC (mono 5.0 colour 1.0) Ink devices: Dust	P10.3	rypical emission rate (operation phase) is (mg/n):													
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11															
P11.1° A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2° Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of SN 12281. P11.3° 2-sided (duplex) printing/copying is an integrated product function. P11.4° The product is delivered to end-user with default auto-duplex enabled. P13.1° Packaging and documentation P13.1° Product packaging material type(s): Corrugated paper Weight (kg): 11.19 Weight (kg): 0.385 Product packaging material type(s): Plastic (LDPE) Weight (kg): 0.385 Product packaging material type(s): Weight (kg): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 Product packaging and product documentation (tick box): Secify media for user and product documentation (tick box): Secify media for user and product documentation (tick box): Secify media for user and product documentation used) User and product documentation on paper media is chlorine-free: Secience Secify: Totally chlorine-free Secience Processed chlorine-free P14.1 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): Product category: MFP Eco-label: BAM Criteria version: Date: Product category: MFP Product category: MFP Product category: MFP Product category: MFP Product category: Product category: Product category: MFP Product category: Pro		Ink devices: Dust Styrene Benzene TVOC													
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product plastic primary packaging is free from PVC. P13.3* For product plastic primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): Electronic Paper Outer paper Policy (and the paper Policy Paper Policy (and the paper Policy Paper Paper Policy Paper Policy Paper Pap		Note: co	ompliance with m	aximum emission ra	tes in eco labels	to be ded	clared in P14.								
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 P13.4* Specify and packaging type (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 P	P11	Consu	mable materials	for printing produc	ts										
EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): 0.385 Product packaging weight (kg): 0.3	P11.1*	A Safet	y Data Sheet (SI	OS) is available for th	e ink/toner prep	aration, e	ven if not lega	ally require	d (see l	P4.3).	\boxtimes				
P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product packaging is free from PVC. P13.2* Product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic Paper One of the content of the contained percentage of minimum post-consumer recovered fiber content: % P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product category: MFP Eco-label: BAM Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: Product	P11.2*		0 1	consumer recycled fi	ibers can be u	sed, provi	ided that it n	neets the	requirer	ments of	\boxtimes				
P13.1* Packaging and documentation P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 weight (kg): 0.385 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product plastic primary packaging is free from PVC. P13.2* Product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Department of the paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: MFP Eco-label: BAM Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Sound pressure level at the operator position [LpA:dB(A)] Stand-by: 20.1(dB)	P11.3*	2-sided	(duplex) printing	copying is an integra	ated product fun	ction.					\boxtimes				
P13.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 weight (kg): 0.385 Product packaging material type(s): Weight (kg): weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 Product packaging material type(s): Weight (kg): 0.385 Product plastic primary packaging is free from PVC. P13.2* Product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic Now paper No. Other No. Ot	P11.4*	The pro	duct is delivered	to end-user with defa	ault auto-duplex	enabled.									
Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385 Product packaging material type(s): weight (kg): 0.385 Product principle or product documentation packaging, specify the contained percentage of minimum post-consumer recovered fiber ontoners. P13.4* Specify media for user and product documentation (tick box): Electronic \(\), Paper \(\), Other \(\) P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Product category: Energy STAR® Criteria version: Date: Product category: MFP Eco-label: BAM Criteria version: Pate: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco	P13	Packag	ing and docum	entation											
P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: **Recipional for user and product documentation (tick box): Electronic **Recipional for user and product documentation (tick box): Electronic **Recipional for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: ENERGY STAR® Criteria version: ENERGY STAR® Criteria version: Eco-label: BAM Criteria version: Eco-label: BAM Criteria version: Date: Product category: MFP Eco-label: Geolabel: Product category: MFP Sound pressure level at the operator position [L _{PA} :dB(A)] Stand-by: 20.1(dB)	P13.1*	3.1* Product packaging material type(s): Corrugated paper weight (kg): 11.19 Product packaging material type(s): Plastic (LDPE) weight (kg): 0.385													
consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: MFP Eco-label: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Sound pressure level at the operator position [L _{pA} :dB(A)] Sound pressure level at the operator position [L _{pA} :dB(A)]	P13.2*														
Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)	P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-													
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Product category: MFP Eco-label: Product category: MFP Eco-label: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Date: Product category: MFP Eco-label: Date: Product category: Product category: Date: Product category: Date: Product category: Product category: Date: Product category: Product category:	P13.4*														
If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Date: Prod	P13.5														
Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: MFP Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)				entation on paper m	edia is chlorine-	-free:					\boxtimes	Ш			
Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: MFP Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)		Totally	chlorine-free								\boxtimes				
P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Eco-label: Product category: MFP Eco-label: Date: Product category: P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)		•							Ħ						
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{PA} :dB(A)] Stand-by: 20.1(dB)		Processed chlorine-free													
ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{PA} :dB(A)] Stand-by: 20.1(dB)	P14	Volunta	ary programs:												
Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP Eco-label: Criteria version: Date: Product category: MFP Product category: Product category: P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)	P14.1	The pro	duct meets the r	equirements of the fo	llowing voluntar	ry progran	n(s):								
Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)		ENERG	SY STAR®	Criteria version	n:	Date:	Р	Product cat	egory:						
P15 Additional information (See NOTE B11) Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)		Eco-label: BAM Criteria version: RALUZ205 Date: Product category: MFP					MFP								
Sound pressure level at the operator position [L _{pA} :dB(A)] Stand-by: 20.1(dB)	D45														
Stand-by: 20.1(dB)	P15				# [] dD/#	A \ 1									
		Stand-by: 20.1(dB)													
		·								-					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1