



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	COH Europe SCM B.V., Blankenweg 24			
e-mail address	4612 RC Bergen op Zoom, Netherlands			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * MFP				
Commercial name *	IM 2702				
Model number *	IM 2702				
Issue date *	23 May 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e *	23 May 2019				
Product environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Comme	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro concenti	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum	,1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorin in preparations (see legal reference).	lorinated	×		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week 🗵		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):			
P2	Batterie	· · · · · · · · · · · · · · · · · · ·				
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				П	
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com					
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).				
	Required information is; given in item P15 or added to this document, available at (add URL):					
P4		able materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).		_		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging Control of the control of				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			ontreal 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * /M 2702

Model number *	IM 2702	Logo	
Issue date *	23 May 2019		

Product	environmental attributes - Market requirements (See General NOTE GN below)			
- E		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7.4*	Disassembly, recycling Data that have to be treated accountable as a solit accountable.		_	
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>	
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes	Ш	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
5= 10	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u>_</u>	\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is <i>app. 0.04</i> %. or b) The weight of recycled material is <i>app. 6.21</i> g.		J]

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	umber * IM 2702 Logo				Logo				
Issue date	*	23 May 2019							
Product (Product environmental attributes - Market requirements (continued) Requirement me								
Item							Ύє	s No	n.a.
D= 0.11			ance requirements (c						
P7.21*	·								Ш
			of the two alternatives			atad as a narc	entage of		
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is. 								
	or								
D= 00t			the biobased plastic ma						
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		p. mum mercury content per	r lamn	mg		Ш
P8	Batteries	<u> </u>	poony. Hambor of family	oo. anamaxi	man meredry content per	namp.	9		
P8.1*			mposition: Lithium-io	n battery (One cel	l battely)				П
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and t		energy	
Sleep mod	lo for ENE	PGV	W	W	W	modes and t	estinethou		
STAR® Op			VV	VV	VV				
(OM) produ	ucts		10/						
Standby/of ENERGY S			W	W	W				\boxtimes
Mode (OM									
TEC value		GY STAR	kWh/week	kWh/week	1.309 kWh/week				
TEC produ									
(TEC= Typical Energy Operating mode		ay .	W	W	491.17 W				
Operating	moae		VV	VV	491.17 VV				
Ready mo	de		W	W	106 W				
Sleep mod	de		W	W	1.01 W				$\overline{\Box}$
-			W	W	W				一一
			W	W	W				\overline{H}
			W	W	W			-	\dashv
External Po	ower Sunr	oly Efficienc							
Print/Scan			27 images per minute	Lineiericy Marking i	1010001)				
P9.2*	Default time to enter energy save mode: 1 minutes P9.2* Information about the energy save function is provided with the product.								
P10	Emissions								
		nission – I	Declared according to	ISO 9296 (See NO	ΓΕ B9)				
P10.1									
	Idle * Stand-by * 30.8								
	Operatio		Operating Mode		* 60.9				\dashv
	Other me		- 1						
			g to: X ISO 7779	ECMA-74					
			~ _ _	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		IM 2702			Logo			
Issue date *		23 May 2019						
	environ	mental attributes	- Market requirements (con	ntinued)		Require	ement	met
Item						Yes	No	n.a.
D. () ()	Chemical emissions from printing products (See NOTE B10)							
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ 205							Ш
P10.3								
1 10.5	71							님
		. • .	ces: Dust < 0.29 Ozone < 0.03 S	•	.01 TVOC 0.57			\Box
	ink dev	vices: Dust	Styrene Benzer	ne TVOC				Ш
		•	mum emission rates in eco labels	s to be declared in P14.				
P11		mable materials for						
P11.1*			is available for the ink/toner prep					
P11.2*	EN 122	81.	sumer recycled fibers can be u		ets the requiremer	nts of 🔀		
P11.3*	2-sided	(duplex) printing/cop	bying is an integrated product fur	ection.		\boxtimes		
P11.4*	The pro	duct is delivered to	end-user with default auto-duplex	cenabled.		\boxtimes		
P13		jing and documenta						
P13.1*	Produc	t packaging material	type(s): Corrugated paper type(s): Plastic (LDPE)	weight (kg): 4 weight (kg): 0.27				
	Produc	t packaging material	type(s): weight (kg					
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5			tem if paper documentation used)				
	Úser ar		ation on paper media is chlorine-					
	Totally	chlorine-free						
	•	ital chlorine-free						
	Processed chlorine-free					Ħ		
P14	Volunta	ary programs:						
P14.1	The pro	duct meets the requ	irements of the following volunta	ry program(s):				
	ENERG	SY STAR®	Criteria version:	Date: Pro	duct category:			
		el: <i>BAM</i>	Criteria version: RA-UZ 205		duct category. MFF	•		
P15	Eco-lab	el: onal information (Se	Criteria version:	Date: Pro	duct category:			
1 10			e operator position [LpA:dB(A)1				
	Stand-	by: 21.2(dB) ing Mode:47.3 (dB),		7.1				
	- 120.00	<u> </u>						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1