



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	COH Europe SCM B.V., Blankenweg 24			
e-mail address	612 RC Bergen op Zoom, Netherlands			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * MFP			
Commercial name *	M 2700			
Model number *	M 2700			
Issue date *	23 May 2019			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date	e *	23 May 2019				
Product	Product environmental attributes - Legal requirements		Require	ment	met	
Item			Yes	No	n.a.	
P1	Hazardo					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$oxed{\boxtimes}$			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	the 🛚			
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	eek 🛚			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ricoh-europe.com				
P2	Batterie	•				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$			
P2.2*	Batteries	gal 🔀				
P2.3*	Batteries	$\boxtimes$				
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	).				
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com					
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,	$\boxtimes$			
	(see legal reference).  Required information is; given in item P15 or added to this document,  available at (add URL):					
P4		nable materials	<u></u>			
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see erence and NOTE B1).				
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference)	_			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging	and 🔀	_		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* M 2700

Model number *	M 2700	Logo	
Issue date *	23 May 2019		

	environmental attributes - Market requirements (See General NOTE GN below)	_		
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Piercombly recycling			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		₩	<del>-  -</del>
			屵	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		屵	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ	<u></u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$	Ш	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$	П	
	Marking: FR(40)		ш	Ш
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			_
	according ISO 1043-4:		$\boxtimes$	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in		<u> </u>	
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		$\boxtimes$	
	2. Chemical name: , CAS #: "See NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		X	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is <i>app. 0.04</i> %.			
	or b) The weight of recycled material is <i>app. 6.21</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	M 2700				Logo				
Issue date	*	23 May 20	2019							
Product	Product environmental attributes - Market requirements (continued)  Requirement met									
Item								n.a.		
	Material	and subst	ance requirements (d	continued)						
P7.21*	Biobase	d plastic ma	aterial content is used i	in the product (See	NOTE B7):				$\boxtimes$	
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is.</li> <li>or</li> </ul>									
		•	the biobased plastic ma							
P7.22*	If mercur	ry is used s	ee from mercury, i.e. le pecify: Number of lamp		np. kimum mercury content per la	ımp:	mg			
P8	Batteries									
P8.1*			mposition: Lithium-io	n battery (One ce	ll battely)					Ш
P9			on (See NOTE B8)		nt'ana ana mananta da					
P9.1		product the	following power levels							
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		Reference/Sonodes and to	tandard fo est method *	r ei	nergy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W					
Standby/of ENERGY S Mode (OM	STAR Ope	erational	W	W	W					
TEC value TEC produ	for ENER		kWh/week	kWh/week	1.183 kWh/week					
(TEC= Typical Energy		ay .								
Operating	mode		W	W	418.82 W					Ш
Sleep mod	de		W	W	0.86 W					
			W	W	W					
			W	W	W					
			W	W	W					Ħ
			W	W	W					$\overline{}$
External Pa	ower Supr	oly Efficienc	l cy Level (International I	Efficiency Marking	Protocol) *:					
Print/Scan			27 images per minute	Emolericy Warking	1 10.00001)					
Default tim	e to enter	energy sav	ve mode: 1 minutes							
P9.2*	Informati	on about th	ne energy save function	n is provided with t	he product.			X		$\overline{\sqcap}$
P10	Emissio	ns						_		_
			Declared according to	ISO 9296 (See NC	TE B9)					
P10.1	Mode	M	ode description		Statistical upper limit A-weig $L_{WA,c}$ (B)	hted sound	power level,			
	Idle * Stand-by * 30.1		* 30.1							
	Operatio		Operating Mode		* 61.2			_		
Other mode										
	Measure	d according		ECMA-74						
			Other	(only if not covered	by ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		M 2700			Logo			
Issue date *		23 May 2019						
	environ	mental attributes	- Market requirements (coi	ntinued)		Require	ement	met
Item						Yes	No	n.a.
D. ( ) ( )	Chemical emissions from printing products (See NOTE B10)  Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic							
P10.2*					om Electronic			
P10.3	Equipment (ISO/IEC 28360), other specify: RAL-UZ 205  Typical emission rate (operation phase) is (mg/h):							
1 10.5	• •	` -	. , , , , , ,					님
			ces: Dust 0.29 Ozone <0.03 Sty		.01 TVOC 0.57			Ш
	ink dev	vices: Dust	Styrene Benzer	ne TVOC				
		•	mum emission rates in eco labels	to be declared in P14.				
P11		mable materials for						
P11.1*			is available for the ink/toner prep					
P11.2*	EN 122	81.	sumer recycled fibers can be u		ets the requireme	ents of 🔀		
P11.3*	2-sided	(duplex) printing/cop	pying is an integrated product fur	ction.				
P11.4*	The pro	duct is delivered to	end-user with default auto-duplex	enabled.		$\boxtimes$		
P13		ing and document						
P13.1*	Product Product	t packaging material t packaging material	type(s): Corrugated paper type(s): Plastic (LDPE)	weight (kg): 3.58 weight (kg): 0.27				
	Product	t packaging material	type(s): weight (kg					
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:							
P13.4*		media for user and nic , Paper , C	product documentation (tick box)	:				
P13.5			tem if paper documentation used	)				
		nd product document please specify:	tation on paper media is chlorine-	free:				
	Totally	chlorine-free						
	Elemen	ital chlorine-free				Ħ		
	Processed chlorine-free							
P14		ary programs:						
P14.1	The pro	duct meets the requ	irements of the following volunta	ry program(s):				
		SY STAR®	Criteria version:		duct category:			
		el: <i>BAM</i>	Criteria version: RA-UZ 205		duct category: MF	<b>:P</b>		
P15	Eco-lab Additio	onal information (Se	Criteria version:	Date: Pro	duct category:			
	Sound	pressure level at th	ne operator position [LpA:dB(A	)]				
	Stand-	<b>by: 20.7</b> (dB) <b>ing Mode:53.3</b> (dB),						
	Operat	ing mode.ss.s (ub)	1					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1