



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	COH Europe SCM B.V., Blankenweg 24				
e-mail address	612 RC Bergen op Zoom, Netherlands				
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * MFP				
Commercial name *	M 2701				
Model number *	M 2701				
Issue date *	23 May 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e *	23 May 2019				
Product environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*	Comme	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro concenti	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum	,1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorin in preparations (see legal reference).	lorinated	×		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/	week 🗵		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):			
P2	Batterie	· · · · · · · · · · · · · · · · · · ·				
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🔀		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See	legal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$	П	
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.com					
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).				
	-	d information is; given in item P15 or added to this document, available at (add URL):				
P4		able materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).		_		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging CANC Land Land Land Land Land Land Land Land				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* M 2701

Model number *	M 2701	Logo	
Issue date *	23 May 2019		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	, , , , , , , , , , , , , , , , , , , ,		$\boxtimes$	
1 7.10	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	Ш		Ш
P7.16	halogen as defined in IEC 61249-2-21. (See NOTE B2)  Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$	
F7.10	Marking: <i>FR</i> (40)		Ш	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		$\boxtimes$	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		$\boxtimes$	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		$\boxtimes$	
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
		$\square$		
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			-
F7.19	assigned the following Risk phrases; and Hazard statements:	Ш		
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X		
	If YES; at least one of the two alternatives below shall be answered;			_
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is app. 0.04%.			
	Or  h) The weight of recycled meterial is one 6.24r.			
	b) The weight of recycled material is <i>app. 6.21g</i> .			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	M 2701				Logo			
Issue date	*	23 May 20	019						
	environn	nental att	ributes - Market red	quirements (cor	ntinued)		Requ	irement	met
Item							Ye	s No	n.a.
D7 04*			ance requirements (c		NOTE D7\.			1 🔽	
P7.21*		•	aterial content is used i	•	•				Ш
<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentotal plastic by weight) is</li> </ul>				entage of					
		weight of t	the biobased plastic ma	aterial is					
P7.22*			ee from mercury, i.e. le pecify: Number of lamp		np. imum mercury content per	lamp:	mg		
P8	Batteries								
P8.1*			mposition: Lithium-io	n battery (One ce	ll battely)				
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consum	ptions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Si modes and to		energy	
Sleep mod			W	W	W				$\boxtimes$
STAR® Op (OM) produ		Mode							
Standby/of		r	W	W	W				X
ENERGY S									
Mode (OM			kWh/week	kWh/week	1.183 kWh/week				
TEC value for ENERGY STAR TEC products		KVVII/WEEK	KVVII/WEEK	7.703 KVVII/WEEK				Ш	
TEC= Typ		<b>41.7</b>							
Operating		ły	W	W	418.82 W				
oporum.g									ш
Sleep mod	de		W	W	0.86 W				
			W	W	W				$\overline{\Box}$
			W	W	W				$\overline{\Box}$
			W	W	W				Ħ
			W	W	W				$\overline{}$
Evternal D	ower Supr	oly Efficienc							
				Linciency Marking	1 10(000) .				
Print/Scan	<u>'</u>		27 images per minute						<u>Ц</u>
			ve mode: 1 minutes						
P9.2*	Informati	on about th	ne energy save function	n is provided with the	he product.				
P10	Emissio		D	100,000,00	TE D0)				
P10.1	Mode er		Declared according to lode description	ISO 9296 (See NO	Statistical upper limit A-we	ighted sound	nower level		
F 10.1	Mode	IVI	lode description		L <sub>WA,c</sub> (B)	igrited sourid	power level,		
	Idle		Stand-by		* 30.2				
	Operatio		Operating Mode		* 61.3				
	Other mo								
	Measure	d according		ECMA-74					
			Other	(only if not covered	l by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		M 2701			Logo			
Issue date *		23 May 2019						
	environ	mental attributes	- Market requirements (coi	ntinued)		Require	ment	met
Item						Yes	No	n.a.
D. 1.0.01	Chemical emissions from printing products (See NOTE B10)							
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ 205							
P10.3			ation phase) is (mg/h):					
1 10.5	• •							
			ces: Dust 0.29 Ozone <0.03 Sty		.01 TVOC 0.57			Ц
	Ink dev	vices: Dust	Styrene Benzer	ne TVOC				Ш
		•	mum emission rates in eco labels	s to be declared in P14.				
P11		mable materials for						
P11.1*			is available for the ink/toner prep					
P11.2*	EN 122	81.	sumer recycled fibers can be u		ets the requireme	nts of 🔀		
P11.3*	2-sided	(duplex) printing/cop	pying is an integrated product fur	ection.		$\boxtimes$		
P11.4*	The pro	duct is delivered to	end-user with default auto-duplex	cenabled.		$\boxtimes$		
P13		ing and document						
P13.1*	Produc	t packaging material	type(s): Corrugated paper type(s): Plastic (LDPE)	weight (kg): 3.78 weight (kg): 0.27				
	Produc	t packaging material	type(s): weight (kg	g):				
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:							
P13.4*		media for user and nic X, Paper X, C	product documentation (tick box)	:				
P13.5			tem if paper documentation used	1)				
	Úser ar		tation on paper media is chlorine					
	Totally	chlorine-free				$\square$		
	•	ital chlorine-free						
	Processed chlorine-free							
P14	Volunta	ary programs:						
P14.1	The pro	oduct meets the requ	irements of the following volunta	ry program(s):				
	ENERG	SY STAR®	Criteria version:	Date: Pro	duct category:			
		el: <i>BAM</i>	Criteria version: RA-UZ 205		duct category: MF	P		
P15	Eco-lab	oel: onal information (Se	Criteria version:	Date: Pro	duct category:			
1 13			ne operator position [LpA:dB(A	)1				
	Stand-	by: <b>21.9</b> (dB) ing Mode:53.1 (dB),		, <u>.</u>				
		<u> </u>						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1