



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company, Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London NW1 3BF	RICOH
e-mail address	emo@ricoh-europe.com	
		imagine. change.
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemer	nts given in this declaration.			
Type of product *	A4 Mono Multifunctional Printer			
Commercial name *	SP 330SFN			
Model number *	SP 330SFN			
Issue date *	20.8.2018			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	SP 330SFN	Logo	DISCU
Issue date *	20.8.2018		RICOH imagine. change.

Product	oduct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).					
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		Ш			
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes				
	Required information is; given in item P15 or added to this document,					
P4	available at (add URL): Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see					
	legal reference and NOTE B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).		<u>Ц</u>			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	<u> </u>				
Dr. Ot	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	I 🔀				
	(see legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	SP 330SFN	Logo	
Issue date *	20.8.2018		RICOH imagine. change.

	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.		
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
5-	Material type: PC+ABS Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.	<u>U</u> _	\boxtimes	<u>U</u>		
P7.13	Insulation materials of internal electrical cables are PVC free.		$\underline{\underline{X}}$			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: BFRs are used, which are not restricted of their inclusion by regulations		\boxtimes			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.34%. or b) The weight of recycled material is g.	I				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

woder nur	Hullibel 3F 3303FW						RICOH			
Issue date * 20.8.2018					imagin	e. change.				
Product	Product environmental attributes - Market requirements (continued) Requirement met									
Item	CITYII OIIII	ioniai att	TIDULES MAINELTE	quirements (conti	nucuj		Ye		n.a.	
	Material	and subst	ance requirements (c	continued)						
P7.21*										
	If YES; at least one of the two alternatives below shall be answered;									
				the biobased plastic	material content (calculate	d as a perc	entage of			
	tota or	I plastic by	weight) is <0.011%.							
		weight of t	the biobased plastic ma	aterial is g.						
P7.22*			ee from mercury, i.e. le pecify: Number of lam		ium mercury content per la	mp:	mg			
P8	Batteries	<u>, </u>	, ,			<u>'</u>	3			
P8.1*			mposition: Lithium-io	n battery						
P9	Energy	consumpti	on (See NOTE B8)							
P9.1			following power levels	or energy consumpti	ons are reported:					
Energy mo	de *		Power level at	Power level at	Power level at R	eference/S	tandard for	energy		
			100 V AC	115 V AC	230 V AC n	nodes and t	est method *	•		
Sleep mod			W	W	W				\boxtimes	
STAR® Op (OM) produ		Mode								
Standby/of			W	W	W				\square	
	ENERGY STAR Operational									
Mode (OM			kWh/week	kWh/week	1.253 kWh/week					
TEC value for ENERGY STAR TEC products		GISIAN	KVVII/Week	KVVII/WEEK	7.233 KWII/WEEK				Ш	
(TEC= Typ	ical Energ	IY								
Operating	Mode		W	W	520 W					
Ready Mo	de		W	W	65.7 W					
Sleep Mod	de		W	W	0.87 W0					
			W	W	W					
			W	W	W					
			W	W	W					
External P	ower Supp	oly Efficienc	cy Level (International I	Efficiency Marking Pr	otocol) *:				\boxtimes	
Print/Scan	Speed *	:	32 images per minute							
Default tim	e to enter	energy sav	ve mode: 0.5 minutes							
P9.2*										
P10										
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) 1 Mode Mode description Statistical upper limit A-weighted sound power level,									
F 10.1	Mode	IVI	lode description		L _{WA,c} (B)					
Idle * Stand-by * 3.3										
	Operatio		Operating mode	*	6.9					
Other mode		See section P 15			-					
	Measure	d according		ECMA-74						
	1		Other	(only if not covered by	v FCMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model num	nber *	SP 330SFN			Logo			
Issue date *		20.8.2018				RICO imagine. cha		
Product 6	environ	mental attributes -	- Market requirements (con	tinued)	F	Require	ment	met
Item				-		Yes	No	n.a.
			rinting products (See NOTE B					
P10.2*		-	ECMA-328 Determination of Che	emical Emission Rates	from Electronic	\boxtimes		Ш
P10.3		emission rate (operat	, other specify: RAL-UZ205					
F 10.3			. , , , ,					
	Electrop Ink devi		,	rene <i>0.31</i> Benzene < Styrene Benze				
	Note: co	ompliance with maxim	num emission rates in eco labels	to be declared in P14.				
P11		mable materials for p						
P11.1*			s available for the ink/toner prepa			\boxtimes		
P11.2*	EN 122	81.	umer recycled fibers can be us		neets the requirements of			
P11.3*		· · · · · · · · · · · · · · · · · · ·	ring is an integrated product fund			\boxtimes		
P11.4*	The pro	duct is delivered to er	nd-user with default auto-duplex	enabled.		\boxtimes		
P13		ing and documentat						
P13.1*	Product	t packaging material ty t packaging material ty t packaging material ty	ype(s): <i>Plastic</i> weight (kg					
P13.2*			aging is free from PVC.	/-				
P13.3*		duct primary corruga ner recovered fiber cor	ted fiberboard packaging, spec ntent: %	ify the contained per	centage of minimum post-			
P13.4*		media for user and prince \boxtimes , Paper \boxtimes , Other	roduct documentation (tick box):					
P13.5	(Please User an	only complete this ite	em if paper documentation used) tion on paper media is chlorine-f			\boxtimes		
	Totally	chlorine-free				\boxtimes		
	Elemen	tal chlorine-free						
	Process	sed chlorine-free						
P14		ary programs:						
P14.1	ENERG	oduct meets the requir BY STAR® sel: BAM	ements of the following voluntary Criteria version: 2.0 Criteria version: RAL UZ205	Date: P	roduct category: <i>MFD (Mu</i> roduct category: <i>Multifund</i>			vice
	Eco-lab		Criteria version:		roduct category:			
P15		nal information (See						
			utilize recycled plastic mater		ole			
	Stand-l	ed A-weighted Sound by: 20.8 (dB) ing Mode; 59(dB)	d pressure level L _{PAm} (dB) in op	eration position				
		ent A (PVC) :						
	The PVC is restricted to use only for the packing materials. The following is Ricoh Group Green Procurement's standpoint for the PVC use for the products:							
	Please refer to the latest Ricoh Group Green Procurement Guideline below;							
	http://ex	d.ricoh.co.jp/ecology/g	guideline/pdf/image_e_ver7.pdf					
	Ricoh deleted the restriction of use of PVC as steted in the above as "Until now, PVC contained in products is restricted to use since we concerned environmental impact after product disposal and hazardous property of additives. At this time we have reviewed a scope of PVC restricted use by confirming public movement and concern surrounding PVC.							
	Comme	ent B (Flame retardant	s in the PCB):					
	There is	s a same kind of requi	rement in the EPEAT criteria 4.1	.6.2 :				
	All printed circuit board laminates included in the product excluding components soldered or affixed to the printed circuit board laminates shall contain no more than 0.1 % weight. (1000ppm) bromine and 0.1 % weight. (1000ppm) chlorine attributable to brominated flame retardants (BFRs) and chlorinated flame retardants (CFRs), with the following exception:							

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

. Uses of brominated or chlorinated substances that are not classified as BFRs or CFRs are allowed, but their use shall be documented if the bromine or chlorine content exceeds the applicable threshold.

. . . .

IEC 61249-2-21 establishes limits on elemental bromine (900 ppm) and chlorine (900 ppm), and a combined limit of (1500 ppm.) Demonstration of conformance with the threshold limits established in IEC 61249-2-21 meets the requirements of this criterion.

However, any registered MFP/Printer/Scanner products, 620 products registered as of today including Ricoh/Canon/KonicaMinolta/HP/Xerox/Samsung/Lexmark/Toshiba/Dell/Epson/Kodak/Kyocera, do not comply yet to this requirement. It is said that it seems difficult for the PCB manufacturers to meet this requirement from the technical reasons.

Comment C (Risk Phrase classified flame retardant):

We confirmed the plastic manufacturers and obtained their declarations that the plastic materials used in the products are compliant with the Blue Angel criteria

*Only flame retardants classified as R53 might be contained as above 0.1%.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1